Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.




19400

62.57

F. & F. Nurseries

SPRINGFIELD, NEW JERSEY







Greetings

"Just opposite the old Colonial Church" in Springfield, N. J., is more specific than it may appear, for the lovely old church has been there since the revolution and we have become well rooted "cross the way" during the span of more than a half century. Come to see our test gardens and nurseries, you will enjoy the day—and we like to meet folks.

Our prices are based upon the value of the plant offered—not upon its name and measurement. There is a vast difference in quality even though printed sizes may be alike. Our material has been given ample space for development, has been judiciously pruned and transplanted and is carefully dug and handled throughout.

A word about this book—it's difficult to arrive at maximum usefulness without being too encyclopedic. If we have omitted any points of information that would be generally useful to real gardeners please drop a hint.

As to plant material—quality is self evident, and we mean to maintain the high standard already established.

So, if this catalogue becomes your planting companion, then it will have accomplished one of its purposes.

F.&F. Nurseries

SPRINGFIELD



NEW JERSEY

TELEPHONE MILLBURN 6-0152

Contents WA

	PAGE
Acid Soil, Plants for	123-124
Autumn Color, Plants for	131
Balling and Boxing Charges	140
Bank Plantings	122
Berry Bearing Trees and Shrubs	
Bird Havens, Plants for	
Broad Leaved Evergreens	
Bulbs, Planting Calendar	
Conditions of Sale	
Crevices, Plants for	
Deciduous & Evergreen Trees, Shrubs & Vines	
Deciduous Shrubs	
Delivery Schedule	
Distinctive Bark, Plants with	
Dry Soil, Plants for	
Espalier Shrubs	
Evergreen Conifers	
Ferns	
Fertilizers	
Flowering Trees	
Grass Seed	
Ground Covers	
Hedge Plants	
Herbaceous Perennials Herbs	
IndexInsecticides	
Mulching Table	
Plant Combinations	
Planting Distances	
Pruning Distances	
Rock Garden Plants	
Seashore Planting	
Shade Trees	
Shaded Situations, Plants for	
Uncommon Plants	
Vines	
Wall Gardening	
Wet Soil, Plants for	
Yew Hedges	



Copyright 1939 F. & F. Nurseries

Deciduous and Evergreen Trees, Shrubs and Vines



The figures immediately following the name of each plant indicate the approximate height at maturity, which will vary considerably according to soil, exposure and other factors.

--- A ---

Each Ten Hundred

ABELIA grandiflora. 5'-6'

Glossy Abelia

HALF-EVERGREEN. Dainty bell-shaped shell-pink flowers produced throughout summer. The glossy privet-like foliage will persist all winter in a protected spot. Neat. 12 to 15 in. 4" pots....... .60 .50 .40

14	ı	10	111.	-1	P	O.S	.00	.00
11/2	to	2	ft.	B.	&	В	.90	.80

ABIES concolor. 50'-60'

White Fir

EVERGREEN. This "Queen of the Firs" is a handsome thing with large flat silvery-green needles that seem to become more blue with age. As a pyramidal accent plant it is splendid, it withstands city conditions and drought.

15	to	18	in.	В.	&	В	1.20	1.00	•
11/2	to	2	ft.	B.	&	B	1.75	1.50	1.35
2	to	$2\frac{1}{2}$	ft.	B.	&	B	2.50	2.25	2.00
$2\frac{1}{2}$	to	3	ft.	В.	&	В	3.75	3.30	
3	to	4	ft.	В.	&	B	4.50		
5	to	6	ft.	B.	&	В	6.75		

homolepis. 60'-70'

Nikko Fir

EVERGREEN. From the youthful broad-based pyramid this stately fir develops into a bold round-topped tree. Stiff lustrous green needles have silvery reverse. Hardy.

~			9.0011	11000	~_~	J 1104 V O	Dir vor j	0100.
3	to	4	ft.	B.	&	В	5.00	4.50
4	to	5	ft.	В.	&	В	6.50	6.00
5	to	6	ft.	В.	&	В	8.00	7.00
6	to	7	ft.	В.	&	В	10.00	9.00
7	to	8	ft.	B.	&	В	12.00	11.00
8	to	10	ft.	B.	&	В	15.00	13.50
10	to	12	ft.	B.	&	В	18.00	
12	to	14	ft.	B.	&	В	24.00	

veitchi. 50'-60'

Veitch Fir

EVERGREEN. A rather dainty narrow pyramid of soft green. The silvery under side of needles is quite marked.

diee:	11.	Ine	Sirvery	unae	21 5	stae or	needles is	quite	markea.
21/2	to	3	ft.	В.	&	B	3.00	2.70	2.40
3	to	4	ft.	В.	&	В	4.25	4.00	3.60
4	to	5	ft.	В.	&	B	5.25		
5	to	6	ft.	В.	&	B	7.00		
6	to	8	ft.	B.	&	B	9.00		
8	to	10	ft.	B.	&	B	. 13.50		

Perhaps some of the combination plantings on pages 132-133 will fit in your garden. Won't you please suggest others that are effective?

									Each		Hundred
AC.				_	entapl	-				ive Leaf	
			-				_		eky slop hing ha	es. Good bit.	l bright
	11/2	to	2	ft.	•••••		• • • • • • • • •	••••	.40	.3 5	.30
	2	to	3	ft.			•••••		.50		.40
	3	to	4	ft.					.65		.55
	4	to	5	ft.	•••••	•••••	••••••	••••	.85	.7 5	
AC								~ /	., 5		
. P										ple Japan reasonab	
										form. M	
					mpact						
	1	to	$1\frac{1}{2}$	ft.	E	δ. δ	В	••••	1.25	1.00	.90
	11/2		2	ft.			В		1.75	1.50	. 1.25
	2	to	21/2				B		2.50	2.25	2.00
	21/2		3	ft.			: В : В		3. 5 0 5.00		
	3	to to	4 5	ft. ft.		-	в В В		7.50	4.30 6.75	6.00
	5	to	6	ft.			В		9.00	8.00	0.00
	6	to	7	ft.			B		12.00	11.00	
	– crisı	~~~	10	19			Crost	iod '	Durnia	Japanese	Manie
	_					eer				rly cut o	_
										not well-	
	1	to	1 1/2				В		1.25	1.00	
	11/2		2	ft.		-	B		1.75	1.50	
	2	to	21/2				В		2.50	2.25	
		to	3	ft.			: В		3.50	3.00	
	_	to	_	ft.	_	-	B			4.50	
	4	Ю	3	н.	D	. 0	D	••••	7.50		
_	– diss	ectu	m.	5′-6	•			(Cutleaf	Japanese	Maple
	Daar									- -	
									soft ap	bearance	
	flat-t	oppe	ed lo	w s	preadi	ng	bush.	Gro	soft app	y slowly,	, but at
	flat-to	oppe trity	ed lo is c	w s	spreadi varacte	ng rful	bush. billo	Gro wy	soft appows ver mound	y slowly, of fresh	, but at
	flat-to matu l	oppe irity to	ed lo is c 1½	ws ch	spreadi aracte spread	ng rful l, B	bush. billo . & B.	Gro wy	soft appows ver mound 2.50	y slowly, of fresh 2.25	, but at
	flat-to matu 1 1½	oppe irity to to	ed lo is c 1½ 2	ws ch ft. ft.	spreadi naracte spread spread	ng rful l, B l, B	bush. billo . & B. . & B.	Growy	soft appows ver mound 2.50 4.00	y slowly, of fresh 2.25 3.50	, but at green.
	flat-to matu 1 1½ 2	oppe trity to to to	ed lo is c 1½ 2 2½	ws tch ft. ft. ft.	spreadi spread spread spread	ng rful l, B l, B l, B	bush. billo . & B. . & B. . & B.	Gro	soft appows ver mound 2.50	y slowly, of fresh 2.25 3.50 5.25	, but at green.
	flat-to matu 1 1½ 2 2½	oppe to to to to to	ed lo is c 1½ 2 2½ 3	w s t ch ft. ft. ft. ft.	spreadi spread spread spread spread	ng rful l, B l, B l, B	bush. billo . & B & B & B & B.	Growy	soft appows ver mound 2.50 4.00 6.00 8.00	y slowly, of fresh 2.25 3.50 5.25	, but at green.
	flat-to matural 1 1 1 / 2 2 1 / 2 1 / 2 p	opperity to to to to	ed lo is o 1½ 2 2½ 3	ws tch ft. ft. ft. ft. ft.	spreadi spread spread spread spread 5'-6'	ng rful l, B l, B l, B	bush. billo . & B & B & B & B.	Growy	soft appows ver mound 2.50 4.00 6.00 8.00	y slowly, of fresh 2.25 3.50 5.25	, but at green. Maple
	flat-tomatu 1 1½ 2 2½	opperity to to to to to to rurpi	ed lo is c 1½ 2 2½ 3 ureum	w s t ch ft. ft. ft. ft. he	spreadi spread spread spread spread 5'-6'	ng rful l, B l, B l, B l, B	bush. billo . & B & B & B & B.	Growy	soft appows ver mound 2.50 4.00 6.00 8.00 Purple	y slowly, of fresh 2.25 3.50 5.25 Cutleaf	Maple foliage.
•	flat-tomatu 1 1½ 2 2½	oppe irity to to to to ourpi rs fr	ed lo is c 1½ 2 2½ 3 areum to 1½ 1½ 2	w s t ch ft. ft. ft. ft. ft.	spreadi aracte spread spread spread spread 5'-6' green, spread	ng rful l, B l, B l, B l, B	bush. billo . & B & B & B & B & B.	Growy	soft appows ver mound 2.50 4.00 6.00 8.00 Purple ag wine 2.50	y slowly, of fresh 2.25 3.50 5.25 Cutleaf e-stained to 2.25	Maple foliage.
	flat-tomatu 1 1½ 2 2½ — p Diffe 1 1½	to to to to to to to	ed lo is c 1½ 2 2 ½ 3 3 4 reur to 1½ 2 2 ½ 2 3 4 reur to 1½ 2	w s t ch ft. ft. ft. ft. ft. ft. ft.	spreadi spread spread spread spread 5'.6' green, spread spread	ng rful l, B l, B l, B onl l, B	bush. billo . & B & B & B & B & B & B & B.	Gro	soft appows ver mound 2.50 4.00 6.00 8.00 Purple ag wine 2.50 4.00	y slowly, of fresh 2.25 3.50 5.25 Cutleaf e-stained to 2.25	Maple foliage.
· Command	flat-tomatu 1 1½ 2 2½	to to to to to to to	ed lo is c 1½ 2 2½ 3 areum tom t 1½ 2 2½ 2½	w s t ch ft. ft. ft. ft. ft. ft.	spreadi aracte spread spread spread spread 5'-6' green, spread	ng rful l, B l, B l, B onl l, B l, B	bush. billo . & B & B & B & B & B & B & B.	Gro	soft appows ver mound 2.50 4.00 6.00 8.00 Purple ag wine 2.50 4.00	y slowly, of fresh 2.25 3.50 5.25 Cutleaf 2.25 3.50 5.25	Maple foliage.
	flat-tomatu 1 1½ 2 2½	to to to to to to	ed lo is c 1½ 2 2½ 3 areum to 1½ 2 2½ 3	w s t ch ft. ft. ft. ft. ft. ft. ft.	spreadi spreadi spread spread spread spread spread spread spread spread spread	ng rful l, B l, B l, B l, B l, B l, B	bush. billo . & B & B & B & B & B & B & B.	Gro	soft appows ver mound 2.50 4.00 6.00 8.00 Purple 2.50 4.00 6.00 8.00	y slowly, of fresh 2.25 3.50 5.25 Cutleaf 2.25 3.50 5.25	Maple foliage. 1.75 3.00 4.80
	flat-tomatu 1 1½ 2 2½	to t	ed lo is c 1½ 2 2½ 3 areum to 1½ 2 2½ 3 areum.	w s t ch ft. ft. ft. ft. ft. ft. sft. ft. ft. ft. ft. ft. ft. ft.	spreadi spreadi spread spread spread spread spread spread spread spread spread	ng rful l, B l, B l, B onl l, B l, B	bush. billo . & B & B & B & B & B & B & B & B.	Growy	soft appows ver mound 2.50 4.00 6.00 8.00 Purple 2.50 4.00 6.00 8.00 ernleaf	y slowly, of fresh 2.25 3.50 5.25 • Cutleaf 2.25 3.50 5.25 7.20	Maple foliage. 1.75 3.00 4.80
	flat-timatu 1 1½ 2 2½	to t	ed lo is c 1½ 2 2½ 3 areum. at integrating type	w s t ch ft. ft. ft. ft. ft. ft. s ft. ft. ft. ft. ft. ft. ft. ft.	spreadi spreadi spread	ng rful l, B l, B l, B onl l, B l, B	bush. billo . & B & B & B & B & B & B & B & B & B & Iline, ul air	Growy navin	soft appows ver mound 2.50 4.00 6.00 8.00 Purple 1.50 4.00 6.00 8.00 ernleaf tween togreen for	y slowly, of fresh 2.25 3.50 5.25 Cutleaf 2.25 3.50 5.25 7.20 Japanese he cutled	Maple foliage. 1.75 3.00 4.80
	flat-timatu 1 1½ 2 2½	to t	ed lo is c 1½ 2 2½ 3 areum tom t 1½ 2 2½ 3 areum type 2½ 2½	w s ch ft.	spreadi spreadi spread	ng rful l, B l, B l, B onl l, B l, B l, B	bush. billo . & B & B & B & B & B & B & B & B & B & B & B & B & B.	Growy avin	soft appows ver mound 2.50 4.00 6.00 8.00 Purple 1.50 4.00 6.00 8.00 ernleaf tween to 3.00	y slowly, of fresh 2.25 3.50 5.25 Cutleaf 2.25 3.50 5.25 7.20 Japanese he cutled liage. 2.70	Maple foliage. 1.75 3.00 4.80
	flat-timatu 1 1½ 2 2½	to t	ed lo is c 1½ 2 2½ 3 areum to 1½ 2 2½ 3 areum type 2½ 3	w s ch ft.	spreadi spreadi spread	ng rful l, B l, B l, B l, B onl l, B l, B conl conl conl conl conl conl conl conl	bush. billo . & B & B & B & B & B & B & B & B & B & B & B & B & B & B & B.	Gravinavin	soft appows ver mound 2.50 4.00 6.00 8.00 Purple ag wine 2.50 4.00 6.00 8.00 ernleaf in the streen for 3.00 4.00 4.00	y slowly, of fresh 2.25 3.50 5.25 Cutleaf e-stained fresh 2.25 3.50 5.25 7.20 Japanese he cutled liage. 2.70 3.60	Maple foliage. 1.75 3.00 4.80
	flat-timatu 1 1½ 2 2½	to t	ed lo is c 1½ 2 2½ 3 areum tom t 1½ 2 2½ 3 areum type 2½ 2½	w s ch ft.	spreadi spreadi spread	ng rful l, B l, B l, B l, B onl l, B l, B conl conl conl conl conl conl conl conl	bush. billo . & B & B & B & B & B & B & B & B & B & B & B & B & B.	Gravinavin	soft appows ver mound 2.50 4.00 6.00 8.00 Purple 1.50 4.00 6.00 8.00 ernleaf tween to 3.00	y slowly, of fresh 2.25 3.50 5.25 Cutleaf e-stained fresh 2.25 3.50 5.25 7.20 Japanese he cutled liage. 2.70 3.60	Maple foliage. 1.75 3.00 4.80
	flat-trimatural library librar	to t	ed lo is c 1½ 2 2½ 3 are in type 2½ 3 4 10′	w s ch ft. ft. ft. he ft.	spreadi spreadi spread	ng rful l, B l,	bush. billo . & B & B & B & B & B & B & B & B & B & B & B & B & B & B & B.	Gravinavinavinavinavinavinavinavinavinavin	soft appows ver mound 2.50 4.00 6.00 8.00 Purple ag wine 2.50 4.00 6.00 8.00 ernleaf tween tyreen for 3.00 4.00 6.00 Dark	y slowly, of fresh 2.25 3.50 5.25 Cutleaf e-stained fresh 2.25 3.50 5.25 7.20 Japanese he cutled liage. 2.70 3.60 5.40 est Purple	Maple foliage. 1.75 3.00 4.80 Maple af form
	flat-trimature 1 1½ 2 2½	to t	ed lo is c 1½ 2 2½ 3 areum tom t 1½ 2 2½ 3 areum type 2½ 3 4 10½ 2 2½ 3 4 10½	w s ch ft. ft. ft. n. he ft. ft. ft. ft. ft. st. ft. ft. ft. ft. ft. ft. ft. ft. ft. f	spreadi spreadi spread	ng rful l, B l,	bush. billo . & B &	Growy navin Fe bet ry g	soft appows ver mound 2.50 4.00 6.00 8.00 Purple ag wine 2.50 4.00 6.00 8.00 ernleaf tween to green for 3.00 4.00 6.00 Dark Vigoro	y slowly, of fresh 2.25 3.50 5.25 Cutleaf 2.25 3.50 5.25 7.20 Japanese he cutled liage. 2.70 3.60 5.40 est Purpleous, holds	Maple foliage. 1.75 3.00 4.80 Maple form
	flat-te matu 1 1½ 2 2½ — p Diffe 1 1½ 2 2½ — filici Some and 2 2½ 3 — nigr This 1	to t	ed lo is c 1½ 2 2½ 3 are in type 2½ 3 4 104 104 1½ 2 1½ 3 4 104 1½ 2 1½ 3 4 104 1½ 3 4 104 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½	w s ch ft. ft. ft. ft. he ft. ft. ft. ft. ft. ft. st. ft. ft. ft. ft. ft. ft. ft. ft. ft. f	spreading aracte spread	ng rful l, B l,	bush. billo . & B &	Growy avin Fe bein ry g	soft appows ver mound 2.50 4.00 6.00 8.00 Purple 1.25 4.00 6.00 8.00 ernleaf 1.25 Vigora 1.25	y slowly, of fresh 2.25 3.50 5.25	Maple foliage. 1.75 3.00 4.80 Maple form Form color90
	flat-trimature 1 1½2 2 ½2 2½2 — P Differ 1 1½2 2 ½2 — filicit Some and 2 2½3 3 — nigr This 1 ½2	to t	ed lo is c 1½ 2 2½ 3 are in type 2½ 3 4 10′ e cre 1½ 2	w s ch ft. ft. ft. ft. he ft.	spreading aracte spread	ng rful l, B l,	bush. billo . & B &	Gravinavinavinavinavinavinavinavinavinavin	soft appows ver mound 2.50 4.00 6.00 8.00 8.00 ernleaf 1 tween to 3.00 4.00 6.00 Dark Vigora 1.25 1.75	y slowly, of fresh 2.25 3.50 5.25 Cutleaf 2.25 3.50 5.25 7.20 Japanese he cutled liage. 2.70 3.60 5.40 est Purple ous, holds 1.00 1.50	Maple foliage. 1.75 3.00 4.80 Maple af form Form color90 1.25
	flat-trimature 1 1½ 2 2½ 2½ - P Different 1 1½ 2 2½ - Filicities and 2 2½ 3 - nigrature 1 ½ 2 1½ 3 - nigrature 1 ½ 2	to t	ed lo is c 1½ 2 2½ 3 areum tom t 1½ 2 2½ 3 areum type 2½ 3 4 10′ 2 2½ 2½ 2½ 2½ 2½ 2½ 2½ 2½ 2½ 2½ 2½ 2½ 2	w s ch ft.	spreadi spreadi spread	ng rfull, B l, B l, B l, B l, B l, B l, S l, S	bush. billo . & B &	Growy navin Fe bet ry c	soft appows ver mound 2.50 4.00 6.00 8.00 8.00 ernleaf 1 tween to green for 3.00 4.00 6.00 Dark Vigoro 1.25 1.75 2.50	y slowly, of fresh 2.25 3.50 5.25 Cutleaf 2.25 3.50 5.25 7.20 Japanese he cutled liage. 2.70 3.60 5.40 est Purple ous, holds 1.00 1.50 2.25	Maple foliage. 1.75 3.00 4.80 Maple form Form color90 1.25 2.00
	flat-trimature 1 1½ 2 2½ 2½ - P Different 2 2½ 3 - nigrature 1 ½ 2 3½ - nigrature 1 ½ 2 2½ 3	to t	ed lo is c 1½ 2 2½ 3 are in type 2½ 3 4 10′ 1½ 2 2½ 3	w s ch ft. ft. ft. ft. ft. st. ft. ft. ft. ft. ft. ft. ft. ft. ft. f	spreading and a spread	ng rful l, B l,	bush. billo . & B &	Growy avin Fe bet ry g	soft appows ver mound 2.50 4.00 6.00 8.00 8.00 ernleaf 1 tween to 3.00 4.00 6.00 Dark Vigora 1.25 1.75	y slowly, of fresh 2.25 3.50 5.25 2.25 3.50 5.25 7.20 [apanese he cutled liage. 2.70 3.60 5.40 est Purple ous, holds 1.00 1.50 2.25 3.00	Maple foliage. 1.75 3.00 4.80 Maple form Form color90 1.25 2.00 2.70
	flat-trimature 1 1½ 2 2½ 2½ - p Diffe 1 1½ 2 2½ - filici Some and 2 2½ 3 - nigr This 1 1½ 2 2½ 3	to t	ed lo is c 1½ 2 2½ 3	w ch ft.	spreading spread	ng rful l, B B l, B l, B l, B l, B l, B l, S & & & & & & & & & & & & & & & & & &	bush. billo . & B	Growy navin Fe bet ry ple.	soft appows ver mound 2.50 4.00 6.00 8.00 4.00 6.00 8.00 4.00 6.00 4.00 6.00 Dark Vigora 1.25 1.75 2.50 3.50 5.00 7.50	y slowly, of fresh 2.25 3.50 5.25 Cutleaf 2.25 3.50 5.25 7.20 Japanese he cutled 1.00 3.60 5.40 est Purple 1.50 2.25 3.00 4.50 6.75	Maple foliage. 1.75 3.00 4.80 Maple form Form color90 1.25 2.00 2.70
	flat-timatu 1 1½ 2 2½ 2 ½ 2 ½ 2 ½ 2 1½ 2 2½ 2 filici Some and 2 2½ 3 - nigr This 1 ½ 2 2½ 3 4 5	to	ed lo is c 1½ 2 2½ 3	w ch ft.	spreading and a spread	rful, BB, soll,	bush. billo . & B & B & B & B & B & B & B & B & B B	Growy navin Fe bet ry ple.	soft appows ver mound 2.50 4.00 6.00 8.00 Purple 2.50 4.00 6.00 8.00 Ernleaf 1 tween to green for 3.00 4.00 6.00 Dark Vigoro 1.25 1.75 2.50 3.50 5.00 7.50 9.00	y slowly, of fresh 2.25 3.50 5.25 Cutleaf 2.25 3.50 5.25 7.20 Japanese he cutled liage. 2.70 3.60 5.40 est Purple ous, holds 1.00 1.50 2.25 3.00 4.50 6.75 8.00	Maple foliage. 1.75 3.00 4.80 Maple form Form color90 1.25 2.00 2.70
	flat-trimature 1 1½ 2 2½ 2½ - p Diffe 1 1½ 2 2½ - filici Some and 2 2½ 3 - nigr This 1 1½ 2 2½ 3	to	ed lo is c 1½ 2 2½ 3	w ch ft.	spreading and a spread	rful, BB, soll,	bush. billo . & B	Growy navin Fe bet ry ple.	soft appows ver mound 2.50 4.00 6.00 8.00 4.00 6.00 8.00 4.00 6.00 4.00 6.00 Dark Vigora 1.25 1.75 2.50 3.50 5.00 7.50	y slowly, of fresh 2.25 3.50 5.25 Cutleaf 2.25 3.50 5.25 7.20 Japanese he cutled 1.00 3.60 5.40 est Purple 1.50 2.25 3.00 4.50 6.75	Maple foliage. 1.75 3.00 4.80 Maple form Form color90 1.25 2.00 2.70

ACER—Continued	Each Ten Hundred
pennsylvanicum. 30'-35'	Striped Maple
The green bark is lined with strik	ing white stripes.
4 to 6 ft	1.75
6 to 8 ft	2.50
platanoides. 60'-80'	Norway Maple
Probably the easiest tree to tr	-
Throws a dense shade, so must be	
is to grow under it. Holds its gr	
8 to 10 ft	2.00 1.75 1.35
8 to 10 ft., 1½ to 1½ in	2.50 2.25 2.00
9 to 10 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.00 2.70 2.40
10 to 12 ft., 1 ³ / ₄ to 2 in	4.00 3.50
12 to 14 ft., 2 to 2½ in	5.25 4.50
12 to 14 ft., 2½ to 3 in	7.00 6.25
14 to 16 ft., 3 to 3½ in 16 to 18 ft., 3½ to 4 in	10.00 9.00 13.50 12.00
18 to 20 ft., 4 to 5 in	20.00 18.00
18 to 20 ft., 5 to 6 in	27.00
— schwedleri. 60'-80'	Schwedler Maple
The young leaves are bright red	
proaches turn to a rich dark green purple in them. This brightens	
10 to 12 ft., 134 to 2 in	5.00 4.50
	6.00 5.40
12 to 14 ft., 2½ to 3 in	8.00
·	
rubrum. 80'-100'	Red Maple
A well-loved native so noticeable in red blossoms cover the branches,	-
when the vivid scarlet dress is a	=
found in low places but succeeds	
8 to 10 ft., 1½ to 1½ in	3.00 2.75
9 to 10 ft., 1½ to 1¾ in	4.25 3.75 3.30
10 to 12 ft., 13/4 to 2 in	5.50 5.00 4.50
12 to 14 ft., 2 to $2\frac{1}{2}$ in	7.00 6.25 5.40
12 to 14 ft., $2\frac{1}{2}$ to 3 in	9.00 8.00
14 to 16 ft., 3 to 3½ in	12.00
16 to 18 ft., $3\frac{1}{2}$ to 4 in	15.00
saccharum. 100'	Sugar Maple
Quite a princely tree dissatisfied wit	th city life, but assumes
noble proportions in clear atmosphe	
ranging through all the fiery tones i	-
larly beautiful foliage effects, the mo	_
8 to 10 ft., 1½ to 1½ in 9 to 10 ft., 1½ to 1¾ in	3.00 2.70 2.40
9 to 10 ft., 1½ to 1¾ in 10 to 12 ft., 1¾ to 2 in	3.75 3.30 3.00 4.50 4.00 3.60
12 to 14 ft., 2 to 2½ in	6.00 5.25 4.75
12 to 14 ft., 2½ to 3 in	9.00 8.00 7.00
14 to 16 ft., 3 to 3½ in	13.50 12.00 10.50
16 to 18 ft., 3½ to 4 in	18.00 16.50
18 to 20 ft., 4 to 5 in	22.50
spicatum. 15'-20'	Mountain Maple
If used only for its gay autumn dre	-
little tree. The bunches of red-winge	
3 to 4 ft	1.50
4 to 5 ft	2.00
5 to 6 ft	2.75
ACTINIDIA arguta. 30' Vine.	Bower Actinidia
Rich green leaves—greenish white	
ries—and rapid growth are the ma	
2 year	
-	
Consult our list of "forgotten pla	mis on page 119.

AESCULUS	Each Ten Hundred
hippocastanum rubicunda. 40'-50' Great trusses of deep pink flowers spring decorating the formal round Christmas tree.	Pink Horsechestnut are held aloft each
7 to 8 ft	4.50
parviflora. 9'-10'	Bottlebush Buckeye
Truly a handsome shrub. It gradually mound much broader than high ov horsechestnut leaves are mantled, se foil for the erect spikes of creamy-1 to 1½ ft	er which the refined erving as an excellent
• • • • • • • • • • • • • • • • • • • •	Five Leaf Akebia
A light lacy effect is produced by this subtle fragrance of the purple-brown 2 year	flowers is attractive.
AMELANCHIER canadensis. 25'	-
The flurry of pure white flowers is the most noticeable in our native woodenizen is sparsely scattered. Birds ple fruits. The young leaves are 1½ to 2 ft	ods where this dainty is relish the dark pur- hairy on both sides. .70 .60 .50
laevis. 30'	Alleghany Shadblow
The smooth bronzy red, young foliage emphasize the beauty of gracefully glistening white flowers. A variable 4 to 5 ft.	drooping bunches of but handsome shrub.
stolonifera. 4'-5'	Dwarf Shadblow
This dwarf form develops by under large mass. Has typical dainty p beautiful picture in very early sprought 1½ to 2 ft	ure white flowers, a ing. Endures shade70 .60 .90 .80
AMORPHA conescens. 2'-3'	Lead Plant
So called because of the grayish of Very small leaflets and dense he texture and when the terminal spikes the little bush it is a most interesplant. Prefers a sunny well drained to 18 in.	abit create fine soft s of blue flowers cram esting and handsome d situation.
AMPELOPSIS aconitifolia. 15'-20' Vine.	Monkshood Vine
Curiously shaped leaves somewhat and orange berries are the features 2 year	s of this scarce vine.
heterophylla. 30'-40' Vine.	Porcelain Ampelopsis
Quite similar to Monkshood vine k 3 year	
quinquefolia. 40' Vine.	Woodbine
A handsome woodbine used for autur 2 year	mnal effects. Vigorous. .50 .45

AMPELOPSIS—Continued	Each	Ten Hundr	red
tricuspidata (veitchi). 40'-50' Vine.	•	Boston I	7
Probably the most popular self-cling 2 year		.45	.40
— lowi. 6'-8' Vine.	Gera	nium Creer	OOT
A miniature edition of the Boston Iv			
colors beautifully in fall. The thic curiously twisted. Splendid on low			
2 year, 2½" pots	.45	.40	.35
3 year, 3" pots			ch
Really a glorious flowering form of ou White Red		garden peac	
4 to 6 ft	1.00		
	1.35	1.20	
ARCTOSTAPHYLOS uva-ursi. 4"-6"		Bearber	_
EVERGREEN. Forms a mat of gree banks of South Jersey, but seems to	prefer s	ome shade	in
cultivation. When the large red be it is particularly attractive. Must har			Ce
3 year potgrown			45
ARONIA arbutifolia. 8'-10'	Red	d Chokeber	TY
The handsome foliage assumes rich			
and the brilliant red berries persis really hungry. Prefers a moist p		_	
pruned to overcome legginess. A gr			
1½ to 2 ft	.60		45
2 to 3 ft	.75 .90		60 70
4 to 5 ft	1.20		90
melanocarpa. 3'-4'	Black	c Chokeber	TY
This black fruited form is more bush			
sumes brighter tints in autumn. Which cover the branches in May. Unfo		-	•
shrivel in dry seasons but birds love	•		
1½ to 2 ft	.60 .75		45 55
3 to 4 ft.	.90	.80	33
— grandiflora. 8'-9' Gre	eat Black	c Chokeber	ry
This vigorous relative has slightly largard while taller is not quite so bush			its
2 to 3 ft	.75		60
3 to 4 ft	.90 1.20	.80 1.00	
AZALEA amoena. 4'-6'		noena Azale	εα
EVERGREEN. Grows broader than ta	ll with g	good compa	ct
habit. The small box like leaves take	e on a	warm bronz	zy
hue in winter, but in spring a mantle is the striking feature. Most hardy			rs
12 to 15 in. spread, B. & B	1.35	1.20	
15 to 18 in. spread, B. & B	2.00	1.80	
$1\frac{1}{2}$ to 2 ft. spread, B. & B 2 to $2\frac{1}{2}$ ft. spread, B. & B	2.75	2.50	
2 to $2\frac{1}{2}$ ft. spread, B. & B $2\frac{1}{2}$ to 3 ft. spread, B. & B	4.00 6.00	3.50 5.50	
3 to 3½ ft. spread, B. & B	10.00	9.00	
	14.00 20.00		
ic o it. spieda, b. & b	70.00		

AZALEA—Continued

Each Ten Hundred

amoena coccinea. 4'-5'

Red Amoena Azalea

EVERGREEN. Quite an improvement in color (almost vermilion) and just as dependable as the type.

15 to 18 in. spread, B. & B..... 3.00

arborescens. 15'-18'

Sweet Azalea

The exquisitely fragrant white or blush flowers are among the latest of Azaleas to be seen in June. Succeeds in moist or well drained places. Eventually becomes gnarled.

					1					
	$1\frac{1}{2}$	to	2	ft.	В.	&	B	2.75	2.50	2.25
1	2	to	21/2	ft.	В.	&	B	3.75	3.30	3.00
2	$2\frac{1}{2}$	to	3	ft.	B.	&	B	5.00	4.50	
(3	to	4	ft.	B.	&	B	6.75	6.00	

calendulacea. 10'-12'

Flame Azalea

Possibly the most brilliant of our native shrubs, the flowers vary from orange to scarlet in late May. Drained acid soil.

15	to	18	in.	В.	&	В	2.00	1.80	1.65
11/2	to	2	ft.	B.	&	В	2.50	2.25	2.00
2	to	$2\frac{1}{2}$	ft.	В.	&	В	3.50	3.25	3.00
21/2	to	3	ft.	B.	&	В	4.50	4.25	4.00
3	to	4	ft.	B.	&	В	6.00	5.50	

hinodegiri. 4'-5'

Hinodegiri Azalea

EVERGREEN. This is THE red Azalea which in May is actually covered in a blanket of vivid carmine flowers. The foliage is lighter green and larger than that of "Amoena" and has a richer bronzy color in winter. A fine spot plant.

9	to	12	in. spread, B. & B	1.20	1.00	.90
12	to	15	in. spread, B. & B	2.00	1.80	1.65
15	to	18	in, spread, B. & B	3.00	2.70	

hinomayo. 4'-6'

Pink Japan Azalea

EVERGREEN. Even though not quite evergreen in exposed places the lovely soft pink flowers justify its inclusion in a border. Really worthy of a little extra trouble. 12 to 15 in. B. & B....... 3.00

kaempferi. 4'-6'

Torch Azalea

From salmon-pink to orange-red, the flowers transform this shrub into a thing of beauty. In a slightly shaded sheltered spot, it is almost evergreen, and the color of the flowers is preserved. Has successfully withstood our worst winters.

12	to	15	in.	B.	&	В	1.50	1.35	1.20
15	to	18	in.	B.	&	В	2.00	1.80	1.50
11/2	to	2	ft.	B.	&	B	2.50	2.25	2.00
2	to	$2\frac{1}{2}$	ft.	B.	&	В	3.25	3.00	2.70
21/2	to	3	ft.	B.	&	B	4.00	3.60	3.25
3	to	31/2	ft.	B.	&	В	5.50	5.00	4.50
31/2	to	4	ft.	B.	&	В	8.00	7.20	
4	to	5	ft.	B.	&	В	12.00		

-- hybrids. 3'-4'

Cleopatra, Fedora, Othello

HALF-EVERGREEN. Generally speaking, these hybrids have a lower, more bushy habit and the brilliant orange tints are missing. 'Tis a gloriously handsome family tho!

12	to	15	in.	B.	&	В	2.00	1.80
15	to	18	in.	B.	&	B	2.50	2.25
11/2	to	2	ft.	B.	&	B	3.25	3.00
2	to	$2\frac{1}{2}$	ft.	B.	&	B	4.00	3.60

ledifolia (indica alba.)

Snow Azalea

EVERGREEN. And particularly useful in combination with "hinodegiri," as the large dazzling white flowers appear at the same time. Give it a favored spot, it will pay well. 12 to 15 in. B. & B........ 2.75 2.50

AZALEA—Continued

Each Ten Hundred

macrantha. 3'-4

Red Salmon Azalea

EVERGREEN. A low growing form with single red flowers and clean shiny leaves—continues to bloom until late May, needs shelter for sure results. A neat compact shrub. 15 to 18 in. B. & B......... 3.75

mollis. 4'-5'

Chinese Azalea

The mass of delicately shaded large bell-shaped flowers running through orange and red tones make a display worth waiting for each May. Succeeds best in sunny place.

12	to	15	in.	В.	&	В	2.25	2.00
15	to	18	in.	В.	&	В	3.00	2.70
$1\frac{1}{2}$	to	2	ft.	В.	δ	В	4.00	3.60

mucronulata. (dahuricum) 5'-6'

Dahurian Azalea

A welcome sight in March is the exquisitely frilled rosypurple flowers—in pleasing contrast to the Forsythia.

15	to	18	in.	В.	δ	В	1.75	1.65
l ½	to	2	ft.	В.	&	В	2.25	2.00
2	to	$2\frac{1}{2}$	ft.	В.	&	В	3.00	2.70
$2\frac{1}{2}$	to	3	ft.	В.	&	В	4.00	3.60
3	to	31/2	ft.	В.	&	В	5.50	5.00

audiflora. 6'-7'

Pinxterbloom

The fragrance of this "wild honeysuckle" quickly betrays its home in light woods where the variable pink flowers are eagerly sought in May. Does well in the open sun too.

15	to	18	in.	В.	. &	В	2.00	1.80
l ½	to	2	ft.	В.	&	В	2.75	2.50
2	to	$2\frac{1}{2}$	ft.	В.	&	В	3.75	3.30
$2\frac{1}{2}$	to	3	ft.	В.	&	В	5.00	4.50
3	to	4	ft.	В.	&	В	6.50	6.00
4	to	5	ft.	В.	&	В	8.00	7.00

pontica. 6'-8'

Pontic Azalea

A fine old kind with rich yellow trumpet-shaped fragrant flowers borne in clusters at the tips of the bare branches.

12	to	15	in.	В.	&	В	2.25	2.00	1.80
15	to	18	in.	В.	&	В	3.00	2.70	2.40
1 1/2	to	2	ft.	В.	&	В	4.00	3.60	3.30
2	to	$2\frac{1}{2}$	ft.	В.	&	В	5.25	4.80	
$2\frac{1}{2}$	to	3	ft.	В.	&	В	7.00		

poukhanensis. 4'-5'

Korean Azalea

Almost a blue Azalea. Fine large blooms sweetly scented scattered over the spreading bush — effective with Forsythia. Stays well within bounds. A lovely thing!

LOL	syu	na.	S	ιαys	wen	WI	mm	Dou	nas.	\mathbf{A}	lovery	ınıng:
12	to	o 1	5	in.	В.	&	В	••••	2.2	25	2.00	1.80
15	to	o l	8	in.	В.	&	В	• • • • •	3.0	0	2.70	2.50
11/	⁄2 to	o 2		ft.	В.	&	В		4.0	0	3.60	3.30
2	to	o 2	1/2	ft.	В.	&	В		5.2	:5	4.80	
21/	⁄2 to	o 3		ft.	В.	&	В		7.0	0	6.30	

— yodogawa. 4'-5'

Yodogawa Azalea

In May this bush is actually a dense bouquet of double lavender-pink flowers with no foliage visible at all. Be sure to get the free-flowering type. Perfectly hardy.

sure	to	get	tne	iree-ilowering	type.	Perfectly	hardy.
12	to	15	in. s	spread, B. & B	2.00	1.80	1.50
15	to	18	in. s	spread, B. & B	2.75	2.50	2.25
$1\frac{1}{2}$	to	2	ft. s	pread, B. & B	3.75	3.30	3.00
2	to	21/2	ft c	pread B & B	5 00	4 50	

AZALEA—Continued

Each Ten Hundred

rosea. 6'-7'

Downy Pinxterbloom

Possibly brighter pink and, with us, slightly more compact than "nudiflora," otherwise similar in leaf habit and flower. Best in a slightly shaded moist spot with acid soil.

15	to	18	in.	B.	&	В	2.00	1.80
11/2	to	2	ft.	В.	હ	В	2.75	2.50
2	to	21/2	ft.	B.	&	В	3.7 5	3.30
21/2	to	3	ft.	В.	&	В	5.00	4.50
3	to	4	ft.	В.	&	В	6.75	6.00

schlippenbachi. 6

Royal Azalea

Appropriately named—for this shapely shrub is indeed a regal sight in spring, when the large pink flowers adorn the purple-brown twigs. Even for its autumn effect alone, it is decidedly worthwhile, with crimson and gold leaves.

12	to	15	in.	В.	&	B	2.50	2.25
15	to	18	in.	В.	&	В	3.25	3.00
1 1/2	to	2	ft.	В.	&	В	4.50	4.00
21/2	to	3	ft.	В.	&	В	8.00	

vaseyi. 10'-12'

Pinkshell Azalea

A most exquisite thing when the pure pink flowers open in early May—apparently just lightly resting in the bare twigs, its beauty is breath-taking. Happiest on margin of woods, where the soil is rather moist and acid.

15	to	18	in.	В.	&	В	2.25	2.00	1.80
11/2	to	2	ft.	В.	&	В	3.00	2.70	2.40
2	to	$2\frac{1}{2}$	ft.	В.	&	В	4.00	3.60	3.30
21/2	to	3	ft.	В.	&	В	5.25	4.80	4.25
3	to	4	ft.	B.	&	В	6.50	6.00	5.25
4	to	5	ft.	В.	δ	В	9.00		

viscosa. 9'-10'

Swamp Azalea

Another beautiful native which offers its fragrant white, or occasionally tinged pink flowers in late June. Generally found in boggy woods, but does not object to upland home.

3	to	4	ft.	B.	&	В	6.00	5.40
4	to	5	ft.	В.	&	B	8.00	7.20
5	to	6	f+	R	S	R	10 00	a nn

yayegiri. 3'-4'

Salmon Azalea

EVERGREEN. Semi-double (hose-in-hose) flower varying from deep salmon to a bright orange red—a cheerful color. Well deserves the slight protection needed against zero.

12	to	15	in.	В.	&	B	2.50
15	to	18	in.	В.	&	В	3.75



 B	

Each Ten Hundred BENZOIN aestivale. 12'-15' Spice Bush The yellow mist seen along the streams in April is the Benzoin's welcome to spring and later on you will find loads of glistening scarlet berries, which like the rich foliage are spicily fragrant when crushed. Very informal. 2 .35 1½ to ft. .40 .30 •••••• 3 .60 .50 .40 to ft.65 3 4 .75 .55 to ft. 1.00 to 5 ft. .90 BERBERIS aggregata pratti. 8'-10' **Pratt Barberry** Numerous bunches of salmon-red fruits make this worthy. 1½ ft. .60 fť. .75 2 1½ to 1.00 3 to ft. 3'-4' chenaulti. Chenault Barberry EVERGREEN. In general appearance similar to, but larger than the Warty Barberry. Glossy green foliage is whitish underneath and its compact neat habit is sufficient recommendation. A really fine addition to this family. 15 B. & B..... 2.00 in. B. & B..... 15 2.50 to 18 in. gagnepaini. 4'-5' Black Barberry EVERGREEN. The spiny edged evergreen leaves are very narrow with pale-green underside. The winter foliage is a warm coppery purple that densely clothes the whole bush. Certainly in the top rank. Clusters of bright yellow flowers, preceding the black fruits, are quite attractive. One of the parents of Chenault Barberry. B. & B..... 15 1.50 1.35 12 ⋅ to in. B. & В..... 18 2.25 2.00 to in. В..... 1½ to B. & 2 2.75 ft. $2\frac{1}{2}$ to ft. В. & B..... 5.00 6'-7' Wintergreen Barberry julianae. EVERGREEN. A vigorous fellow, rich in color. Deep green lustrous leaves turning vivid scarlet before they fall. Hearty yellow flowers purplish fruits, and in spring the wine stained young shoots top the bush. Good for hedge. B. & B..... to 1½ ft. .90 .80 B. & B..... 1⅓ to 1.35 1.20 2 ft. 1.00 2½ ft. B. & B..... 2.25 2.00 to B. & B..... 2.75 $2\frac{1}{2}$ to 3 2.40 ft. B. & B..... ft. specimens 10.00 10'-12' macracantha. Bigspine Barberry Particularly attractive in spring when the purplish leaves are unfolding and again when the brilliant yellow flowers are strung along the branches. The large shiny red berries retain color. to 18 in.65 neuberti latifolia (ilicifolia). 5'-6' **Broad Leaf Barberry**

January then turn brown. A fine plant for that arid spot. 2½ ft. 1.35 1.20 to $2\frac{1}{2}$ to 3 ft. 2.00

HALF-EVERGREEN. Dull green holly-like leaves last until

A bird garden or sanctuary can be planned for beauty as well as usefulness—just glance over the list of berried shrubs on page 126.

BERBERIS—Continued

Each Ten Hundred 5'-7' thunbergi. Japanese Barberry Keep the old wood cut out and you will have a wonderful display of berries every year. Good for hedge or border. Bushy plants: Ten H'dr'd 15 .18 12 to in.15 .22 .18 15 to 18 .15 in. 11/2 to .30 2. ft. .25 .20 21/2 ft. to .40 .35 .30 5'-6' Redleaf Japanese Barberry atropurpurea. Needs sun to bring out the purple coloring of the foliage. 15 in.30 .27 15 to 18 .45 .36 .30 11/2 to 2 ft. .60 .50 .40 .1 21/2 ft. .75 .65 to 2'-3' minor. Box Barberry When used as a close-clipped formal hedge the compact habit is seen to advantage. Similar except size to type. .35 in.30 12 .45 to 15 .40 .35 4'-5' triacanthophora. Threespine Barberry EVERGREEN. Really a handsome evergreen shrub. narrow two inch leaves are surprisingly white underneath and the graceful branching arrangement displays the unusual whitish flowers and black fruits nicely. This has done well with us in hot sun as well as in half-shade. B. & B..... 15 1.20 in. 15 B. & 1.80 1.65 to 18 in. B..... 11/2 to B. & B..... 2 2.25 2.00 ft. vernae. 5'-6'. Vernae Barberry From the standpoint of fruits the most beautiful of all the family. The vigorous stems arch over and in June are closely studded with little bunches of rich yellow flowers which give way to the coral-red bloom covered berries bearing down the branches resembling miniature grapes. .90 1½ ft. to .80 11/2 to 2 1.35 1.20 ft. ••••• 3 to ft. 1.80 1.65 ••••• to 4 ft. 2.50 verruculosa. Warty Barberry EVERGREEN. The aristocrat of Barberries, this evergreen develops into a compact mound densely covered with rich lustrous green foliage that reminds one of miniature English Holly leaves with a whitish underside. In spring the branches are strung with little golden cups nodding half inch threads. These fragrant flowers are followed by A splendid low hedge plant. bloomy black fruits. 12 to 15 B. & B..... 1.80 1.65 1.50 in. 15 to - 18 in. В. & B..... 2.25 2.00 1.80 2 1½ to B. & 2.75 2.50 ft. B..... 2½ ft. B. & B..... to 3.30 8'-9' vulgaris. European Barberry This handsome foreigner has become naturalized here and is most adaptable. The long drooping clusters of yellow flowers are followed by brilliant red oblong-shaped berries arranged most effectively along the arching branches. Although handsome at all times the inch long leaves are

glorious in their purple and red autumn dress.

*

1½ to

to

to

2

3

4

ft.

ft.

ft.

.50

.60

.75

.35

.40

.50

Each BERBERIS vulgaris—Continued Ten Hundred - purpurea. 8'-9' Purple Barberry Quite similar to the type in all respects but the full blooded purple-red foliage. The three parted spines are just as formidable; berries seem slightly deeper in color. ft.50 2 to 3 ft. .70 .60 3 to ft. .90 .80 wilsoni subcaulialata. 5'-6' Wilson Barberry The dense clusters of golden yellow HALF-EVERGREEN. flowers justify use of this species as a flowering shrub, and when the lovely salmon pink fruits bejewel the angled branches it is an exquisite thing. Narrow inch long leaves are almost white underneath and in a sheltered spot will stay on all winter. 3 ft. B. & B..... 2.25 2 to B. & B..... 3 4 ft. 3.00 to BETULA alba. 40'-50' European White Birch Creamy white bark most effective against a background of evergreen. Has charming graceful habit, most adaptable. 2.00 to 8 2.25 6 ft. 8 to 10 ft. 3.00 2.70 20'-25' Columnar White Birch – fastigiata. Grows amazingly like a Lombardy Poplar and in time forms a dense rugged column of dark green leaves. White bark. B. & B..... 3.50 6 8 ft. B. & B..... 5.00 to 8 10 B. & B..... 7.00 to ft. B. & B..... 12 15.00 14 ft. to 30'-40' Weeping Cutleaf Birch Deeply cut leaves and fountain-like arrangement of the drooping branches make this a justly popular lawn subject. 6 ft. 3.00 2.70 8 10 4.00 3.60 to ft. 8'-15' Young's Weeping Birch - youngi. The slender branches assume surprising positions, curvinginverted, yet graceful and most interesting eventually forming a broad picturesque mass, for large rock garden. 5 B. & B..... B. & B..... 6 to ft. 35'-40' populifolia. Gray Birch This "Queen of the Woods" is generally seen in clumps, two or three white trunks rising gracefully from the ground and swaying in the breeze. Small foliage quivers at the slightest breeze. Particularly effective with dark evergreens. ft. clumps, B. & B..... 6 to 8 4.00 3.60 ft. clumps, B. & B..... 8 to 10 6.00 5.40 10 12 ft. clumps, B. & B..... 7.50 6.75 **BIGNONIA** grandiflora Mad. Gallen. 25'-30' Vine. Gallen Trumpet Vine A deeper colored form with bunches of gorgeous flowers. .90 2 year80 1.25 3 year 1.10 ft. specimens, B. & B. 4.50 4 6

Try Mertensia and Trillium with your Daffodils.

BIGNONIA—Continued Each Hundred radicans. 60'-80' Vine. Trumpet Vine The striking scarlet trumpets can be seen in most early settlements, sometimes as bush specimens or vast tall vines. .35 2 year BUDDLEIA alternifolia. 8'-10' Alternate Leaf Buddleia Lilac purple flowers literally cover the wide spreading arching branches. Distinct habit, leaves grayish beneath. 2 year davidi veitchi. 10'-12'

Butterfly Bush

Gray-green foliage, rich lavender spikes of flowers and yellow butterflies fluttering above the bush is a typical summer picture from June to September. Apt to die down somewhat in winter, but gets larger and better.

2 year

.40 .35

- Ile de France. 4'-5'

Hybrid Butterfly Bush

.50

The vivid rosy-purple six inch flower spikes are arresting and being sweetly fragrant insure popularity of this compact shrub. An annual pruning will produce more flowers.

2 year

BUXUS sempervirens angustifolia. 2'-3'

Willowleaf Box

EVERGREEN. Quite distinct and hardy. Forms a low flattish bush composed of many slender branches rather than main stem. Has survived very low temperatures here.

.35 6 in. 6 8 .50 to in. B. & B..... 15 to 18 in. 3.00

15'-20' --- arborescens.

Tree Box

EVERGREEN. Apparently the hardiest of Boxwoods—and the tallest growing form, although it does take a lifetime to develop its real character. Assumes rugged unusual shapes well clothed with inch long black-green leaves which exude the typical delicious elusive fragrance.

B. & B..... 5 to 6 ft 21.00

5'-6' - suffruticosa.

Dwarf Bush Boxwood

EVERGREEN. Like wine this beloved plant improves with age, gradually becoming part of the family, and is passed down as an heirloom. In youth it makes good headway, but slows down year by year until it reaches three or four feet, after which it increases imperceptibly. Everyone knows the delicious boxwood smell most apparent in this dwarf kind. The small round deep green leaves withstand city conditions. A dwarf boxwood hedge which can start at three inches is practically a permanent institution.

Specimens 2½ to 4 ft. B. & B..... 100.00 to 300.00 each



__C_

	Each Ten Hundred
CALLICARPA purpurea. 4'-5'	Chinese Beautyberry
Little bunches of shiny deep mauve along the willowy branches, an attra	
1½ to 2 ft	.35 .30 .27
2 to 3 ft	.45 .40 .35 .55 .50 .45
CALLUNA vulgaris. Rose. — alba. White.	Heather White Heather
alba minor. White.	Dwarf Heather
alba pilosa. White	Silky Heather Alport Heather
alporti. Deep rose.compacta. Lavender.	Compact Heather
— humilis. White. — rosea. Pink.	Low Heather Pink Heather
rosea. Pink. rubra. Dark rose.	Red Heather
Quoting a Scottish friend, "A Scottis	_
ground of mountains, the mists cling the purple bloom of the heather swee	
tones," what a picture! And the	ese hardy evergreen
ground covers on a well-drained su effective here. An occasional pruning	will keep them neat.
6 to 9 in. B. & B 9 to 12 in. B. & B	.70 .65 .55 1.00 .90 .75
	1000
	Common Sweet Shrub
Red-brown flowers, foliage and even give off a spicy fragrance. A near	-
1½ to 2 ft	.40 .35 .30
2 to 3 ft	.50 .45 .40 .65 .6050
4 to 5 ft	.90
CARPINUS betulus. 50'-60'	European Hornbeam
Even a single tree with its blue-gray	
lar wood and clean foliage is wo hedge plant with brown leaves	•
2 to 3 ft	1.50 1.35 1.20
3 to 4 ft	2.25 2.00 1.80
4 to 5 ft	3.50 3.00 5.00 4.50
6 to 8 ft	6.00 5.40
— pyramidalis. 30'-40'	Pyramid Hornbeam
So called because the many branches	_
the base upward. Scarce and d	-
CARYOPTERIS incana. 1½'-2'	Blue Spirea
A bushy half herbaceous shrub wh lacy lavender flowers in September of fective against the gray-green leaves.	and October. Very ef-
2 year	.40 .32 .24
CEDRUS atlantica glauca. 60'-70'	Blue Atlas Cedar
EVERGREEN. Silvery-blue needles Grows slowly and should have a favo	•
2 to 3 ft. B. & B	4.50
3 to 4 ft. B. & B 8 to 10 ft. B. & B	6.00 24.00
	30.00

CEDRUS—Continued	Each Ten Hundred
libani. 60'-80'	Cedar of Lebanon
Dignity is inherent in this historical ful pyramidal form gradually gives a picturesque flat-topped tree with fe zontal branches. The light green are arranged in tufts along the branches to 14 ft. B. & B	way to a more stately w far reaching hori- rather short needles nches. Give it room. 36.00
CELASTRUS orbiculatus. 30'-35'	Oriental Bittersweet
Can be identified by the brilliant r being borne in short stemmed cluste 2 year	-
scandens. 20'-25'	American Bittersweet
Not quite so vigorous or prolific but t	_
ches of typical fruits are just as effe	
2 year	.35 .30 .25 .50 .45 .40
CEPHALANTHUS occidentalis. 12'-15'	Button Bush
You will find this native growing act	
the rich green leaves show off the	
white flowers to perfection in July and $1\frac{1}{2}$ to 2 ft	
1½ to 2 ft	.40 .35 .30 .60 .50 .45
CERCIDIPHYLLUM japonicum. 70'-80'	Katsura Tree
From a slender youth this tree development	•
spreading tree at maturity. Purple ting age is beautiful in spring and aga 6 to 8 ft. B. & B	ged heart shaped foli-
CERCIS canadensis, 20'-25'	American Redbud
Small rosy pink pea shaped flowers	almost cover the bare
branches in April. Beautiful with	
2 to 3 ft	
3 to 4 ft	.90 .80 1.20 1.00
chinensis. 8'-10'	Chinese Redbud
A more shrubby relative with large	
darker rosy purple shade. Good fol	
1½ to 2 ft	.65 .60 .55
	.90 .80 .70
	1.35 1.20 1.00
chamaecyparis (retinospora) obtusa. 30'-35'	ALL EVERGREEN Hinoki Cypress
Lustrous deep green foliage on ra	-
graceful bushy pyramid here but a	_
7 to 8 ft. B. & B 8 to 10 ft. B. & B	
,	
— crippsi. 8'-10' Probably the brightest yellow form;	Cripps Golden Cypress
6 to 7 ft. B. & B	
2. 3 , 2. 2. 3 2	
Hardy ferns are listed separate	ely on page 117.

Each Ten Hundred CHAMAECYPARIS obtusα—Continued Fernspray Cypress 8'-10' - filicoides. The leaf covered branchlets are so arranged as to re-semble fern fronds; an unusual kind, worthy of a spot in rock garden, where the intricate details can be seen. B. & B..... to Clubmoss Cypress 6'-8' — lycopodioides. Scaly leaves are so crowded and branchlets so arranged over the whole plant as to create a curious no one shape is Apparently effect. japanesque and useful. typical but all are most interesting, B. & B..... 5.50 3 ft. 6.00 $2\frac{1}{2}$ to 7.50 B. & B..... to ft. B. & B..... 21.00 ft. specimens 12'-15' Slender Hinoki Cypress Particularly fine rich blackish green foliage; slowly grows into a rugged pyramid. Makes a handsome hedge. Hardy $2\frac{1}{2}$ ft. B. & В..... 4.00 to $2\frac{1}{2}$ to 3 & B..... В. 5.25 4.80 ft. & 3 В. В..... 6.75 6.00 4 ft. to 4 5 B. & B..... 9.00 ft. 13.50 5 B. & B...... ft. 10'-12' Yellowtip Hinoki Cypress – aurea. This golden leaved form grows more slowly and irregular. 5 B. & B..... 10.00 B. & B..... 5 to - compacta. 6'-8' Compact Hinoki Cypress A curious "Japanese" form slender in outline; closely packed foliage and twisted branchlets make this quite a distinct "find." Could be easily stunted to simulate age. B. & B..... 5 ft. 13.50 6 ft. specimens B. & B. 21.00 to 2'-3' Dwarf Hinoki Cypress - nana. Because it is slow growing the Japanese use this variety most effectively in pots. It soon assumes the character of age, preserving the rich green coloring. Dwarfest and most compact of all Cypress, therefore useful in rock gardens, evergreen groups or where small scale is desired. & B..... 9 В. 2.00 in. 9 12 B. & B..... 3.00 2.70 2.40 in. to 3.75 12 B. & B..... 3.30 3.00 15 to in. B. & B..... 15 18 4.50 4.00 3.60 to in. B. & B..... 18 21 to 6.00 5.40 20'-25' - youngi. Young Golden Cypress Has a loose graceful habit and yellow tipped branchlets. From a little distance resembles a hemlock. Handsome. 8 B. & B..... 6 ft. to 12.00

Conifers should be allowed to grow naturally in well drained soil—do not feed them too heavily—an occasional dressing of organic fertilizer seems best. Trimming is most practical and effective just as growth commences in May.

B. & B.....

B. & B.....

20.00

30.00

8

10

10

12

to

ft.

ft.

CHAMAECYPARIS—Continued

Each Ten Hundred

pisifera. 40'-50'

Sawara Cypress

Quickly develops into loose pyramid; hardiest of the family. Should be allowed space to develop as a tree.

	-					-		-
4	to	5	ft.	В.	&	В	4.00	3.60
5	to	6	ft.	В.	&	В	6.00	5.40
6	to	8	ft.	В.	&	В	9.00	8.00
8	to	10	ft.	В.	&	В	13.50	12.00
10	to	12	ft.	В.	&	В	20.00	
				_	_	_		

12 to 14 ft.

B. & B...... 27.00

— aurea. 35'-40'

Golden Sawara Cypress

Foliage is shining yellow. A better specimen than the green type. Particularly effective in winter.

4	to	5	ft.	B.	&	B	4.00	3.60
5	to	6	ft.	В.	&	В	6.00	5.40
6	to	8	ft.	В.	&	В	9.00	8.00
8	to	10	ft.	В.	æ	В	13.50	12.00
10	to	12	ft.	В.	&	В	20.00	18.00
12	to	14	ft.	В.	&	В	27.00	24.00

— filifera. 20'-25'

Thread Cypress

Has long stringy drooping branches, but forms well shaped compact broad pyramid of a good green shade. Even without care remains in good condition indefinitely.

5	to	6	ft.	В.	&	В	6.00	5.40
6	to	7	ft.	В.	&	В	9.00	8.00
7	to	8	ft.	B.	&	В	12.00	

— — aurea. 10'-15'

Golden Thread Cypress

This form grows more loosely, but the golden threads are brighter than any other evergreen. Stays low until old.

4 to 5 ft. B. & B....... 8.00

— — aureo-variegata. 10'-12' Variegated Thread Cypress

The half green, half yellow coloring is not so remarkable, but its billowy outline gives it rugged age-old individuality.

2	to	$2\frac{1}{2}$	ft.	spread,	В.	&	В	3.50
$2\frac{1}{2}$	to	3	ft.	spread,	В.	&	В	5.00
3	to	4	ft.	spread, 1	В.	&	B	7.50
4	to	5	ft.	spread,	В.	&	В	10.00
5	to	6	ft.	spread, 1	В.	&	В	13.50

plumosa. 35'-40'

Plume Cypress

A feathery pyramid that can be sheared into formal shapes. Makes a good hedge where a fine texture is called for.

		_		_									
15	to	18	in.		В.	&	В		.90		.80	.7	0'
$1\frac{1}{2}$	to	2	ft.		В.	&	В		1.35]	1.20	1.0	0
2	to	3	ft.		В.	&	В		1.80]	1.65	1.5	0
3	to	4	ft.		B.	&	В		3.00	2	2.70		
4	to	5	ft.		В.	&	В		4.00	3	3.60		
5	to	6	ft.		В.	&	В		6.00	5	5.40		
6	to	7	ft.		В.	&	B		9.00	8	3.00	7.2	0.0
7	to	8	ft.		В.	&	B	1	2.00	10	0.00	9.0	0
10	to	12.	ft.		В	2	B	2	n nn				

— aurea. 25'-30'

Golden Plume Cypress

Quite a favorite for high lights in a mixed planting. The yellow foliage is particularly bright in spring.

15	to	18	in.	В.	&	В	.90	.80	.70
						В			
						В			

Each Ten Hundred CHAMAECYPARIS plumosa—Continued — lutescens. 3'-4' **Dwarf Yellow Plume Cypress** A low broad round topped bush, sulphur tipped branches. in. spread, B. & B..... in. spread, B. & B.... 1.35 12 15 1.20 2½ ft. spread, B. & B..... 3.75 $2\frac{1}{2}$ to 3 ft. spread, B. & B.... 5.25 **Dwarf Plume Cypress** - nana. This neat compact little cushion of green looks at home in a rock garden or even when planted formally. mains dwarf, and develops into interesting shapes. 2 ft. spread, B. & B..... 2½ ft. spread, B. & B..... 3 ft. spread, B. & B..... 3.75 3.30 3.00 5.00 4.50 4.00 7.50 6.75 squarrosa nana. 2' **Dwarf Moss Cypress** Looks exactly like what it is, a stunted Moss cypress. $2\frac{1}{2}$ to 3 ft. spread, B. & B..... 6.00 veitchi. 25'-30' Veitch Moss Cypress Which is a remarkable plant. The blue-gray foliage and intricate branchlets combine to make a dense, broad woolly pyramid. Quite a billowy tree in age. .90 B. & B..... 15 to 18 in. .80 .70 1½ to B. & B..... 1.35 1.20 2 ft. 3 B. & B..... 2 ft. 1.95 1.65 to 3 4 & B..... ft. В. 3.00 to 4 ft. B. & B..... 4.00 6"-8" CHIMAPHILA maculata. EVERGREEN. Essentially a shady woods plant where it revels in leaf mold, but soon establishes a home in a shady pocket in the rock garden. The handsome long narrow leaves are beautiful, marbled white with purple tinges throughout, and the loveliest white saucers are held up on long stems. Should be planted in little colonies. 4" Pots50 .45 CHIONANTHUS virginica. 20'-25' White Fringe Loose tassels of fragrant white flowers are effective against the bold dark green foliage; really handsome for "dominant" spots. Dark purple plum-like fruits are quickly One of our "forgotten" good natives. eaten by birds. 3 4 ft. .75 .65 .60 ••••• .90 1.20 4 .70 5 ft. to .80 5 6 ft. to 1.10 1.00 7 ft. 1.50 1.35 CLADRASTIS lutea. 40'-50' Yellow-wood Has loose bunches of fragrant white pea-shaped flowers in June. The clear yellow autumn coloring is striking, too. A most interesting and beautiful lawn tree. 4 6 ft. 3.00 2.70 to 8 6 ft. 4.50 4.00 to ft. 8 10 5.25 6.00 to 10 12 ft. 8.00 CLEMATIS montana rubens. 15'-20' Pink Anemone Clematis Slender and graceful yet when happy quite a rampant vine. The four petaled flowers are rosy-pink about one inch across and have a centre of yellow stamens in May.

2 year 3" Pots

CLEMATIS—Continued	Each	Ten Hu	ındred
paniculata. 25'-30' Vine. Swarm The sweet September fragrance of cates its presence long before the is seen; and the feathery seeds 2 year	this old ne flow are al .30	l favorite ver-laden so deco .25	indivine rative.
	he erec ry" odd in poor	or all su soil or .45 .65 .80	flower mmer. sun. .40
COLUTEA arborescens. 10'-12' So called because the reddish seed portion follow the small bright yellow pears to 4 ft.	ods are		which
Grows vigorously in moist places, who is strikingly evident throughout winter with the yellow twig form. Birds quality to 5 ft	ere the er, particular, aickly e .60	cularly if at the bo .50	d bark used
alternifolia. 15'-20' Too seldom used, this handsome shruwith flat spreading tiers of branches cruz to 3 ft	ıb is fu l		acter,
5 to 6 ft	color. Co	Good for silky fo .45 .55 .65 .75 Bunch nember coers" give rries. It	even mass- liage. .35 .45 .55 .60 lberry of this way must
have shade and very acid soil—loves 3" Pots	.40	needle n .32 iant Dog	
Rarely seen and of outstanding mental black berries are quite large and it acter with age. The young branches 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 ft. 6 The young branches 5 to 6 ft. 6 The young branches 6 to 6 ft. 6 The young branches 7 to 6 ft. 7 The young branches 8 to 6 ft. 7 The young branches 8 to 9 to	develo s have .75 1.00 1.35	ps real maroon .65 .90	char-

How it came to be called "Dog," do you know?
Ran across an old English gardener yesterday who said it was because they used to take the bark and make a concoction with which to wash mangy dogs.

There's also a legend that in the days of Cromwell the best gunpowder was made from the charcoal of that wood. Because it barked so when it went off, the soldiers called it dog-powder. Which name, in turn, just naturally got back to the wood itself. In boyhood days, whenever I visited Grandfather, he would open up his old-fashioned tall clock and show me the wooden works made of Dogwood.

works made of Dogwood.

CORNUS—Continued

Each Ten Hundred

florida. 25'-30'

White Flowering Dogwood

Surely everyone knows this splendid tree. Nothing is so spectacularly beautiful in spring as the banks of white flowers that border the woods. Then the profusion of glittering red berries and finally the brilliant autumn display of rich coloring, pink, crimson, scarlet, maroon. And in winter the twiggy intricate branch system forms a lacy network full of interest and beauty. Very adaptable and transplants readily. A real American.

3	to	4	ft.	B.	&	В	1.50	1.35	1.20
4	to	5	ft.	В.	&	В	2.50	2.25	2.00
5	to	6	ft.	B.	&	B	3.50	3.25	3.00
6	to	8	ft.	B.	δ	В	5.00	4.50	
8	to	10	ft. sj	pecime	ns,	B. & B.	7.50 to	12.50	each
10	to	12	ft. st	pecime	ns.	B. & B.	15.00 to	25.00	each

— rubra. 25'-30'

Red Flowering Dogwood

Substitute pink flowers and you can imagine what a gorgeous effect can be made by using this form either alone or with the white type. Splendid free flowering specimens.

2	to	3	ft.	В. &	В	1.80	1.50	
3	to	4	ft.	В. &	В	3.00	2.70	2.40
4	to	5	ft.	В. &	В	4.50	4.00	3.60
5	to	6	ft.	В. &	В	6.75	6.00	
6	to	7	ft.	В. &	В	10.00		
8	to	10	fŧ	specimens	в&в	20.00	to 30.00	each

--- welchi. 15'-20'

Welch Dogwood

The foliage is curiously but prettily marbled with pink and white stripes of varying width—otherwise is similar to type.

2	to	3	ft.	В.	&	В	2.00
3	to	4	ft.	B.	δ	В	3.00

kousa. 15'-20'

Kousa Dogwood

In this Japanese counterpart of our dogwood the white flowers are borne after the leaves have expanded and thus lengthens the "Dogwood season." Large crimson strawberry-like fruits are attractive to humans and birds alike.

3	to	4	ft.	В.	&	В	1.80	1.65
4	to	5	ft.	В.	&	В	2.75	2.40
5	to	6	ft.	В.	&	В	4.00	3.60
6	to	8	ft.	В.	&	В	6.0 0	5.40
8	to	10	ft.	В.	&	В	9.00	8.00

— chinensis. 15'-20'

Chinese Dogwood

Has still larger flowers; and don't the birds relish the fruits!

2	to	3	ft.	В.	&	В	1.20	1.00	.90
3	to	4	ft.	В.	&	В	1.80	1.65	1.50
4	to	5	ft.	В.	&	В	2.75	2.50	2.25
5	to	6	ft.	В.	&	В	4.00	3.60	3.30
6	to	8	ft.	В.	&	В	6.00	5.40	5.00
8	to	10	ft.	В.	&	В	9.00	8.00	7.20

mas. 15'-20'

Cornelian Cherry

Generally the first shrub to show color in spring when the twiggy branches are covered in a yellow mist that gradually becomes brighter. Later the cherry-like fruits are attractive and palatable. Should be used extensively.

2	to	3	ft.	В.	&	В	1.20	1.00	.90
3	to	4	ft.	В.	&	В	1.80	1.65	.1.50
4	to	5	ft.	В.	&	В	3.00	2.70	2.40
5	to	6	ft.	В.	&	В	4.00 1	3.60	3.30
6	to	8	ft.	В.	&	В	6.00	5.40	
8	to	10	ft.	В.	&	В	9.00		

CORNUS—Continued

Each Ten Hundred

paniculata. 10'-12'

Gray Dogwood

Here is the massing shrub "par excellence." Bordering swampy sections great mounds can be seen with the myriad clusters of white berries on red stems adding color to the countryside. An ideal "filler" for the shrub border.

l ½	to	2	ft.	•••••	.50	.40
2	to	3	ft.	•••••	.70	.60
3	to	4	ft.		.90	.80

stolonifera. 8'-10'

Red Osier Dogwood

Valued chiefly for its bright red twigs, a welcome note in the dull winter landscape. Severe annual pruning will bring out the color. Will form a thicket eventually.

	, -	~.					 	0.011	
1 1/2	to	2	ft.	•••••	• • • • • • • • • • • • • • • • • • • •	••••	.40	.35	.30
2	to	3	ft.				.50	.45	.40
3	to	4	ft.	•••••	• • • • • • • • • • • • • • • • • • • •		.60	. 55	.50
4	to	5	ft.	•••••	•••••		.75	.65	.60
5	to	6	ft.	•••••			.90	.80	.70

— flaviramea. 6'-8'

Goldentwig Dogwood

Surprisingly bright yellow bark brightens any corner where this is planted. Smaller than, but good with red osier.

$1\frac{1}{2}$	to	2	ft.	•••••	.50	.45	.40
2	to	3	ft.	•••••	.60	.55	.50
3	to	4	ft.	••••••	.7 5	. 65 .	.60
4	to	5	ft.	•••••	.90	.80	.70

CORYLOPSIS sinensis. 9'-10'

Chinese Winterhazel

In March or early April when the fragrant little pendants of inverted yellow cups are studded throughout the bush—what a lovely thing!! Handsome round foliage, fat winter buds, and a neat branching habit serve to make this desirable and interesting throughout the year. Scarce.

2	to	3	ft.	В.	&	В	2.50
3	to	4	ft.	В.	&	В	3.50
4	to	5	ft.	В.	δ	B	5.00

COTONEASTER adpressa. 9"-12"

Creeping Cotoneaster

Decidedly a rock plant, where the creeping branches weave in and around intricately, forming an interesting mound. The glossy dark green wavy leaves show off the large bright red berries to perfection. Must have a sunny spot. 3" Pots, 6 to 9 in. spread....... 1.00 .90 .80

3"	Pots,	6	to	9	in.	spread	1.00	.90	.80
4"	Pots,	9	to	12	in.	spread	1.35	1.20	1.00

apiculata. 4'-5'

Tipped Cotoneaster

Graceful spreading branches, shiny foliage, flowers tinged pink, and large bright red fruits—a handsome fellow. 4" Pots, 12 to 15 in. spread....... 1.50 1.35

dammeri. 12"-15"

Dammer Cotoneaster

EVERGREEN. Long branches trail along the ground rooting where they touch, are scantily clothed with inch long roundish dark green leaves. Bright red fruits, evergreen foliage and low habit make this a rock garden favorite. 4" Pots, 12 to 15 in. spread....... 1.50 1.35

dielsiana. (applanata) 5'-6'

Diel's Cotoneaster

Has slender arching branches, pinkish flowers and small foliage. Bright red fruits add to its beautiy. Handsome.

2	to	3	ft.	B.	&	В	1.65	1.50
3	to	4	ft.	B.	&	В	2.25	2.00

COTONEASTER—Continued

Each Ten Hundred

divaricata. 4'-6'

Spreading Cotoneaster

When studded with scarlet fruits, this shrub justifies a choice position. Vigorous and spreading with good clean foliage. A little-known gem, useful as a hedge or specimen.

1 1/2	to	2	ft.	B. &	B	1.00	90	.80
2	to	3	ft.	В. &	B	1.50	1.35	1.20
3	to	4	ft.	В. &	B	2.00	1.80	1.50
4	to	5	ft.	В. &	B	2.75	2.40	

foveolata. 8'-10'

Pitted Cotoneaster

A big fellow with splendid autumn dress, which shows off the glittering black berries. Has interesting irregular growth.

3	to	4	ft.	B.	&	B	2.25
4	to	5	ft.	B.	&	B	3.00

franchetti. 6'-7'

Franchet Cotoneaster

EVERGREEN. At least in sheltered spots. An important member even in this glorious family. Long rich green, deeply veined leaves, clusters of pale pink flowers climaxed by bright orange-red berries make a procession to keep your interest throughout the whole year. Oh yes! the autumn coloring is beautiful too.

1½ to 2 ft. B. & B....... 1.35 1.20

horizontalis. 2'-3'

Rock Cotoneaster

— perpusilla. 1'-2'

Dwarf Rock Cotoneaster

HALF EVERGREEN. Smaller and neater than its parent, but even more effective in rock work. The bright red berries are larger, leaves are smaller, but more numerous. 5" Pots, 12 to 15 in. spread....... 1.20 1.00 .85

hupehensis. 5'-6'

Hupeh Cotoneaster

Really a handsome flowering shrub, the willowy branches forming garlands of white in June and then are weighted down with numerous red fruits. Leaves yellow in August.

$1\frac{1}{2}$	to	2	f t.	В.	&	B	1.20	
2	to	3	ft.	В.	&	B	1.65	. 1.50
3	to	4	ft.	B.	&	B	2.25	
4	to	5	ft.	B.	&	B	3.00	

microphylla. 2'-2½'

Rockspray

racemiflora soongarica. 6'-7' Coral Fruited Cotoneaster

When seen in full fruit, this lovely shrub never fails to excite admiration and cause superlative adjectives. The wide spreading branches are just loaded with coral berries, contrasting vividly with the round gray-green leaves. Plant in open and give space to develop, at least six feet apart.

11/2	to	2	ft.	B.	&	B	1.35	1.20	1.10
2	to	3	ft.		_	B		1.80	1.65
3	to	4	ft.	B.	&	B	2.50	2.25	2.00
4	to	5	ft.	В.	3	B	3.00	2.70	

COTONEASTER—Continued

Each Ten Hundred

rotundifolia. 6'-7'

Roundleaf Cotoneaster

HALF EVERGREEN. Red berries in galore, clean attractive foliage and easily grown; there is no good reason why this shrub should not be extensively planted.

3	to	4	ft.	B.	&	В	2.00
4	to	5	ft.	В.	&	B	3.00

salicifolia floccosa. 6'-8'

Willowleaf Cotoneaster

EVERGREEN or practically so, the long slender leaves are dark green above, lighter beneath, and show off the red berries beautifully. Surely a most graceful spreading shrub.

1 to	11/2	ft.	B.	&	B	1.00	.90
1½ to	2	ft.	В.	હ	B	1.35	1.20

simonsi. 5'-6'

Simon Cotoneaster

HALF EVERGREEN. Loose spreading bush with arching branches well clothed in foliage. The scarlet berries insure recognition as a useful and colorful member

11/2	to·	2	ft.	В.	&	B	1.50	1.35
2	to	3	ft.	B.	&	B	2.25	2.00

zabeli miniata. 4'-6'

Zabel Cotoneaster

It is difficult to visualize any shrub that fruits more profusely. The slender spreading branches become garlands of vivid red berries which are effectively contrasted by the yellow autumn foliage. Easily grown and a beauty.

2	to	3	ft.	B.	&	B	2.00
3	to	4	ft.	В.	&	B	2.50

CRATAEGUS arnoldiana. 18'-20'

Arnold Hawthorn

Vigorous and bold. The white flowers are large, crimson berries big and plentiful and the zigzag branches are well armed with long thorns. Large maple-like leaves.

3	to	4.	ft.	***************************************	2.00	1.80
4	to	5	ft.		2.50	2.25

carrieri. 15'-20'

Carrier Hawthorn

Very large round orange-red fruits persist nearly all winter. Has distinctive gray bark; open growth and rather round head, lustrous deep green oval leaves.

3	to	4	ft.	•••••	2.00	1.80
4	to	5	ft.	•••••	2.75	2.40
5	to	6	ft.	•••••	3.50	3.30
6	to	8	ft.	• • • • • • • • • • • • • • • • • • • •	4.50	4.00

coccinea. 10'-12'

Thicket Hawthorn

That is right, a real thicket shrub, for the intricate maze of branches forms a veritable barrier. The white May-flowers are large and give place to rather dull brown-red berries. Shiny bright green foliage is almost oval, good till late fall.

	•	_	_	-			
3	to	4	ft.	••••••	2.00	1.80	
4	to	5		••••	2.50	2.25	2.00
5	to	6	ft.	•••••••	3.25	3.00	2.70
6	· to	8	ft.	•••••	4.00	3.60	
8	to	10	ft.	•••••	5.50	5.00	

[&]quot;Magnolia gardens" are just as possible here as in the South—just look at the enviable collection on pages 47 to 49 all perfectly hardy and easily grown—fit companions for Azaleas.

NURSERIES Each Ten Hundred CRATAEGUS—Continued 20'-25' Washington Thorn cordata. Beginning in May with white flowers followed by brilliant scarlet fruits which last nearly all winter, and throughout its pageant of autumn color most interesting and beautiful. 1.65 2.00 1.80 3 4 ft. 2.20 2.75 2.40 4 5 ft. 3.00 5 3.30 6 ft. 3.50 ft. 4.50 4.10 crusgalli. 20'-25' Cockspur Thorn Apart from the mass of white flowers, this Thorn is valuable for the shiny rich green leaves that stay fresh until late autumn, then turn orange. If left by birds, some fruits will persist until spring. A very practical hedge. 2.00 to ft. 1.80 4 5 ft. 2.50 2.25 to 5 6 ft. 3.25 to ••••• 6 4.50 Я to ft. 15'-20' ellwangeriana. Ellwanger Hawthorn Quite tree-like with ascending branches, large coarsely toothed leaves and big red berries, which soon fall. 3 4 ft. 2.00 1.80 ••••• 5 4 ft. 2.502.25 2.00 to 5 3.25 6 ft. 3.00 2.70 6 8 4.00 3.60 ft mollis. 20'-25' Downy Hawthorn Has large light green thin leaves, showy white red-centered flowers, scarlet succulent fruits, used for jelly. 3 4 1.80 ft. 1.65 to 4 5 2.50 2.25 ft. to 5 3.00 6 ft. 3.25 to 6 8 ft. 4.00 3.60 B. & B..... 7.00 6.25 8 to 10 ft. 12 B. & B...... 10.00 9.00 10 ft.

nitida. 25'-30'

Glossy Hawthorn

The spreading branches have but few thorns and the two inch leaves are glossy rich green above, changing to orange and scarlet tones in autumn. Dull red fruit.

2	to	3	ft.	••••••	1.20	1.00	.90
3	to	4	ft.	•••••	2.00	1.80	1.65
4	to	5	ft.	••••••	2.50	2.25	
5	to	6	ft.	•••••	3.25	3.00	
6	to	8	ft.	••••••	4.00	3.60	

20'-25' oxyacantha.

English Hawthorn


In England this "May-Tree" is often used for hedging, but the clusters of large fragrant white flowers with their elusive fragrance and red berries make it worthy of wide use. A great favorite with birds for nesting and food.

3	to	4	ft.		1.35	1.20
4	to	5	ft.	••••••	1.75	1.50
5				***************************************		2.25
6	to	8	ft.	••••••	3.25	3.00
8	to	10	ft.	В. & В	6.00	5.40
10	to	12	ft.	В. & В	7.50	6.75

By referring to "Contents" and the complete index you will quickly find information desired.

CRATAEGUS oxyacantha—Continued Each Ten Hundred
— Double White, — Double Pink, — Paul's Scarlet. Double flowering forms that have been perpetuated be-
cause of the freedom with which they produce flowers. 3 to 4 ft. (no white)
8 to 10 ft. (white only) B.&B. 10.00
— rosea nova. 18'-20' Pink English Hawthorn
A most delightful break of the English May Tree with lovely pink single flowers—quite similar in other ways. 3 to 4 ft
3 to 4 ft
pedicellata. 15'-18' Cluster stem Hawthorn
Has rather large shiny scarlet fruits somewhat pear-shaped and handsome dark green leaves. Forms a splendid hedge. 4 to 5 ft
CRYPTOMERIA japonica lobbi. 50'-60' Lobb Cryptomeria
EVERGREEN. For this section undoubtedly the best form.
It makes an irregular column of dark green, which changes to a warm purple bronze in winter. It wears so well that it has been most effectively used to replace native cedars that succumb to civilization. It is difficult to imagine any tree that has more dignity and inherent character than this. An avenue of large trees creates a most inspiring effect. A warm, moist, well-drained spot is ideal. 3 to 4 ft. B. & B
10 to 12 ft. B. & B 20.00 18.00 12 to 14 ft. B. & B 30.00 14 to 16 ft. B. & B 40.00 16 to 18 ft. B. & B 50.00
CYDONIA japonica. 3'-5' Flowering Quince
Quite unnoticed until the dazzling scarlet pageant of flowers arrests your attention in early spring. Seedling plants vary in color, and the fruits are spicily fragrant.
1 to 1½ ft
1½ to 2 ft
— alpina. 1'-2' Alpine Quince
A slow growing almost prostrate form with pink flowers. 1 to 1½ ft. spread
— corallina. 4'-5' Coral Glow
Vigorous growth, large shiny coral pink flowers. A handsome variety. Would make a perfectly stunning hedge.
1 to 1½ ft
2 to 2½ ft
Cream colored flowers variegated with pink. A novelty. 1½ to 2 ft

CYDONIA japonica—Continued	Each Ten Hundred	i
— nivalis. 3'-4'	White Flowering Quince	e
The best white form with large		
1 to 1½ ft		
1½ to 2 ft.		
2 to 2½ ft		
— рудтаеа. 2'-3'	Pygmy Flowering Quince	Ð
Twisted branches form dense	bush which is sprinkled	£
with pale salmon flowers over	_	
one for a rock garden, and for	r facing <mark>a shru</mark> b border	•
l to $1\frac{1}{2}$ ft. spread		
$1\frac{1}{2}$ to 2 ft. spread	1.20 1.00	
— sanguinea plena. 4'-5'	Double Red Quince	9
Although not truly double the lo	arge red flowers are par	;-
ticularly brilliant and do have o	additional petals. Striking	١.
1½ to 2 ft	1.00 .90 .80	0
2 to 2½ ft	1.35 1.20	
maulei. 2'-3'	Lesser Flowering Quinc	В
maulei. 2'-3' If brilliancy is desired this low so the vivid red flowers are remarked this and other varieties on a south	Lesser Flowering Quincespiny bush ranks high foable in April. Try training	a ı
If brilliancy is desired this low s the vivid red flowers are remark	Lesser Flowering Quince spiny bush ranks high fo able in April. Try training hwall—surprisingly good	r g l.
If brilliancy is desired this low s the vivid red flowers are remark this and other varieties on a south	Lesser Flowering Quince spiny bush ranks high fo able in April. Try training the wall—surprisingly good60 .50 .40	or J O
If brilliancy is desired this low s the vivid red flowers are remark this and other varieties on a south 1 to 1½ ft. spread	Lesser Flowering Quince spiny bush ranks high for able in April. Try training hwall—surprisingly good60 .50 .40	0 0 0
If brilliancy is desired this low s the vivid red flowers are remark this and other varieties on a south 1 to 1½ ft. spread	Lesser Flowering Quince spiny bush ranks high for able in April. Try training hwall—surprisingly good60 .50 .40	0 0 1. 3
If brilliancy is desired this low s the vivid red flowers are remark this and other varieties on a south 1 to 1½ ft. spread	Lesser Flowering Quince spiny bush ranks high for able in April. Try training the wall—surprisingly good6050406070601.0090808070609080706090807060908070609080706090807060908070609080706090807060908070609080706090807060908070609080706090807060908070609080706090807060908070607060706070607060706070607060708070607080706070607060706070607070607070607070607070706070	or 9 l. 0 0 n
If brilliancy is desired this low somethic the vivid red flowers are remarked this and other varieties on a south lower to 1½ ft. spread	Lesser Flowering Quince spiny bush ranks high for able in April. Try training the wall—surprisingly good60 .50 .4080 .70 .60 1.00 .90 .80 Kew Broom a neat little mound generated pea shaped flowers rotection.	or 30 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
If brilliancy is desired this low sether vivid red flowers are remarked this and other varieties on a south lead to 1½ ft. spread	Lesser Flowering Quince spiny bush ranks high for able in April. Try training the wall—surprisingly good60 .50 .4080 .70 .60 1.00 .90 .80 Kew Broom a neat little mound generated pea shaped flowers rotection.	or g l. 0 0 n 1- 5.
If brilliancy is desired this low sethe vivid red flowers are remarked this and other varieties on a south lead to 1½ ft. spread	Lesser Flowering Quince spiny bush ranks high for able in April. Try training the wall—surprisingly good60 .50 .4080 .70 .60 1.00 .90 .80 Kew Broom a neat little mound generated pea shaped flowers stated in60 .5555	or 3.000 n
If brilliancy is desired this low so the vivid red flowers are remarked this and other varieties on a south lower to 1½ ft. spread	Lesser Flowering Quince spiny bush ranks high for able in April. Try training the wall—surprisingly good60 .50 .4080 .70 .60 1.00 .90 .80 Kew Broom a neat little mound generated pea shaped flowers rotection60 .5555	or 31.000 m. 1-5.
If brilliancy is desired this low sethe vivid red flowers are remarked this and other varieties on a south leaf to 1½ ft. spread	Lesser Flowering Quince spiny bush ranks high for able in April. Try training how wall—surprisingly good was a second of the content of the c	or 31.000 m. 1-5.



__ D __

Each Ten Hundred DAPHNE cneorum. Rose Daphne Gray-green foliage, rose-pink deliciously EVERGREEN. fragrant flowers and a clean, neat habit make this garden gem the most appealing subject to any plant lover. Seems to thrive equally well in acid or sweet soil, in half shade or full sun, and it certainly seems at home in the rockery. 12 in. spread, B. & B..... 1.35 9 1.20 12 15 in. spread, B. & B..... 1.80 1.65 1.50 18 in. spread, B. & B..... 2.25 2.00 1.80 21/2'-3' mezereum. February Daphne Upright fat little branches are thickly studded with deliciously fragrant rosy purple flowers in February. Scarlet berries are only sparsely produced but are most decorative. Even the gray green foliage, appearing later, is in harmony—a really worthwhile small shrub. Quite hardy. 18 in. spread, B. & B..... .75 .85 in. spread, B. & B..... to 24 1.00 .90 3'-4' DEUTZIA gracilis. Slender Deutzia One of the most useful of all low shrubs. A profusion of snow white flowers cover the round topped bush in May. .40 .33 15 in.50 15 to 18 in.45 .40 1½ to 2 .60 .55 ft. Rose Panicle Deutzia rosea. Neat habit. The pinkish flowers are an added attraction. 18 .36 .40 .33 in.45 11/2 to 2 .50 ft. ••••• 4'-5' lemoinei. Lemoine Deutzia Large dazzling white flowers in short sprays are produced in amazing abundance making a "high spot" in June. .20 to 11/2 ft. .30 .25 11/2 to 2 .36 .33 ft. .40 to 3 ft. .50 .45 .40 magnifica. 8'-10' Showy Deutzia Really magnificent in bloom, has great clusters of white flowers, more showy and desirable than any other variety. ft. .35 .30 2 to 3 ft. .45 .40 .36 3 4 ft. .60 .54 .50 to 4 5 .75 .70 .60 to ft. to 6 ft. .90 .80 scabra Pride of Rochester. Pink Deutzia Deservedly popular, this husky fellow produces clouds of tassel-like flowers in May which last for some weeks. The usual blush coloring sometimes deepens to a real pink. .30 2 .27 1½ to ft. 3 .40 .33 2 to ft. .36 3 4 ft. .50 .45 .40 to .65 .60 .55 to ft. .80 .70 5 6 ft. .60 to •••••• DIERVILLA trifida. 3'-4' Dwarf Bush Honeysuckle So called because the yellow mid-summer flowers some-In landscape planting what resemble the honeysuckle. it is a most useful low bush for shade, where autumn color shows well. Forms a mass by underground stems. .30 1½ ft. to ••••• 11/2 to .45 .40 ft.

 $2\frac{1}{2}$ ft.

.60

— **Е** —

ELAEAGNUS longipes. 5'-6' Each Ten Hundred Gumi-Cherry Eleagnus

Hot dry sunny place seems to perfect this shrub. Except for their fragrance the yellow flowers might be unnoticed, but the long stemmed orange-red fruits are most decorative.

1 1/2	to	2	ft.	•••••	.60	.54	.50
2	to	3	ft.		.70	.60	.55
3	to	4	ft.		.90	.70	.65
4	to	6	ft.		1.20	1.00	.90
6	to	7	ft		1.80	- 1.50	

pungens reflexa. 10'-12'

Thorny Eleagnus

EVERGREEN. When established will successfully brave our winters and is certainly worthy of trial. The wavy rich green two or three inch leaves are brown, scaly beneath, and the small clusters of silvery flowers are "scented before seen" followed by decorative orange fruits.

 $1\frac{1}{2}$ to 2 ft. B. & B....... 2.00

ELSHOLTZIA farquhari. 3'-4'

Mint Shrub

Numerous spikes of reddish purple flowers top the bush in August and remain attractive for weeks. When crushed, the narrow leaves have a minty odor. Winter freezing of the top merely serves to make a more bushy specimen.

ENKIANTHUS campanulatus. 12'-15' Redvein Enkianthus

Something to enthuse over! Without artificial shaping will develop into a handsome large shrub well clothed with clean foliage which turns brilliant red in fall. Bunches of nodding flowers are borne on the whorled branches, and these red-veined white cups are quite unique.

1	2	to	$2\frac{1}{2}$	ft.	В.	δ.	В	3.00	2.70
1	$2\frac{1}{2}$	to	3	ft.	В.	. δ.	В	4.00	3.60
(3	to	4	ft.	В.	હ	В	6.00	5.40

EPIGAEA repens. 2"-4"

Trailing Arbutus

EVERGREEN. Although somewhat difficult to establish in cultivation a much loved wildling that carpets the ground with broad leaves and produces its clusters of delicate rose colored flowers in May. It seems incredible such a lowly plant could exhale the exquisite fragrance so characteristic of this gem. Acid soil is necessary.

ERICA carnea. 10"-12"

Spring Heath

EUONYMUS alatus. 8'-9'

Winged Euonymus

Pink and crimson in autumn, interesting corky branches in winter, this handsome interesting shrub is too little used.

l ½	to	2	ft.	•••••	.45	.40	.36
2	to	3	ft.	•••••	.60	.54	.50
3	to	4	ft.	••••••	.75	.70	.60
4	to	5	ft.	••••••	.90	.80	
5	to	6	ft.		1.20	1.00	

— compactus. 5'-6'

Compact Winged Euonymus

Just as beautiful and even neater than its big brother. Useful for a specimen, mass, or hedge planting.

2	to	3	ft.	***************************************	.75	.60
3	to	4	ft.		.90	.80

EUONYMUS —Continued	Each	Ten Hundred
• \$		Paramina Barah
europaeus. 12'-15' Slender and tree like, escapes notice take on a purplish crimson coloring watch for the bright pink and scatthe green four sided stem like hand 1½ to 2 ft	g in autui rlet fruits	nn—then you strung along
hamiltonianus. 9'-10'	Hamil	on Euonymus
	'' is assu	redly worthy
2 to 3 ft	.90	.80 .75
patens. 8'-10'	Spread	ing Euonymus
contented in all places and condition wavy leaves become stained with gresses and the orange fruits hang Makes a broad round speciment 1 to 1½ ft. B. & B	on almos	s autumn prost until spring. for hedges54 .50 .75 .70
radicans. 15'-20' Vine.		Wintercreeper
EVERGREEN. Makes good cover		_
2 year, 6 to 9 in		.35 .25
— carrieri. 3'-4' Vine.	Glossy	Wintercreeper
EVERGREEN. Large shiny leaves		
as quite distinct. Will make a fine	_	_
2 year, 9 to 12 in	.50	.45 .40
— coloratus. 4'-6' Vine. EVERGREEN. For a ground cover things to equal this. The long not purple underneath and the veil 2 year, 12 to 15 in.	in shade arrow lec ns penci	rves are rosy-
- minimus. 3' Vine.	Baby	Wintercreeper
EVERGREEN. Tiny leaves, pencille arranged along the climbing vines, to their appointed stature; then a 2 year, 6 to 8 in	which gr	ow vigorously
vegetus. 12'-15' Vine.	Bigleaf	Wintercreeper
EVERGREEN. Generally conceded self-clinging evergreen vine in the bush long basal shoots climb on all thick dull green round leaves and 2 year, 9 to 12 in.	north. Fro Imost any	m the shrubby support. Has
yedoensis. 9'-10'	Ye	ddo Euonymus
Has characteristic pinkish fruits and fully produced—a glorious spectate 1½ to 2 ft.		
EXOCHORDA grandiflora. 8'-10'		Pearl Bush
During May the dazzling whitened looking flowers always attract a ing improves the natural open has 2 to 3 ft	ttention.	e lovely frail- Annual prun-

Each Ten Hundred EXOCHORDA—Continued Wilson Pearl Bush 10'-12' giraldi wilsoni. Decidedly the most handsome of the family. The globular white flower buds are arranged in loose bunches, but in May when fully open the glistening snowy flowers seem like large drifts throughout the bush. Has upright habit. 2 .60 ft.75 .60 2 3 ft. — **F** — 80'-100' American Beech FAGUS americana. Grows slowly, but a handsome native, whose clean graybarked trunks are familiar in light woods. Prefers well drained alkaline soil and spring planting. A beautiful tree. В. & В..... 1.80 2 to 3 ft. 1.65 1.50 3 4 & B..... to ft. В. 2.25 2.00 1.80 & В..... 4 5 ft. В. 3.25 3.00 2.70 to В..... 5 6 ft. В. & 5.00 4.50 4.00 to 8 & 7.50 6.75 6.00 6 ft. В. to В..... & 8 10 В. В..... 11.00 10.00 ft. to 80'-100' sylvatica. European Beech Has smaller darker leaves and grows even more slowly than the native. Likes similar treatment, shade while young. 2 to 3 ft. B. & B..... 1.65 1.50 1.35 3 4 & to B. В..... 2.25 2.00 1.80 5 & 4 B. В..... 3.25 3.00 2.70 to 5 6 В. & R..... 5.00 to ft. 4.50 4.00 6 8 В. & 7.50 6.75 to ft. B..... 6.00 В. & В..... 10 11.00 10.00 to ft. 60'-70' asplenifolia. Fernleaf Beech Well named for the deeply cut long narrow graceful leaves. B. & B..... 3 3.25 2 to ft. 3.00 2.70 & 3 to 4 ft. R 4.50 4.00 В..... 3.60 4 5 B. & ft. В..... 6.50 to 6.00 5.40 5 & В..... to 6 ft. В. 9.00 8.00 B. & B..... 8 12.00 11.00 40'-50' fastigiata. Upright Beech Not considering time this would be an excellent substitute for the Lombardy Poplar. Inspiring when mature. Scarce. B. & B..... 2 3 ft. 3.25 3.00 to 3 В..... to 4 ft. B. & 4.50 4.00 4 5 B. & to ft. В..... 6.50 6.00 5 6 ft. В. & В..... 9.00 8.00 to 6 8 ft. В. & В..... 12.00 to 50'-60' Weeping Beech - pendula. Of all "weeping" trees this is the finest, the branches descend to the ground in broad tortuous curves making a character specimen even in winter. Effective on ing contours, or as a single specimen on the lawn. Effective on rollto ft. В. & В..... 7.50 5 6 В. & to ft. В..... 10.00 6 & В..... to 8 ft. В. 13.50 ጺ 8 10 ft. В. В..... 18.00 to & В..... 10 12 ft. B. 21.00 to - riversi. 70'-80' Rivers Purple Beech The best purple leaf tree, grafted. Handsome and dignified. B. & B..... 5 ft. to 6.50 & B..... 5 6 ft. В. 9.00 to 6 8 B. & 12.75 to ft. В..... & 8 10 В. to ft. В..... 18.00 10 12 B. & 21.00 to ft. B.....

FORSYTHIA	Each Ten Hundred
intermedia spectabilis. 8'-9'	Showy Border Golden Bell
Here is the most spectacular m larger deeper yellow flowers in	= :
1½ to 2 ft	30 .27 .24
2 to 3 ft	
3 to 4 ft	
4 to 5 ft	
ovata. 6'-8' Of all the goldenbells this has p	Korean Goldenbell
the amber yellow flowers are not	<u> </u>
other forms, they will defy any v	_
1½ to 2 ft	The second secon
suspensa. 6'	Weeping Golden Bell
Much more graceful, particularly	y if allowed to hang over
a retaining wall. The willowy br form an immense mass in a few	years. Effective on walls.
1½ to 2 ft	
2 to 3 ft	
3 to 4 ft	70
viridissima. 8'-9'	Green Stem Forsythia
The last to flower. Has vigore	-
$1\frac{1}{2}$ to 2 ft	
2 to 3 ft	
3 to 4 ft	
— koreana. 7'-8'	Korean Forsythia
Really an improvement over the	e type in hardiness and et-
	flower as other varieties.
fect but not as spectacular in $1\frac{1}{2}$ to 2 ft	flower as other varieties.
	flower as other varieties.
1½ to 2 ft	flower as other varieties60
1½ to 2 ft	flower as other varieties60 Silky Leaf Broom
1½ to 2 ft	flower as other varieties60 Silky Leaf Broom into a blanket of brilliant
1½ to 2 ft	flower as other varieties60 Silky Leaf Broom into a blanket of brilliant k, neat foliage is attractive.
1½ to 2 ft	flower as other varieties60 Silky Leaf Broom into a blanket of brilliant k, neat foliage is attractive.
1½ to 2 ft. —G— GENISTA pilosa. 1'-2' Will convert a hot, stony bank yellow in May and June. The dark 4" Pots, 3 year, 9 to 12 in. spread prostrata. 3"	Silky Leaf Broom into a blanket of brilliant k, neat foliage is attractive. ad .90 .80 .70 Creeping Broom
I½ to 2 ft	Silky Leaf Broom into a blanket of brilliant k, neat foliage is attractive. ad .90 .80 .70 Creeping Broom in the rock garden. Tiny
GENISTA pilosa. 1'-2' Will convert a hot, stony bank yellow in May and June. The dark 4" Pots, 3 year, 9 to 12 in. spread prostrata. 3" Just fine for hugging a boulder leaves and good sized yellow for the state of the state	Silky Leaf Broom into a blanket of brilliant k, neat foliage is attractive. ad .90 .80 .70 Creeping Broom in the rock garden. Tiny flowers clothe the mat.
It's to 2 ft. GENISTA pilosa. 1'-2' Will convert a hot, stony bank yellow in May and June. The dark 4" Pots, 3 year, 9 to 12 in. spread prostrata. 3" Just fine for hugging a boulder leaves and good sized yellow for 3" Pots, 6 to 9 in spread	Silky Leaf Broom into a blanket of brilliant k, neat foliage is attractive. Id .90 .80 .70 Creeping Broom in the rock garden. Tiny flowers clothe the mat75 .60
GENISTA pilosa. 1'-2' Will convert a hot, stony bank yellow in May and June. The dark 4" Pots, 3 year, 9 to 12 in. spread prostrata. 3" Just fine for hugging a boulder leaves and good sized yellow for 3" Pots, 6 to 9 in spread	Silky Leaf Broom into a blanket of brilliant k, neat foliage is attractive. Ind .90 .80 .70 Creeping Broom in the rock garden. Tiny flowers clothe the mat75 .60 Arrowhead Broom
It's to 2 ft. GENISTA pilosa. 1'-2' Will convert a hot, stony bank yellow in May and June. The dark 4" Pots, 3 year, 9 to 12 in. spread prostrata. 3" Just fine for hugging a boulder leaves and good sized yellow for 3" Pots, 6 to 9 in spread	Silky Leaf Broom into a blanket of brilliant k, neat foliage is attractive. Id .90 .80 .70 Creeping Broom in the rock garden. Tiny flowers clothe the mat75 .60 Arrowhead Broom stems curve up to hold the pea-blossoms in June and seed pods hold attention.
GENISTA pilosa. 1'-2' Will convert a hot, stony bank yellow in May and June. The dark 4" Pots, 3 year, 9 to 12 in. spread prostrata. 3" Just fine for hugging a boulder leaves and good sized yellow for 3" Pots, 6 to 9 in spread	Silky Leaf Broom into a blanket of brilliant k, neat foliage is attractive. Id .90 .80 .70 Creeping Broom in the rock garden. Tiny flowers clothe the mat75 .60 Arrowhead Broom stems curve up to hold the pea-blossoms in June and seed pods hold attention.
GENISTA pilosa. 1'-2' Will convert a hot, stony bank yellow in May and June. The dark 4" Pots, 3 year, 9 to 12 in. spread prostrata. 3" Just fine for hugging a boulder leaves and good sized yellow for 3" Pots, 6 to 9 in spread	Silky Leaf Broom into a blanket of brilliant k, neat foliage is attractive. id .90 .80 .70 Creeping Broom in the rock garden. Tiny flowers clothe the mat75 .60 Arrowhead Broom stems curve up to hold the pea-blossoms in June and seed pods hold attention90 .72 Prickly Broom
GENISTA pilosa. 1'-2' Will convert a hot, stony bank yellow in May and June. The dark 4" Pots, 3 year, 9 to 12 in. spread prostrata. 3" Just fine for hugging a boulder leaves and good sized yellow for 3" Pots, 6 to 9 in spread	Silky Leaf Broom into a blanket of brilliant k, neat foliage is attractive. id .90 .80 .70 Creeping Broom in the rock garden. Tiny flowers clothe the mat75 .60 Arrowhead Broom stems curve up to hold the pea-blossoms in June and seed pods hold attention90 .72 Prickly Broom this little bush in June. bot, and is worthy of it.
GENISTA pilosa. 1'-2' Will convert a hot, stony bank yellow in May and June. The dark 4" Pots, 3 year, 9 to 12 in. spread prostrata. 3" Just fine for hugging a boulder leaves and good sized yellow for 3" Pots, 6 to 9 in spread	Silky Leaf Broom into a blanket of brilliant k, neat foliage is attractive. id .90 .80 .70 Creeping Broom in the rock garden. Tiny flowers clothe the mat75 .60 Arrowhead Broom stems curve up to hold the pea-blossoms in June and seed pods hold attention90 .72 Prickly Broom this little bush in June. bot, and is worthy of it.
GENISTA pilosa. 1'-2' Will convert a hot, stony bank yellow in May and June. The dark 4" Pots, 3 year, 9 to 12 in. spread prostrata. 3" Just fine for hugging a boulder leaves and good sized yellow for 3" Pots, 6 to 9 in spread	Silky Leaf Broom into a blanket of brilliant k, neat foliage is attractive. id .90 .80 .70 Creeping Broom in the rock garden. Tiny flowers clothe the mat75 .60 Arrowhead Broom stems curve up to hold the pea-blossoms in June and seed pods hold attention90 .72 Prickly Broom this little bush in June. bot, and is worthy of it.
GENISTA pilosa. 1'-2' Will convert a hot, stony bank yellow in May and June. The dark 4" Pots, 3 year, 9 to 12 in. spread prostrata. 3" Just fine for hugging a boulder leaves and good sized yellow for 3" Pots, 6 to 9 in spread	Silky Leaf Broom into a blanket of brilliant k, neat foliage is attractive. ad .90 .80 .70 Creeping Broom in the rock garden. Tiny flowers clothe the mat75 .60 Arrowhead Broom stems curve up to hold the pea-blossoms in June and seed pods hold attention90 .72 Prickly Broom this little bush in June. bot, and is worthy of it75 .60 Woadwaxen pearing bunches of yellow ose bush sparsely clothed un but not the cold wind.

⋄ F. NURSERIES Ten Each Hundred GENISTA tinctoria—Continued Maidenhair Tree . GINKGO biloba. 100' 2'-3' Double Woadwaxen – plena. Really a good form with double flowers similar in habit. 2 year, 6 to 9 in. 1.00 Full of interest, historically and physically, a grand old patriarch of a bygone age. Practically insect, dust and disease proof; good for city planting, but grows slowly. 6 3.50 3.30 ft. to ft., 11/4 to 11/2 in..... 4.50 5.00 8 10 to 6.50 ft., 1½ to 1¾ in..... 7.00 10 12 ft., 13/4 to 2 9.00 8.00 12 14 in.... to 2½ in.... 12 14 ft., 2 11.00 60'-80' Column Maidenhair Tree — fastigiata. A narrow cylindrical form very useful for accents. Scarce. 3 3.00 ••••• 4 6 6.00 to ft. 6 to 8 ft. 7.50 GYMNOCLADUS dioica. 60'-80 Kentucky Coffee Tree Gnarled branchlets and thick branches—a picture of age. .80 to ft. .70 3 to 4 ft. 1.20 1.00 ••••• 4 6 1.80 ft. to ••••• — H — 20'-25' HALESIA tetraptera. Great Silver Bell During May a lovely thing indeed. Myriads of little pearly bells dangle from the reaching branches, to be followed by interesting brown winged seeds. Will yet come into its own. 3 4 ft.65 to .60 4 5 .70 ft.90 .80 to 5 1.20 1.00 .90 to 6 ft. R ft. 1.50 1.35 HAMAMELIS japonica. 20'-25' Japanese Witch Hazel Spidery canary yellow flowers decorate the branches in mid-winter even during zero weather. Handsome smooth round leaves turn yellow in autumn. 2 3 to ft. mollis. 15'-25' Chinese Witch Hazel Every February this glorious shrub surprises us with its fragrant ribbon-like flowers of spun gold draped throughout the branches. Always a cheerful spot in a drab winterscape, even in zero weather. In summer the handsome velvety gray-green foliage clothes this well-shaped bush, which seems happiest in slightly moist place. Indispensable for the border, or near the doorway. 2 3 ft. 1.80 1.50 to 3 4 2.25 to ft. 2.00..... 2.70

4'-6' vernalis.

to

to

4

5

5

6

ft.

ft.

Vernal Witch Hazel

3.00

4.50

Not so showy but sweetly fragrant these pale yellow flowers mature in January, opening and closing with warm and cold spells. The small foliage is smooth but deeply veined. There is also a form with reddish flowers.

$1\frac{1}{2}$	to	2	ft.	•••••	.75	.70
2	to	3	ft.	*****	1.00	.90

.....

HAMAMELIS—Continued	Each	Ten H	undred
virginiana. 15'-25'		Witch	Hazel
The fringy light yellow flowers are a	_		
ber brightening our native woods. S the rich yellow autumn color is effect			
	.50	.45	amps. .40
1½ to 2 ft	1.00	.45 .90	.40
5 to 6 ft	1.35		
HEDERA helix. 60'-75'		Englis	sh Ivy
EVERGREEN. Where hardy the finest	ground		_
For this section it is best to plant wh	_		
not strike. In winter the rich green	_		-
veined with white. Once establishe			
4" Pots, 1½ to 2 ft			25
— baltica. 30'-40'		Balt	ic Ivy
EVERGREEN. Quite similar to the	_	_	
smaller leaves veined white, which			
purplish tone. Being really hardy to 3" Pots, 12 to 15 in			.35
4" Pots, 15 to 18 in	.60	.55	.50
— conglomerata. 1½'-2'		Bunchled	af Ivy
EVERGREEN. The curiously twisted			
with small wavy leaves. Looks per			
rock garden where it never grows duces a weathered effect. An occasion			
3" Pots, 4 to 6 in			.40
7 - 7 - 7 - 7		TT	- f T
— deltoidea.	d lower	Heartled	_
EVERGREEN. Narrow heart shape		es distin	_
		es distin	_
EVERGREEN. Narrow heart shape this neat little fellow—half vine, half	shrub.	es distin	guish
EVERGREEN. Narrow heart shape this neat little fellow—half vine, half 4" Pots, 4 to 6 in.	shrub. .75	es distin .60 Erec	guish .50
EVERGREEN. Narrow heart shape this neat little fellow—half vine, half 4" Pots, 4 to 6 in	shrub. .75 with th	es distin .60 Erec ick but t branchl	.50 et Ivy small lets—
EVERGREEN. Narrow heart shape this neat little fellow—half vine, half 4" Pots, 4 to 6 in	shrub. .75 with the shorten, or e	.60 Erectick but to branchleven in contractions.	.50 et Ivy small lets— a pot.
EVERGREEN. Narrow heart shape this neat little fellow—half vine, half 4" Pots, 4 to 6 in	shrub. .75 with the shorten, or e	es distin .60 Erec ick but t branchl	.50 et Ivy small lets—
EVERGREEN. Narrow heart shape this neat little fellow—half vine, half 4" Pots, 4 to 6 in. — minima. EVERGREEN. Quite self sufficient leaves systematically crowded on that a delightful subject for the rock gard 3" Pots, 3 to 5 in. — pedata.	shrub75 with the shorten, or e	.60 Erectick but to branchleven in co.45 Birdsfoot	guish .50 et Ivy small lets— r pot35
EVERGREEN. Narrow heart shape this neat little fellow—half vine, half 4" Pots, 4 to 6 in. — minima. EVERGREEN. Quite self sufficient leaves systematically crowded on that delightful subject for the rock gard 3" Pots, 3 to 5 in. — pedata. EVERGREEN. A hardy form that climater than the statement of the potential subject for the rock gard 3" Pots, 3 to 5 in.	shrub75 with the shorten, or endorse50	.60 Erectick but to branchleven in co.45 Birdsfoot	guish .50 et Ivy small lets— a pot35 et Ivy not a
EVERGREEN. Narrow heart shape this neat little fellow—half vine, half 4" Pots, 4 to 6 in. — minima. EVERGREEN. Quite self sufficient leaves systematically crowded on that delightful subject for the rock gard 3" Pots, 3 to 5 in. — pedata. EVERGREEN. A hardy form that clinquick grower. The star like leaves of this near the star like leaves of the star like leaves of this near the star like leaves of this near the star like leaves of	shrub75 with the shorten, or endored.50 ngs tighter dist	.60 Erectick but to branchle ven in co.45 Birdsfoothly but inctly veninctly	guish .50 et Ivy small lets— a pot35 et Ivy not a sined.
EVERGREEN. Narrow heart shape this neat little fellow—half vine, half 4" Pots, 4 to 6 in. — minima. EVERGREEN. Quite self sufficient leaves systematically crowded on that delightful subject for the rock gard 3" Pots, 3 to 5 in. — pedata. EVERGREEN. A hardy form that clinquick grower. The star like leaves of 3" Pots, 6 to 9 in.	shrub75 with the shorten, or endorse50	.60 Erectick but to branchleven in co.45 Birdsfoot	guish .50 et Ivy small lets— a pot35 et Ivy not a
EVERGREEN. Narrow heart shape this neat little fellow—half vine, half 4" Pots, 4 to 6 in. — minima. EVERGREEN. Quite self sufficient leaves systematically crowded on that delightful subject for the rock gard 3" Pots, 3 to 5 in. — pedata. EVERGREEN. A hardy form that clinquick grower. The star like leaves 3" Pots, 6 to 9 in. — self branching.	shrub75 with the shorten, or earlighted50 ngs tighted dist60	.60 Erectick but to branchle ven in control ven in control ven in control ven inctly ven	guish .50 st Ivy small lets— r pot35 st Ivy not a sined40 n Ivy
EVERGREEN. Narrow heart shape this neat little fellow—half vine, half 4" Pots, 4 to 6 in. — minima. EVERGREEN. Quite self sufficient leaves systematically crowded on that delightful subject for the rock gard 3" Pots, 3 to 5 in. — pedata. EVERGREEN. A hardy form that clinquick grower. The star like leaves of 3" Pots, 6 to 9 in. — self branching. EVERGREEN. Without any cutting of	shrub75 with the shorten, or endown, .50 ngs tighter districted60	.60 Erectick but to branchle even in a .45 Birdsfoothly but notely versionally but notely but	guish .50 st Ivy small lets— a pot35 st Ivy not a sined40 a Ivy form
EVERGREEN. Narrow heart shape this neat little fellow—half vine, half 4" Pots, 4 to 6 in	shrub75 with the shorten, or endown.50 ngs tighted districted.60 or pinch oush with with the shrub.	.60 Erectick but to branchle even in co.45 Birdsfoothly but to inctly version.50 Pittsburghting this ith occas	guish .50 st Ivy small lets— a pot35 st Ivy not a sined40 n Ivy form ional
EVERGREEN. Narrow heart shape this neat little fellow—half vine, half 4" Pots, 4 to 6 in. — minima. EVERGREEN. Quite self sufficient leaves systematically crowded on that delightful subject for the rock gard 3" Pots, 3 to 5 in. — pedata. EVERGREEN. A hardy form that clinquick grower. The star like leaves of 3" Pots, 6 to 9 in. — self branching. EVERGREEN. Without any cutting of	shrub75 with the shorten, or endown.50 .50 .60 or pinche oush with green	.60 Erectick but the branchle ven in a case of the but in a case of the but inctly ven	guish .50 st Ivy small lets— a pot35 st Ivy not a sined40 a Ivy form ional osely
EVERGREEN. Narrow heart shape this neat little fellow—half vine, half 4" Pots, 4 to 6 in	shrub75 with the shorten, or endown.50 or pinche oush with green with green with the column with green with	.60 Erectick but the branchle ven in a case of the but in a case of the but inctly ven	guish .50 st Ivy small lets— a pot35 st Ivy not a sined40 a Ivy form ional osely
EVERGREEN. Narrow heart shape this neat little fellow—half vine, half 4" Pots, 4 to 6 in. — minima. EVERGREEN. Quite self sufficient leaves systematically crowded on the adelightful subject for the rock gard 3" Pots, 3 to 5 in. — pedata. EVERGREEN. A hardy form that clinquick grower. The star like leaves 3" Pots, 6 to 9 in. — self branching. EVERGREEN. Without any cutting adevelops into a well furnished little long branches. Small foliage is light arranged on the branches. Needs protested.	shrub75 with the shorten, or endown.50 or pinche oush with green with green with the column with green with	.60 Erectick but the branching this ith occassing the case and clahere expenses	guish .50 st Ivy small lets— a pot35 st Ivy not a sined40 n Ivy form ional osely osed.
EVERGREEN. Narrow heart shape this neat little fellow—half vine, half 4" Pots, 4 to 6 in	shrub75 with the shorten, or endown50 are distanted distante	.60 Erectick but the branching shows and claiming this ith occase and claiming the control of the expension of the control of	guish .50 st Ivy small lets— a pot35 st Ivy not a sined40 n Ivy form ional osely osed30 .40 agron
EVERGREEN. Narrow heart shape this neat little fellow—half vine, half 4" Pots, 4 to 6 in	shrub75 with the shorten, or endown50 ngs tighter distriction60 r pinch oush with green45 .60 Reful in	.60 Erectick but the branchle ven in contract ven in contract ven in contract ven incertive ven inc	guish .50 st Ivy small lets— r pot35 st Ivy not a sined40 n Ivy form ional osely osed30 .40 stron work.
EVERGREEN. Narrow heart shape this neat little fellow—half vine, half 4" Pots, 4 to 6 in	shrub75 with the shorten, or endown50 are distanted	.60 Erectick but to branchic to branchic to the second stress of the se	guish .50 st Ivy small lets— a pot35 st Ivy not a sined40 a Ivy form ional osely osed30 .40 aron work. gust.
EVERGREEN. Narrow heart shape this neat little fellow—half vine, half 4" Pots, 4 to 6 in	shrub75 with the shorten, or endown50 are distanted	.60 Erectick but to branchic to branchic to the second stress of the se	guish .50 st Ivy small lets— a pot35 st Ivy not a sined40 a Ivy form ional osely osed30 .40 aron work. gust.
EVERGREEN. Narrow heart shape this neat little fellow—half vine, half 4" Pots, 4 to 6 in	with the shorten, or eaction was tight of the cuture of th	.60 Erectick but the branch of the branch of the but the branch of the	guish .50 et Ivy small lets— a pot35 et Ivy not a sined40 a Ivy form ional osely osed30 .40 agron vork. gust. pink.
EVERGREEN. Narrow heart shape this neat little fellow—half vine, half 4" Pots, 4 to 6 in	shrub75 with the shorten, or each of the shorten	.60 Erectick but the branching this incily but incily versions the coast and clear an	guish .50 st Ivy small lets— a pot35 st Ivy not a sined40 n Ivy form ional osely osed30 .40 saron work. gust. pink27

HIBISCUS syriacus—Continued	Each	Ten H	undred
— coelestis, Single blue W.	R. Smi	h, Single	
1½ to 2 ft	.50	.45	WIIIG
2 to 3 ft	.60	.54	
3 to 4 ft	.75	.70	
HYDRANGEA			
arborescens grandiflora. 4'-5'	Snow	Hill Hydi	angea
The rather straggling habit is more	than of	fset in Ju	ly and
August by the fine display of white			
bunches. Prune severely for best re			
1½ to 2 ft	.40	.35	.30
2 to 3 ft	.50		.40
3 to 4 ft	.70		.60
paniculata. 10'	Pan	icle Hydr	angea
The long loose trusses of white flower			
and make this a most desirable sh			
1½ to 2 ft	.30	.27	.25
2 to 3 ft	.45 .60	.40 .55	.35 .50
3 to 4 ft	.75	.70	.50
	.70		. 4
— grandiflora. 8'-10'			eegee
Almost everyone knows the great h			
that gradually turn pink when cut a			
2 to 3 ft	.60	.55	.50
3 to 4 ft	.75	.65	.60
petiolaris. 35'-40' Vine.	Climb	ing Hydr	angea
Until it takes on some age the sterlinknown climbing shrub is not apprecleaves shingle the wall forming a the flat topped bunches of fragrant summer. Old stems have brown bad" Pots, 9 to 12 in.	iated. T perfect white f rk. Pref	he large backgrou lowers in ers north	round nd for early
quercifolia. 3'-4'	O-1- T		
queichonu. U-4	(1/7/2	ant Hude	anaea
Glorious in its autumn dress who leaves assume brilliant colors. The ally turn purplish when old; semi-shirty to 2 ft	en the white nade or .60	flowers woods m	ak-like gradu-
Glorious in its autumn dress who leaves assume brilliant colors. The ally turn purplish when old; semi-shirt to 2 ft	en the white ade or .60	large of flowers woods m	gradu- gradu- argin. .50
Glorious in its autumn dress who leaves assume brilliant colors. The ally turn purplish when old; semi-shally to 2 ft	en the white ade or .60 .75 Golde st when the of sill place work blue .50 .60	large of flowers of woods m .55 .65 n St. John n the bring stamen ill maintagreen for .45 .55	ak-like gradu- argin. .50 .60 aswort rilliant as are ain its bliage. .40 .50
Glorious in its autumn dress who leaves assume brilliant colors. The ally turn purplish when old; semi-shally to 2 ft	en the white ade or .60 .75 Golde st when the of sill place work blue .50 .60	large of flowers of woods m .55 .65 n St. John n the bracky stamen ill maintagreen for .45 .55 .65	ak-like gradu- argin. .50 .60 aswort rilliant as are ain its bliage. .40 .50 .60
Glorious in its autumn dress who leaves assume brilliant colors. The ally turn purplish when old; semi-shally to 2 ft	en the white ade or .60 .75 Golde st when the of sill olace work blue .50 .60 .75 a crchir in mi a soft eller. Vell as cell	large of flowers of woods must see for stament of the brush-like foliage of f	cak-like gradu- gradu- argin50 .60 aswort rilliant as are ain its bliage40 .50 .60 flower arise with a cen- ful in

Perhaps some of the combination plantings on pages 132-133 will fit in your garden. Won't you please suggest others that are effective?

— I —

ILEX cornuta. 10'

Each Ten Hundred

Chinese Holly

EVERGREEN. One that bids well to become a favorite. The oblong rectangular leaves vary from $1\frac{1}{2}$ to 4 inches long but retain the characteristic shape and leathery texture. Scarlet berries are attractive. Need some shelter.

1	to	11/2	ft.	B.	δ	В	1.50
11/2	to	2	ft.	B.	&	B	2.00
2	to	3	ft.	В.	δ	В	2.50

crenata. 12'-15'

Japanese Holly

EVERGREEN. Has thick dark lustrous green leaves of variable size never larger than a privet, really quite unlike a holly. Forms a fine large bush for permanent planting and does not object to some shade. Black berries.

1	to	11/2	ft.	B.	δ	В	1.35	1.20	1.00
11/2	to	2	ft.	В.	&	В	2.00	1.80	1.50
2	to	3	ft.	B.	&	В	3.00	2.70	2.25
3	to	4	ft.	B.	&	В	5.50	4.80	4.50
4	to	5	ft.	В.	&	В	8.00	7.00	6.30
5	to	6	ft.	B.	&	B	10.00	9.00	

-- convexa (bullata.) 3'-4'

Boxleaf Japan Holly

EVERGREEN. Think of this as a dwarf boxwood which it resembles both in habit and foliage. Any plant lover cannot help but enthuse over an old specimen broader than high well clothed in roundish convex leaves that withstand the hardest winters. Eventually this will be the recognized hardy substitute for dwarf boxwood edging.

4	to	6	in.	edging30 .24 .18	
6	to	9	in.	edging50 .40 .30	
12	to	15	in.	B. & B 1.35 1.20	
15	to	18	in.	B. & B 2.00 1.80	
11/2	to	2	ft.	B. & B 2.75 2.50	
2	to	$2\frac{1}{2}$	ft.	B. & B 3.75 3.30	
21/2	to	3	ft.	B. & B 5.50 5.00	
3	ft.			B. & B 7.50	

— helleri. 1'-11/2'

Heller Holly

EVERGREEN. Just hugs the ground and forms a broad flat compact mass just packed with stiff twigs which in turn are well clothed with shiny dark green leaves half inch or less in length. Very neat and slow in growth—a gem for low permanent planting. Needs no pruning.

_					•	-
6	to	9	in. spread	.90	.75	.60
9	to	12	in. spread, B. & B	1.25	1.00	.90
12	to	15	in. spread, B. & B	2.25	2.00	
15	to	18	in. spread, B. & B	4.50		
11/2	to	2	ft. spread, B. & B	6.00		
2	to	$2\frac{1}{2}$	ft. spread, B. & B	7.50		

- microphylla. 8'-10'

Littleleaf Japanese Holly

EVERGREEN. Even the smallest plant shows inherent character and sturdiness. Being more hardy than the type this form is recommended for general use, particularly as the twiggy branches make an ideal hedge or handsome specimen. Has smaller leaves and a much bushier habit.

_	1										
	1	to	11/2	ft.	Bushy,	B.	&	B	1.35	1.20	1.00
	11/2	to	2	ft.	Bushy,	В.	&	B	2.25	2.00	1.80
	2	to	21/2	ft.	Bushy,	В.	&	B	3.50	3.25	3.00
	21/2	to	3 '	ft.	Bushy,	B.	&	B	5.00	4.50	4.00
	3	to	4	ft.	Bushy,	B.	&	B	7.50	7.00	6.00
	4	to	5	ft.	Bushy,	B.	&	B	10.00	9.00	
	5	to	6	ft.	Bushy.	B.	ጽ	B	13.50		

4

to

5

ft.

ft.

1.00

1.50

.90

1.35

Each Ten Hundred ILEX crenata—Continued - rotundifolia. 12'-15' Roundleaf Japan Holly EVERGREEN. In character rather more loose and irregular than "crenata," but quite distinct because of its leaves which are almost as large as Privet. The upright tendency can be used to good advantage in mass plantings. 2.25 2.00 $1\frac{1}{2}$ to 2 ft. B. & B..... B. & B..... 2 to 3 ft. 3.50 3.00 glabra. 4'-6' Inkberry EVERGREEN. Rather loose but well clothed with deep green leaves that turn to a peculiar metallic deep purple color in winter. Most effective in masses when the glittering black berries are more evident. Grows in shade or sun. B. & B..... 12 to 15 in. 1.35 15 B. & B..... 18 2.00 to in. 1.80 $1\frac{1}{2}$ to B. & 2.75 2 ft. В..... 2.50 2.25 $2\frac{1}{2}$ ft. 2. to B. & В..... 3.75 3.50 3.25 3 ft. B. & В..... 5.00 4.50 4.00 $3\frac{1}{2}$ ft. B. & В..... 7.00 to 6.30 latifolia. 50'-60' Broadleaf Holly EVERGREEN. Judging from the handsome glossy green six inch oblong leaves it promises to develop into "one of the most beautiful Hollies" to quote L. H. Bailey. The red opaca. 30'-40' American Holly EVERGREEN. Christmas is immediately suggested by the familiar typical holly leaves and red berries. Be sure to get both male and female trees if berries are wanted, and transplant in spring. Young plants seem to prefer light shade but later a moist but well-drained sunny spot will produce a more compact specimen. Acid soil preferred. $1\frac{1}{2}$ to 2 ft. B. & B..... 1.50 1.35 3 B. & B..... 2 to ft. 3.00 2.70 B. & B..... 3 4 ft. 5.00 5 B. & B..... 4 7.50 6.75 to B. & B..... to 6 ft. 10.00 9.00 B. & B..... 13.50 7 6 to ft. ft. specimens, B.&B. 25.00 to 75.00 each 25'-30' - xanthocarpa. Yellow Fruited Holly EVERGREEN. Finally we found this true form with really yellow berries. Similar to the type but seems more hardy. 1½ ft. B. & B..... 2.25 to 1 B. & B..... 1½ to 2 ft. 3.50 7'-8' Perny Holly pernyi. EVERGREEN. Thick, small, angular leaves are crowded on the branchlets, and the dark lustrous green coloring makes a splendid foil for the bright red berries. intricate branching habit results in a spiny compact bush. 3" Pots, 6 to 12 in. 1.50 1.35 Common Winterberry 8'-10' verticillata. One of the few native shrubs that carries its bright red fruits practically throughout winter. While generally found in swampy ground it seems perfectly happy when high and dry. Plant in groups to insure a crop of berries—it's a holly! 1½ to 2 .50 .45 .40 ft. .55 2 3 .60 to ft. .65 .80 3 4 ft. .70 .65 to

Each ILEX verticillata—Continued Ten Hundred 7'-8' Large Fruited Winterberry - polycarpa. Quite an improvement over the old but beautiful type. Red berries are larger, more profuse and just as brilliant. ft. .90 ••••• INDIGOFERA amblyantha. 5'-6' Pink Indigo Beginning in July clusters of pink pea-blossoms bejewel the arching branches until October. Airy bright green foliage creates a soft effect often lacking in small border planting. 1.00 ft. .90 ••••• 3 to ·ft. ••••• 1.25 1.10 3'-4' kirilowi. Kirilow Indigo Very small rose colored flowers in dense bunches brighten up the compact bush in July. Withstands drought and heat. 1½ to 2 ft. potanini. 5'-6' Potanin Indigo More upright and compact than the former with slightly larger pale pink flowers. An occasional freeze back helps. 1.50 ft — **]** — JASMINUM nudiflorum. 4'-5' Winter Jasmine Most effective when the long slender viny branches are trained on a sunny wall to display the bright starry yellow bells in April and sometimes during a warm February. As a shrub the branches will root as they spread, into a mass. 3 year, 1½ to 2 ft. JUNIPERUS chinensis. 18'-20' ALL EVERGREEN Chinese Juniper A formal narrow cone of gray-green foliage assuming more character with age. Reliable and useful. Very hardy. $2\frac{1}{2}$ ft. B. & B..... 2.00 to 1.80 $2\frac{1}{2}$ to 3 B. & B..... 2.50 2.25 2.00 ft. 3 4 В. & 3.25 3.00 2.70 to ft. В..... 4 ft. В. & B..... 4.50 4.00 3.60 to В..... 5 ft. В. & 6.00 5.40 6 ft. В. & B..... 8.00 to - albo variegata. 8'-10' White Leaf Chinese Juniper Creamy white branchlets are interspersed throughout the bush. Other foliage is blue-gray. Forms stocky pyramid. 5 ft. B. & 5.00 6 В..... to 7 ft. & В..... 6.75 6 В. 7.50 to 7 B. 9.00 8 ft. æ В..... to B. & B..... 12.00 10 ft. — columnaris. 20'-25' Column Chinese Juniper Rapidly grows into a slender shaft of gray-green. Splendid "accent" plant. An annual trimming keeps column compact. ft. B. & 4.50 4.00 to B..... 5 В. & 5.75 5.25 4.80 В..... to 6 ft. 6 7 ft. B. & B..... 7.50 6.75 6.00 to ft. 7.20 7 В. & В..... 10.00 9.00 to 8 B. & 13.50 12.00 11.00 8 10 ft. B..... to 18.00 16.50 10 12 B. & B..... ft. to

The soil preference list on pages 123-124 may help you to determine what plants will do best in your garden.

B. & B.....

12

to

14

ft.

22.50

20.00

	CACOL	1(120						
UNIPERUS	chine	ensis—	Contin	ue	d	Each	Ten 1	Hundred
— colum	naris	viridis.	20′-	25′		Green	Column	Juniper
							ws more	
	0 4	ft.			B			3.00
_	o 5 o 6	ft. ft.			B			•
_	o 6 o 7	ft.			B			
_	o 8	ft.			B			
	0 10	ft.	В.	&	В	13.50	12.00	
10 t	o 12	ft.	В.	&	В	18.00		
fortun	ei. 12	2′-15′					Fortune	Juniper
							ramidal	
							mixed p	lanting.
5 to		ft.	В.	Ó۲	В	6.00		
— japoni					_	_	apanese	
_		_	_		_	_	bush ret	
		_			_	_	the colde ong large	
	o 4	_			B		ong large	e TOCKS.
							.	
neαbo							Chinese	
	_				_	_	er we ho id alway	
							nt or tub	
3 to		ft.			В		2.70	•
4 to	5	ft.	В.	&	В	4.00	3.60	
— pfitzer	iαn α.	5′-6′					Pfitzer	Juniper
_			into	α	sprea	ding va	se-shape	d bush
	_	_			_	_	Being r	1
					_		ely used	
-	-					oularity.	_	nsable.
					& B	2.25 2.75		
					& B			
		•		- •				
sarger			∡l∟ż la		-l		Sargent	_
							r quickly a sunn	
						2.25		1.80
		_				3.00		1.00
		_						T
ommuni:				+h.	a lanaa		lountain	_
					_	_	flat car The pr	_
							t a foot	
							areas.	
1 to	11/2	ft. spr	eαd, i	В.	& B	1.50	1.35	
onferta.	9"-12	2"					Shore	Juniper
	_		ıınıısı	ומן'	lv lara	e bloom	y black	_
							ther d iff i	
		_					. Bright	
15 to	18	in, sp	read,	В.	& B	2.25	2.00	
excelsa s	stricta.	5′-6′				Spina	Greek	Inniner
			olobs"	, o	re so		en in v	
							ation pla	
12 to						.90		.70
15 to	_					1.20		1.00
$1\frac{1}{2}$ to		ft.			B	2.00	1.80	1.50
2 to 2½ to		ft.			B B	2.50 3.00	2.25 2.70	2.00
3 to		ft.			B	3.75	3.30	۷.⁴\
. •	_	•				J U	2.00	

JUNIPERUS—Continued

Each Ten Hundred

horizontalis. 1'-2'

Creeping Savin

Has long prostrate branches that crawl over and around stones to spread its green plumes. A sunny rocky slope with plenty of room is ideal. Tinged lavender in winter.

1 to 1½ ft. spread, B. & B..... 1.35

— Bar Harbor. 6"-12"

Bar Harbor Juniper

Of all ground Junipers we rate this first, it actually "hugs" the ground and makes a velvety mat of gray-green foliage which in winter changes to a most attractive metallic purple and lavender coloring. Splendid for the rock garden.

9 to 12 in. spread, B. & B..... 1.50 1.35 12 to 18 in. spread, B. & B..... 2.25 2.00

— douglasi. 1

Waukegan Juniper

Rather slow irregular growth, steely blue foliage turning purple in winter. Irregular trailing habit effective in rocks.

1 to 1½ ft. spread, B. & B..... 1.50 1.35 1½ to 2 ft. spread, B. & B..... 2.25 2.00 2 to 2½ ft. spread, B. & B..... 3.00 2.70

- glauca. 1

Blue Creeping Savin

An improvement upon the green type, both in neatness and coloring. Blue gray in summer, purple in winter.

1 to 1½ ft. spread, B. & B..... 1.35 1.20 1.00 1½ to 2 ft. spread, B. & B..... 1.80 1.65

- plumosα. 1'-2'

Plumed Spreading Juniper

3.75

Even a single plant will make a neat low dense mat of soft silver-green which gradually takes on a rich deer lavender purple color with colder weather. Handsome

18 in. spread, B. & B..... 1.50 1.20 15 1.10 ft. spread, B. & B..... 2.00 2. 1.80 1.50 2.50 2.25 2½ ft. spread, B. & B..... 21/2 to 3 ft. spread, B. & B..... 3.00

sabina. 5'-6'

Savin

A vase shape bush of dark green, dependable in exposures. 15 to 18 in. B. & B........ 1.20 1.00

3 to 4 ft. B. & B......

Upright Savin

The best looking and most useful form of Savin. Every branch competes with its neighbor in trying to grow erect as possible so that a well shaped dense column is formed similar to the Italian Cypress. Decidedly a good plant.

3 to 4 ft. B. & B....... 3.75 3.30 3.00 4 to 5 ft. B. & B....... 5.00 4.50

squamata. 1'-2'

Scaly Leaf Juniper

Stays "good" indefinitely and is one of the finest winter evergreens. All the creeping branches are well clothed with scaly gray-green foliage equally resistant to heat or cold, presenting a neat flat surface at all times.

in. spread, B. & B..... 12 15 1.80 1.65 to in. spread, B. & B..... 2.25 2.00 1.80 15 18 to 11/2 to ft. spread, B. & B..... 2.70 2.40 2 3.00 21/2 ft. spread, B. & B..... 3.30 4.00 3.60 2 to ft. spread, B. & B..... $2\frac{1}{2}$ to 3 5.25 ft. spread, B. & B..... 7.50 to'

— variegata. 1'-2'

Variegated Scaly Juniper

But for the occasional creamy white sprays, this variety is similar to the green type, just as good in winter.

15 to 18 in. spread, B. & B..... 2.25 2.00 1½ to 2 ft. spread, B. & B..... 3.00 2.70

JUNIPERUS—Continued

Each Ten Hundred

virginiana 30'-50'

Redcedar

Our well loved native Cedar which has given rise to all the following variations. Annual trimming will improve it.

2	to	3	ft.	В.	&	В	1.80	1.65
3	to	4	ft.	B.	&	В	2.25	2.00
4	to	5	ft.	B.	&	B	3.00	2.70
5	to	6	ft.	B.	&	B	4.00	3.60
6	to	8	ft.	B.	S.	В	6.00	5.40

---burki. 12'-15'

Burk's Cedar

Forms a well shaped dense column of silvery gray until frost, then becomes overlaid with a flush of purple.

3	to	4	ft.	В.	&	B	3.25	3.00
4	to	5	ft.	В.	&	B	4.50	4.00
5	to	6	ft.	В.	&	В	6.00	
6	to	7	ft.	B.	&	B	9.00 ^	
7	to	8	ft.	В.	&	В	12.00	
8	to	10	ft.	В.	&	В	15.00	13.50
10	to	12	ft.	B.	&	В	18.00	

— cannarti. 20'-25'

Cannart Cedar

Like a true aristocrat this handsome Cedar is unobtrusively dignified and dislikes any fussy trimming that would interfere with its natural character. Columnar in outline, the surface is broken by short lateral branches making black shadow spots on a very deep green mantle of foliage. In autumn when the crop of steely blue berries are in evidence, it is almost gay enough to be saved for Christmas decoration.

2	to	$2\frac{1}{2}$	ft.	В.	&	B	2.00	1.80	1.65
21/2	to	3	ft.	B.	&	В	2.50	2.25	2.00
3	to	4	ft.	В.	&	B	3.25	3.00	2.70
4	to	5	ft.	В.	&	B	4.50	4.00	3.60
5	to	6	ft.	В.	&	B	6.00	5.40	5.00
6	to	7	ft.	В.	&	B	9.00	8.00	7.20
7	to	8	ft.	B.	&	B	12.00	11.00	
8	to	10	ft.	В.	&	В	15.00	13.50	

- elegantissima. 15'-18'

Goldtip Redcedar

Named from the bright yellow branchlets, turning bronzy in winter, really a warm color that doesn't look "dead."

4	to	5	ft.	В.	&	В	4.50	4.00
5	to	6	ft.	B.	&	В	6.00	

— fastigiata. 15'-20'

Upright Redcedar

Strives to grow as erect as possible so that the whole specimen is a close compact pillar of deep green rather like the Italian Cypress—no pruning needed.

3	to	4	ft.	B.	&	В	5.00	4.50
4	to	5	ft.	В.	&	B	6.00	5.40

— glauca. 20'-25'

Silver Redcedar

One might call this the blue counterpart of the Cannart Cedar. The whole irregular column is richly clad in a blue-gray mantle effective among other evergreens.

2	to	$2\frac{1}{2}$	ft.	B.	&	В	1.80	1.65	1.50
$2\frac{1}{2}$	to	3	ft.	В.	&	В	2.25	2.00	1.80
3	to	4	ft.	В.	&	B	3.00	2.70	2.40
4	to	5	ft.	В.	&	В	4.50	4.00	3.60
5	to	6	ft.	В.	&	В	6.00	5.40	
6	to	7	ft.	В.	&	В	9.00	8.00	
7	to	8	ft.	B.	&	B	12.00		
8	to	10	ft.	B.	&	В	15.00		

JUNIPERUS virginiana—Continued

Each Ten Hundred

— globosa. 4'-5'

Globe Cedar

Needs no trimming to keep it dwarf and compact. Some interesting shapes are assumed, as the plants mature.

15 Ito	18	in.	В.	&	В	3.00	2.70	2.40
1½ to	2	ft.	В.	&	B	4.00	3.60	3.30
2 to	21/2	ft.	В.	&	В	5.00	4.50	4.00
3 to	4	ft.	В.	&	В	10.00	9.00	

- keteleeri. 18'-20'

Keteleer Cedar

Handsome dark green leaves set off large slaty blue berries which are unusually decorative in winter. Develops into a pyramid that is compact right to its broad base.

21/2	to	3	ft.	B.	&	B	2.25	2.00	1.80
3	to	4 ′	ft.	B.	&	В	3.00	2.70	2.40
4	to	5	ft.	В.	&.	B	4.00	3.60	3.30
5	to	6	ft.	В.	&	B	5.00	4.50	4.00
6 1	to	7	ft.	В.	&	B	6.50	6.00	5.40
7	to	8	ft.	В.	&	B	8.00	7.20	6.7 5
8	to	10	ft.	В.	&	В	10.00	9.00	8.00

- pyramidalis. 25'

Pyramidal Redcedar

A de	ense	na	rrow	spire	of	green	without	any	trimming.
11/2	to	2	ft.	B.	&	В	1.50	1.3	5 1.20
2	to	21/2	ft.	B.	&	В	2.25	2.0	1.80
21/2	to	3	ft.	В.	δ	В	3.00	2.7	2.40
3	to	4	ft.	B.	δ	B	4.50	4.00	כ

- schotti. 20'-25'

Schott Redcedar

More formal and lighter green than Cannart's Cedar and with occasional trimming makes a handsome column.

					_				
2	to	$2\frac{1}{2}$	ft.	В.	&	В	2.00	1.80	1.65
21/2	to	3	ft.	В.	&	В	2.50	2.25	2.00
3	to	4	ft.	В.	&	В	3.25	3.00	2.70
4	to	5	ft.	В.	&	В	4.50	4.00	3.60
5	to	6	ft.	В.	&	В	6.00	5.40	
6	to	7	ft.	В.	&	В	9.00	8.00	
7	to	8	ft.	В.	&	В	12.00	11.00	
8	to	10	ft.	В.	&	В	15.00		

— smithi. 6'-8'

Smith Juniper

Is quite unusual in habit and color; really an open but well furnished bush richly clad in a mantle of light grass-green foliage that remains fresh and bright all year.

_	_		_					_	4
1 1/2	to	2	ft.	В.	&	В	2.00	1.80	1.65
2	to	$2\frac{1}{2}$	ft.	B.	&	В	2.50	2.25	2.00
21/2	to	3	ft.	В.	&	В	3.25	3.00	2.70
4	to	5	ft.	. B.	&	B	5.00		



— K —

KALMIA

Each Ten Hundred

angustifolia. 3'-4'

Sheep Laurel

EVERGREEN. Quite distinct from its more popular brother by reason of the small gray-green foliage and bunches of small pretty pink flowers. Does well in open sun. 2 to 2½ ft. B & B. 3.50 3.00

2	to	$2\frac{1}{2}$	ft.	B.	&	B	3.50	3.00
$2\frac{1}{2}$	to	3	ft.	B.	&	B	4.50	4.00

latifolia. 6'-8'

Mountain Laurel

EVERGREEN. Doubtless the most valuable and beautiful of our broadleaf evergreens. In July nothing can approach the glorious effect created by a mass of laurel with its great wealth of pink flowers. Even in zero weather the clean foliage retains its vigor and deep green color. While most adaptable to sun or shade the ideal location is slight shade.

12	to	15	in.		B.	&	B		1.50	1.35	1.20
15	to	18	in.	٠	B.	&	В	•	2.00	1.80	1.65
1 1/2	to	2	ft.		B.	&	В		2.75	2.40	2.25
2	to	$2\frac{1}{2}$	ft.		В.	&	B		3.50	3.30	

KERRIA japonica fl. pl. 4'-5' Double Kerria or Globeflower

Green stems and rich golden flowers that in May resemble "button" chrysanthemums combine to make this a most popular "old fashioned" useful shrub. Nice for winter color.

11/2	to	2	ft.	•••••	.7 5
2	to	3	ft.	•••••	.90

KOELREUTERIA paniculata. 25'-30'

Varnish Tree

Most conspicuous when the large loose bunches of bright yellow flowers crown the trees in July. The compound foliage is pleasing and for dry city conditions is excellent.

3	to	4	ft.	•••••	1.00	.90
4	to	5	ft.	•••••	1.50	1.35
5	to	6	ft.	•••••	2.25	2.00
6	to	8	ft.	•••••	3.25	
8	to	10	ft.	•••••	4.50	

KOLKWITZIA amabilis. 6'-9'

Beauty Bush

During late spring the common name is well deserved for the graceful slender branches are transformed to ropes of gay little pink bells. Improves with age, so don't expect many flowers on young shrubs. Very neat habit.

11/2	to	2	ft.	 .75	.70	.60
2	to	3	ft.	 1.00	.90	



--- <u>L</u> ---

LABURNUM

Each Ten Hundred

vulgare. 20'25'

Golden Chain

Golden yellow flowers hang from the green branches resembling a yellow wisteria. Plant in a sheltered spot.

4	to	5	ft.	••••••	1.80	$1.6\overline{5}$
5	to	6	ft.	•••••	2.25	2.00
6	to	7	ft.	•••••	3.30	3. 00

LAUROCERASUS schipkaensis. 6'-8'

Cherry Laurel

EVERGREEN. Rarely seen, this handsome shrub should prove useful for bold effects with its five inch lustrous green leaves. A rather sheltered semi-shady spot is best.

1	to	1 1/2	ft.				1.50		
11/2	to	2	ft.	B.	&	B	2.00	1.80	1.65
2	to	3	ft.	B.	&	B	2.50	2.25	2.00

LEIOPHYLLUM buxifolium. 1'-2'

Box Sand Myrtle

EVERGREEN. Particularly attractive and cheerful in June when small pinkish flowers bejewel the branches. Although naturally irregular the cultivated specimens are generally well shaped little cushions with small leaves.

12	to	15	in. spread, B. & B	2.25
15	to	18	in. spread, B. & B	3.00
11/2	to	2	ft. spread, B. & B	4.00
2	to	21/2	ft. spread, B. & B	5.2 5

LESPEDEZA formosa. 6'-7'

Purple Bush Clover

Reddish purple flowers just hide the clover-like leaves in July and August. Although the slender arching branches may freeze back, it quickly makes a graceful shrub.

LEUCOTHOE axillaris. 2'-3'

Lesser Leucothoe

EVERGREEN. Although not so handsome as its dashing brother, really neater and more useful for the small border. The shiny three inch leaves are set more closely together on the arching shoots which form a broad well filled clump. Flower spikes are shorter and fewer than in "catesbaei" and the winter coloring is not so beautiful.

12	to	15	in.	В. & В	1.50	1.35
15	to	18	in.	В. & В	2.25	2.00
$2\frac{1}{2}$	to	3	ft. speci	mens B. & B.	5.00	

catesbaei. 4'-5'

Drooping Leucothoe

EVERGREEN. What a glorious welcome sight the rich purple foliage makes in winter, and even in summer the thick shiny green five inch leaves, so regularly arranged on the arching branches are striking. Then in May, graceful sprays of fragrant white flowers hang from the branches, giving the effect of a flowering fern. Handsome as Christmas decorations. Useful for shady ground cover work. Moist acid soil is ideal.

1 to $1\frac{1}{2}$ ft.	В. & В	1.00	.90	.80
$1\frac{1}{2}$ to 2 ft.	В. & В	1.50	1.35	1.20
2 to 2½ ft.	В. & В	2.25	2.00	1.80
$2\frac{1}{2}$ to 3 ft.	В. & В	3.50	3.00	2.70
Specimen clumps	В. & В	6. 0 0		

LIGUSTRUM amurense. 10'-12'

Amur Privet

HALF EVERGREEN. Admittedly a splendid hedge plant, but don't overlook it as a specimen shrub where the graceful lines of the spreading branches are notable.

11/2	to	2	ft.		.12	.10	.08
2	to	3	ft.	****	.20	.18	.15
3	to	4	ft.		.30	.25	.20

LIGUSTRUM—Continued	Each Ten Hundred
ibota regelianum. 4'-6'	True Spreading Regel Prive
HALF EVERGREEN. Either	as a hedge plant or for the
shrubbery border this is a go	
1½ to 2 ft	
ovalifolium. 10'-15'	California Prive
HALF EVERGREEN. In ad plant supreme" this shrub is	
Bushy plants.	Ten H'dr'd Th's'no
1½ to 2 ft	10 .07 .05
2 to 3 ft	•
3 to 4 ft	
5 to 6 ft	
6 to 7 ft	
LIQUIDAMBAR styraciflua. 100'	Sweet Gun
The swampy places where t	
transformed into beauty spo	
blazing scarlet coloring of the the bare corky barked branch	
6 to 8 ft	
8 to 10 ft., 1½ to 2	in 6.00 5.40
10 to 12 ft., 2 to 2½ to	
12 to 14 ft., $2\frac{1}{2}$ to 3 if 12 to 14 ft., 3 to $3\frac{1}{2}$ if	in 10.00 in 13.50
•	
LIRIODENDRON tulipifera. 150'	Tulip Tree
Greenish yellow tulip-like fl June, and the unique "cut-	_
	ree with clean straight trunk
8 to 10 ft., 1½ to 1½:	
LITHOSPERMUM	
prostratum, Heavenly Blue. 4-	6" Gromwel
EVERGREEN. Wiry tortuous	
regular mats of deep green in of blue flowers from May to	
3" Pots, 4 to 6 in	
LONICERA fragrantissima. 6'-8'	•
HALF EVERGREEN. So call	-
age and the early appearan flowers on bare branches in 1	
1½ to 2 ft	
2 to 3 ft	
3 to 4 ft	
4 to 5 ft	
	Everblooming Honeysuckle
A twining vine-like shrub wh bedecked with attractive tub	_
outside and old gold within.	
2 year	
henryi. 15'-20'	Henry Honeysuckle
HALF EVERGREEN. Has n	_
leaves; reddish flowers and	
2 year	75 .65
	,
Alpines and rock plants	are listed alphabetically
in the perennial chart—a r	eally notable collect io n.

			
LONICERA—Continued	Each	Ten F	I undred
japonica halliana. 20'-25' Vine. H	lall's Japa	n Hone	ysuckle
HALF EVERGREEN. Wherever p			
takes possession with its tropical lu	_		
as ground cover, trellis vine or	_	_	
sweetly fragrant creamy flowers			
2 year	.20	.18	.15
korolkowi floribunda. 8'-10' Brod	ad Bluelea	f Hone	ysuckle
Forms a large intricately branch			
foliage bespangled in early summer			
which give place to an abundance			
1 to 1½ ft		.35	.30
1½ to 2 ft		.45	
2 to 3 ft	.65	.60	•
maacki podocarpa. 10'-12'	Late	Hone	vsuckle
Rather straggling, but a vigorous l		•	
1½ to 2 ft	.40	.35	.30
2 to 3 ft	.50	.45	
3 to 4 ft	.65	.60	
4 to 5 ft	.80	.70	
5 to 6 ft	1.00	.90	
minutiflora. 8'-10'	Bunchberry	y Hone	vsuckle
When in full fruit the orange berr	•		•
lovely shrub. Unfortunately little			
2 to 3 ft		.45	.40
3 to 4 ft	.60	.55	.50
4 to 5 ft	.7 5	.65	
morrowi. 7'-8'	Morror	r Hone	ysuckle
MOHOWI. 7-0	1,101101	A TICHE	y suckie
Distinct market should of social arms			-
Distinct, useful shrub of wide sprea	ading habi	t hands	
June when the creamy flowers expo	ading habi and, and o	t hands gain w	hen the
June when the creamy flowers expo bright red berries ripen. Clean gray	ading habi and, and a y-green fol	t hands gain w	hen the
June when the creamy flowers expo bright red berries ripen. Clean gray	ading habi and, and a y-green fol .40	t hands gain w iage, vi	hen the gorous.
June when the creamy flowers exponsible bright red berries ripen. Clean gray 1½ to 2 ft	ading habi and, and c y-green fol .40 .50	t hands gain w iage, vi .35 .45	hen the gorous. .30 .40
June when the creamy flowers exponent bright red berries ripen. Clean gray 1½ to 2 ft	ading habi and, and a y-green fol .40 .50	t hands gain w iage, vi .35 .45	hen the gorous. .30 .40 ysuckle
June when the creamy flowers exponsibility and berries ripen. Clean gray 1½ to 2 ft	ading habi and, and c y-green fol .40 .50 Rutaria useful n	it hands gain w iage, vi .35 .45 n Hone nainly	hen the gorous30 .40 ysuckle for the
June when the creamy flowers expensions and bright red berries ripen. Clean gray 1½ to 2 ft	ading habi and, and a y-green fol .40 .50 Rutaria useful n lowers cha	it hands igain w iage, vi .35 .45 n Hone nainly inge to	hen the gorous30 .40 ysuckle for the yellow.
June when the creamy flowers expension bright red berries ripen. Clean gray 1½ to 2 ft	ading habi and, and a y-green fol .40 .50 Rutaria useful m lowers cha	it hands gain w iage, vi .35 .45 n Hone nainly inge to .45	hen the gorous30 .40 ysuckle for the yellow40
June when the creamy flowers expension bright red berries ripen. Clean gray 1½ to 2 ft	ading habi and, and a y-green fol .40 .50 Rutaria useful m lowers cho .50 .60	it hands gain w iage, vi .35 .45 n Hone nainly ange to .45 .55	hen the gorous30 .40 ysuckle for the yellow.
June when the creamy flowers expension bright red berries ripen. Clean gray 1½ to 2 ft	ading habitand, and a sy-green fol .40 .50 Rutaria: useful n lowers challowers challowers .50 .60 .75	it hands gain w iage, vi .35 .45 n Hone nainly ange to .45 .55 .65	hen the gorous30 .40 ysuckle for the yellow40 .50
June when the creamy flowers expension bright red berries ripen. Clean gray 1½ to 2 ft. 2 to 3 ft. notha. 8'-10' Vigorous upright growing shrub bright red berries in July. Pinkish flowing the series of the ser	ading habitand, and a sy-green fol .40 .50 Rutaria: useful m lowers cho .50 .60 .75	it hands gain w iage, vi .35 .45 n Hone nainly ange to .45 .55 .65	ysuckle for the yellow40 .50
June when the creamy flowers expension bright red berries ripen. Clean gray 1½ to 2 ft	ading habitand, and a sy-green fol .40 .50 Rutaria: useful n lowers challowers challowe	it hands gain w iage, vi .35 .45 n Hone nainly inge to .45 .55 .65	hen the gorous30 .40 ysuckle for the yellow40 .50 codbine g vines,
June when the creamy flowers expension bright red berries ripen. Clean gray 1½ to 2 ft. 2 to 3 ft. notha. 8'-10' Vigorous upright growing shrub bright red berries in July. Pinkish ft. 1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. periclymenum belgica. 15'-20' Good healthy looking glossy foliage making excellent foil for the fragrant.	ading habitand, and a sy-green fol .40 .50 Rutaria useful molowers characteristics and .75 Duge clothes ant cream-	it hands gain w iage, vi .35 .45 n Hone hainly inge to .45 .55 .65 ttch We the long	hen the gorous30 .40 ysuckle for the yellow40 .50 codbine g vines,
June when the creamy flowers expension bright red berries ripen. Clean gray 1½ to 2 ft	ading habitand, and a cy-green fol .40 .50 Rutaria: useful m lowers character .50 .60 .75 Duge clothes ant cream-	it hands gain w iage, vi .35 .45 n Hone nainly inge to .45 .55 .65 ttch We the long purple i	hen the gorous30 .40 ysuckle for the yellow40 .50 codbine g vines,
June when the creamy flowers expendingly the derries ripen. Clean gray 1½ to 2 ft	rading habitand, and a sy-green fol .40 .50 Rutaria: useful malowers characteristics and .75 Duge clothes ant cream60 .75	it hands gain w iage, vi .35 .45 n Hone hainly mge to .45 .55 .65 ttch We the lone purple i .55 .65	hen the gorous30 .40 ysuckle for the yellow40 .50 codbine g vines, flowers.
June when the creamy flowers expendingly red berries ripen. Clean gray 1½ to 2 ft	rading habitand, and a sy-green fol .40 .50 Rutaria: useful m lowers characteristics .50 .60 .75 Duge clothes ant cream-1.60 .75 Sakhali	it hands gain w iage, vi .35 .45 n Hone nainly inge to .45 .55 .65 ttch We the long purple i .55 .65	hen the gorous30 .40 ysuckle for the yellow40 .50 codbine g vines, flowers.
June when the creamy flowers expendingly red berries ripen. Clean gray 1½ to 2 ft	rading habitand, and a sy-green fol .40 .50 Rutaria: useful malowers characteristics and .50 .60 .75 Duge clothes and cream-1.60 .75 Sakhali is reddish	it hands gain w iage, vi .35 .45 n Hone nainly mge to .45 .55 .65 ttch We the lone purple f .55 .65 n Hone when	hen the gorous30 .40 ysuckle for the yellow40 .50 bodbine g vines, flowers. ysuckle unfold-
June when the creamy flowers expendingly to 2 ft	rading habitand, and a sy-green fol .40 .50 Rutaria: useful malowers characteristics and .50 .60 .75 Duge clothes and cream-1.60 .75 Sakhali is reddish	it hands gain w iage, vi .35 .45 n Hone nainly mge to .45 .55 .65 ttch We the lone purple f .55 .65 n Hone when	hen the gorous30 .40 ysuckle for the yellow40 .50 bodbine g vines, flowers. ysuckle unfold-
June when the creamy flowers expension bright red berries ripen. Clean gray 1½ to 2 ft	rading habitand, and of y-green fol .40 .50 Rutaria: useful malowers choose .50 .60 .75 Duge clothes ant cream60 .75 Sakhali is reddish flowers of	it hands gain w iage, vi .35 .45 n Hone nainly inge to .45 .55 .65 ttch We the lone purple f .55 .65 n Hone when and brid	hen the gorous30 .40 ysuckle for the yellow40 .50 bodbine g vines, flowers. ysuckle unfold-
June when the creamy flowers expension bright red berries ripen. Clean gray 1½ to 2 ft. 2 to 3 ft. notha. 8'-10' Vigorous upright growing shrub bright red berries in July. Pinkish for the strict of the strict	ading habitand, and a sy-green fol .40 .50 Rutaria: useful malowers choose .50 .60 .75 Duge clothes ant cream-1.60 .75 Sakhali: is reddish flowers choose .75	it hands gain w iage, vi .35 .45 n Hone nainly mge to .45 .55 .65 ttch We the lone purple f .55 .65 n Hone when	hen the gorous30 .40 ysuckle for the yellow40 .50 bodbine g vines, flowers. ysuckle unfold-
June when the creamy flowers expension bright red berries ripen. Clean gray 1½ to 2 ft. 2 to 3 ft. notha. 8'-10' Vigorous upright growing shrub bright red berries in July. Pinkish ft. 1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. periclymenum belgica. 15'-20' Good healthy looking glossy foliage making excellent foil for the fragrate 2 year 3 year sachalinensis. 8'-10' Rather handsome foliage which ing. The attractive dark purple berries make this a useful shrub. 2 to 3 ft. 3 to 4 ft.	rading habitand, and of y-green fol .40 .50 Rutaria: useful malowers choose .75 Duge clothes ant cream60 .75 Sakhali: is reddish flowers con .75 .90	it hands gain w iage, vi .35 .45 n Hone hainly inge to .45 .55 .65 ttch We the lone purple i .55 .65 n Hone when and brid	hen the gorous30 .40 ysuckle for the yellow40 .50 codbine g vines, flowers. ysuckle unfold-ght red
June when the creamy flowers expension bright red berries ripen. Clean gray 1½ to 2 ft	rading habitand, and a sy-green fol .40 .50 Rutaria: useful malowers characteristics and cream-1.60 .75 Sakhali: is reddish flowers candidate flowers candidate .75 .90 Wa	it hands gain w iage, vi .35 .45 n Hone nainly inge to .45 .55 .65 ttch We the lone purple i .55 .65 n Hone when and brid .65 .80	hen the gorous30 .40 ysuckle for the yellow40 .50 codbine g vines, flowers. ysuckle unfold-ght red
June when the creamy flowers expension bright red berries ripen. Clean gray 1½ to 2 ft	rading habitand, and of y-green fol .40 .50 Rutaria: useful malowers choose .50 .60 .75 Duge clothes ant cream60 .75 Sakhali: is reddish flowers constrate, are setting and setting the same constrate, are setting to the setting to the setting	it hands gain w iage, vi .35 .45 n Hone hainly inge to .45 .55 .65 ttch We the lone purple .55 .65 n Hone when and brid .65 .80 lif Hone e dense	ysuckle gorous30 .40 ysuckle for the yellow40 .50 codbine g vines, flowers. ysuckle unfold- ght red ysuckle ely cov-
June when the creamy flowers expension bright red berries ripen. Clean gray 1½ to 2 ft. 2 to 3 ft. notha. 8'-10' Vigorous upright growing shrub bright red berries in July. Pinkish ft. 1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. periclymenum belgica. 15'-20' Good healthy looking glossy foliage making excellent foil for the fragrate 2 year 3 year sachalinensis. 8'-10' Rather handsome foliage which ing. The attractive dark purple berries make this a useful shrub. 2 to 3 ft. 3 to 4 ft. syringantha wolfi. 4'-5' Short twiggy branches, some progred with small dusty green led	rading habitand, and of y-green fol .40 .50 Rutaria: useful malowers choose .50 .60 .75 Duge clothes ant cream60 .75 Sakhali: is reddish flowers of .90 Water are aves, brigaria was brigaria was brigaria was said and contains a contains	it hands gain w iage, vi .35 .45 n Hone nainly inge to .45 .55 .65 ttch We the lone purple i .55 .65 n Hone when and brid .65 .80 lf Hone c dense htened	ysuckle gorous30 .40 ysuckle for the yellow40 .50 codbine g vines, flowers. ysuckle unfold- ght red ysuckle ely cov- up by
June when the creamy flowers expension bright red berries ripen. Clean gray 1½ to 2 ft	rading habitand, and of y-green fol .40 .50 Rutaria: useful malowers choose .50 .60 .75 Duge clothes ant cream60 .75 Sakhali: is reddish flowers of .90 Water are aves, bright by numer and supplied to the same are aves, bright by numer are aven and a second supplied to the same are aven and a second supplied to the same are aven and a second supplied to the same are aven and a second supplied to the same are aven as a second supplied to the same are aven as a second supplied to the same are aven as a second supplied to the same are aven as a second supplied to the same are aven as a second supplied to the same are aven as a second supplied to the same are a second supplied to th	it hands gain w iage, vi .35 .45 n Hone nainly inge to .45 .55 .65 the long purple f .55 .65 n Hone when and brid .65 .80 If Hone cheened crous re	ysuckle gorous30 .40 ysuckle for the yellow40 .50 codbine g vines, flowers. ysuckle unfold- ght red ysuckle ely cov- up by
June when the creamy flowers expension bright red berries ripen. Clean gray 1½ to 2 ft. 2 to 3 ft. notha. 8'-10' Vigorous upright growing shrub bright red berries in July. Pinkish ft. 1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. periclymenum belgica. 15'-20' Good healthy looking glossy foliage making excellent foil for the fragrate 2 year 3 year sachalinensis. 8'-10' Rather handsome foliage which ing. The attractive dark purple berries make this a useful shrub. 2 to 3 ft. 3 to 4 ft. syringantha wolfi. 4'-5' Short twiggy branches, some progred with small dusty green led	rading habitand, and of y-green fol .40 .50 Rutaria: useful malowers choosing to clothes and cream60 .75 Sakhali: is reddish flowers of .75 .90 Woostrate, are aves, bright numer .80 .80	it hands gain w iage, vi .35 .45 n Hone nainly inge to .45 .55 .65 ttch We the lone purple i .55 .65 n Hone when and brid .65 .80 lf Hone c dense htened	ysuckle gorous30 .40 ysuckle for the yellow40 .50 codbine g vines, flowers. ysuckle unfold- ght red ysuckle ely cov- up by

ONICERA-	–Con	tinue	ed	Each	Ten	Hundred
tatarica lı	ıteα.	8′ -1	10' Yello	w Fruite	d Hon	eysuckle
One of	the	few	good yellow fruit	ing shru	ıbs.	Vigorous
and eas	sily o	worg	n. Pruning forms a	shapely	y spec	imen.
1½ to	2	ft.	•••••	.50	.45	.40
2 to	3	ft.	*******	.60	.55	.50
3 to	4	ft.	• • • • • • • • • • • • • • • • • • • •	.75	.65	.60
4 to	5	ft.		.90	.80	.70
— rosea.	8′-1	ດ′		Tataria	n Hon	eysuckle
		-				
Most a	dapt	able	old favorite. This	s best i	form l	nas pink
Most a flowers	dapte in e	able arly	June followed by o	s best i	form h	nas pink let fruits.
Most a flowers	dapto in e 2	able arly ft.		s best for crop of .35	form l f scar	nas pink let fruits.
Most a flowers 1½ to 2 to	dapto in e 2 3	able arly ft.	June followed by o	s best for crop of .35	f scar .30	nas pink let fruits.
Most a flowers	dapto in e 2 3	able arly ft.	June followed by o	s best for crop of .35	form l f scar	nas pink let fruits.
Most a flowers 1½ to 2 to	dapto in e 2 3 4	able arly ft. ft. ft.	June followed by o	s best donctop of .35 .45 .60	form 1 f scar .30 .40	nas pink let fruits.
Most a flowers 1½ to 2 to 3 to thibetica.	dapto in e 2 3 4 3'-4	able arly ft. ft. ft.	June followed by o	s best for crop of .35 .45 .60	form 1 f scar .30 .40 .50	nas pink let fruits.)) eysuckle
Most a flowers 1½ to 2 to 3 to thibetica. For dry	dapte in e 2 3 4 rock	able arly ft. ft. ft.	June followed by o	s best for crop of .35 .45 .60 Tibetary a usef	f scar .30 .40 .50 n Hon	nas pink let fruits.)) eysuckle a hand-
Most a flowers 1½ to 2 to 3 to thibetica. For dry some sp	dapte in e 2 3 4 4 3'-4 rock pread ries.	able arly ft. ft. ft. ft. ling:	June followed by o	s best for crop of .35 .45 .60 Tibetany a usefollowers of .45	f scar .30 .40 .50 n Hon ul but	nas pink let fruits.)) eysuckle a hand- owed by



I like a man who likes a tree
And want no better company,
For such a man, I always find,
Is just the very sort and kind
Who's not content unless it be
He, too, can grow much like a tree.

For trees, you know, are friends indeed, They satisfy such human need, In summer shade, in winter fire, With flower and fruit meet all desire, And if a friend to man you'd be. You must befriend him like a tree.

Charles A. Heath.

--- M ---

MAGNOLIA

Each Ten Hundred

acuminata cordata. 15'-20'

Yellow Cucumber Tree

The only yellow flowering Magnolia; also distinct by reason of its heart shaped leaves. Thrives best in a protected spot. Look up the romantic history of this tree.

4	to	5	ft.	B.	&	B	6.00	5.40
5	to	6	ft.	В.	&	В	7.50	7.00
6	to	8	ft.	B.	&	В	10.00	9.00
8	to	10	ft.	В.	&	B	13.50	12.00

amabilis. 20'-30'

Lovely Magnolia

A hybrid of the Yulan Magnolia with similar white flowers with a chocolate colored centre.

0		^	٠.	D 6	D	0.75
Z	to	3	It.	B. &	В	3./5

conspicua. 30'-35'

Yulan Magnolia

Has a certain dignified beauty that marks the tree as an aristocrat. Sweetly scented six inch white flowers are proudly held up by bare branches in April. Good foliage.

3	to	4	ft.	B.	&	B	5.00	4.50
4	to	5	ft.	B.	&	B	6.75	6.00
5	to	6	ft.	В.	&	B	8.50	7.50
6	to	8	ft.	B.	હ	B	10.00	

glauca. 15'-20'

Sweet Bay

HALF EVERGREEN. Although rather sparingly produced during May and June, the creamy white three inch flowers are so fragrant as to permeate the air for a good distance around with a delicious gardenia-like scent. Naturally rather loose the shrub can be improved by judiciously pruning while young. Handsome lustrous leaves, mealy white underneath and red seed pods.

2	to	3	ft.	В. с	Ş.	В	2.00	1.80	1.65
3	to	4	ft.	В. с	S.	B	2.75	2.40	2.25
4	to	5	ft.	В. с	£	B	3.75	3.30	3.00
5	to	6	ft.	В. с	Ş.	В	5.25	4.80	4.20
6	to	8	ft.	В. с	Ş.	B	7.50	6.75	

kobus. 30'-35'

Kobus Magnolia

The hardy form we have "borealis" is a symmetrical fast growing tree that must acquire age before blooming freely but the semi-double starry white flowers are beautiful.

4	to	5	ft.	B.	&	В	3.75	3.30	
5	to	6	ft.	В.	&	В	5.25	4.80	4.20
6	to	8	ft.	В.	&	B	7.50	6.75	6.00
8	to	10	ft.	B.	હ	В	10.00	9.00	

liliflora nigra. 15'-18'

Purple Lily Magnolia

Darkest of all is this rapid growing shrub with its long brownish purple flowers continually opening until late spring. The shiny leaves are distinct and even small plants bloom freely.

2	to	3	ft.	B.	&	B	2.25	2.00	1.80
3	to	4	ft.	В.	&	В	3.00	2.70	2.40
4	to	5	ft.	B.	&	В	5.00	4.50	4.00
5	to	6	ft.	В.	&	В	7.50	6.75	
6	to '	8	ft.	В.	&	B	9.00		

NURSERIES Each Ten Hundred MAGNOLIA—Continued parviflora. 10'-12' Oyama Magnolia What a pity this charming shrub is not widely used. The lovely white cup shape flowers have a rosette of deep crimson stamens in the centre and their delicious fragrance is noticeable all summer as the occasional blooms expand. Give plenty of room for its full development. 3 B. & B..... 3.75 3.30 to ft. В. & B..... 3 4 5.25 to ft. 4 5 ft. В. & B..... 7.50 6.75 to & 5 6 ft. В. B..... 10.00 to Magnolia reflorescens. Originally received from the Rochester Collection—similar to the Saucer type but has no outstanding character yet. B. & B..... 1½ to 2 ft. 3.00 18'-20' Saucer Magnolia soulangeana. Here is the spectacular member of this glorious family. Every branch plays its part in effectively covering the whole shrub with great purplish pink cups in early spring. In small plants the white innerside of the flowers give a When trained in one stem as a tree the bicolor effect. large bold foliage is effective, especially in an avenue. B. & B..... 2.25 2 3 ft. 2.00 to & B..... 3 4 B. 3.00 2.70 2.40 ft. to 4 5 В. & B..... 4.50 4.00 3.60 ft. to & B..... 5 6 B. 6.00 5.40 5.00 ft. to В..... 7.20 6.75 7 & 6 to ft. В. 8.00 В..... 7 & 10.00 9.00 8.00 8 ft. В. to & В..... 8 10 ft. В. 13.50 12.00 11.00 to В. & B..... 24.00 ft. specimens Trained on single stems as shade trees. tree form. 4 8 ft. B. & B..... Same price as above. to alexandrina. 18'-20' Alexander Magnolia Quite similar in general appearance to the Saucer Magnolia but the rose colored flowers appear a little earlier. & B..... 3 2 ft. В. 3.00 to 3 & B..... 4 ft. В. 4.50 to В..... 4 5 ft. В. δ 6.00 to В. 5 6 & ft. В..... 8.00 to 10.00 6 8 & В. B..... ft. to 8 & B..... 10 ft. В. 15.00 to 15'-18' Lenne Magnolia — lennei. A handsome fellow satisfied with fewer flowers, but each one a perfect rosy-purple pear shaped cup, firmly held erect, the broad thick petals are surprisingly white on the inside and flowering late are rarely damaged by frost. Even the big leathery leaves alone make this unique. & B..... 3 В. 3.00 2.70 2 to ft. 4.50 3 & В..... 3.60 to 4 ft. В. 4.00 4 5 ft. B. δ В..... 6.00 5.40 5.00 to 5 6 В. & 8.00 7.20 6.75 ft. В..... to 9.00 & B..... 6 8 ft. В. 10.00 to - norbertiana. 15'-18' Norbert Magnolia

Differs from the mother plant in having slightly smaller upright flowers giving a more formal "staccato" effect.

3	to	4	ft.	В.	&	B	4.50	4.00
4	to	5	ft.	В.	&	В	6.00	5.40
5	to	6	ft.	B.	&	B	8.00	7.20
6	to	7	ft.	B.	&	B	10.00	9.00
7	to	8	ft.	B.	&	B	12.75	11.00
8	to	10	ft.	B.	&	B	15.00	13.50

Hundred Each Ten MAGNOLIA soulangeana—Continued rustica. 15'-18' Purple Saucer Magnolia Typical flowers—rosy red on the outside. Vigorous grower. ft. B. & B..... 3 4 · 4.50 4.00 4 5 ft. B. & B...... 5.40 to 6.00 Showy White Magnolia speciosa alba. 12'-15' Except for a purple stained stripe on the outside the numerous flowers are white. Grows vigorously but neatly.

В. & В..... 6.00 to ft. B. & B..... 5 to 6 ft. 8.00 & В..... 6 7 ft. B. 10.00 to 7 B. δ В..... 8 ft. 12.75 to 8 10 B. & В..... 15.00 ft. to

stellata. 10'-12'

Star Magnolia

Appropriately named for dazzling white semi-double flowers which on bare twiggy branches herald the parade of its larger brothers. Occasionally a flush of tender pink will emphasize the purity of the narrow wavy petals. Delightfully fragrant. Naturally forms a handsome bush.

1½ to B. & B..... 2.50 2 ft. 2½ ft. В. В..... 3.00 2. to δ 3.50 21/2 to В..... 3 ft. В. δ 4.50 4.00 3.60 3 4 В. & 6.75 6.00 5.40 to ft. В..... δ В..... 4 ft. В. 10.00 9.00 8.00 to 5 ft. B. & 13.50 12.00 to B..... 6 B. & В..... 18.00 ft. specimens

MAHONIA aquifolium. 3'-4'

Oregon Holly Grape

EVERGREEN. Thin wavy holly-like leaves vary in color from deep green to rich purple-red, especially noteworthy in winter. When happily placed not too exposed, will perfect pretty yellow flowers followed by little grape-like bunches of black fruits. A rather loose, many stemmed bush for half shade.

12 to 15 in. B. & В..... .90 .80 15 & B..... 1.00 to 18 in. B. 1.20 1.10 1½ to & В..... ft. В. 1.80 1.65 1.50 2 2½ ft. В. & B..... 2.50 2.25 to



As sunbeams stream through liberal space,

And nothing jostle or displace,

So waved the pine tree through my thought,

And fanned the dreams it never brought.

EMERSON.

F. NURSERIES Each MALUS Ten Hundred 12'-15' arnoldiana. Arnold Crab Enthusiasm is difficult to restrain when crabapples are in bloom. The dainty pastel shading of the airy flowers, the brilliant coloring of the fruits, the intricate branching habits, all serve to set them apart as worthy of a place in almost every planting. Arnold's Crab has semi-double flowers deep pink in bud expanding to almost white. The waxy yellow little apples are most decorative before the birds find them. to 5 1.75 ft. ••••• 1.50 5 to 6 ft. 2.50 2.25 6 8 to ft. 3.50 3.30 12'-15' airosanguinea. Carmine Crab Dark pink shading to deep purplish crimson flowers just envelop the whole structure of branches in May. Shapely. 3 ft. 1.35 1.20 ••••• 4 5 1.75 1.50 ft. ••••• 5 2.50 2.25 to 6 ft. 6 8 3.50 3.30 to ft. coronaria. 15'-18' Wild Sweet Crab The fragrance of the blush pink apple blossoms just penetrate the air in spring; each tree is individual. 5 ft. 2.50 5 3.50 6 to ft. ••••• 6 7 5.00 ft. to floribunda. 12'-15' Japanese Flowering Crab Bright pink buds and white open flowers make a pleasing contrast. The yellow fruits about pea size will turn red if the birds are not too voracious. Truly a handsome thing. ft. 1.35 4 1.75 to 5 ft. 1.50 1 5 6 ft. 2.50 2.25 to 6 8 3.50 3.30 to ft. •••••• B. & B..... 8 10 7.50 to 15.00 each to ft. - brevipes. 6'-8' **Dwarf Flowering Crab** Very neat in growth forming a round headed dense bush aglow with red berries in fall. Splendid for a limited space. 2 to 3 1.25 ft 3 to 4 ft. 1.80 12'-15' Parkman Crab halliana parkmanni. winter picture and serve excellently to display the semi-double bright rose flowers nodding on long thin stems.

Irregular crooked branches help to make this a picturesque

3	to	4	ft.	••••	1.75
4	to	5	ft.	•••••	2.50
5	to	6	ft.	•••••	3.50
6	to	8	ft.		5.00

15'-18' ioensis plena.

Bechtel Crab

Each fragrant flower resembles a little pink rose prettily dangling on a two inch stalk. Quickly develops into a formal compact little tree and is the last crab to flower.

3	to	4	ft.	••••••	1.75
4	· to	5	ft.	•••••	2.50
5	to	6	ft.	••••••	3.50

micromalus. 10'-12'

Midget Crab

Lovely indeed when the little rosy buds are expanding to pale pink flowers early in May and again when little yellow pearls bejewel the whole pyramidal bush.

4 to 5 ft	4.50
-----------	------

MALUS—Continued

Each Ten Hundrea

niedzwetzkyana. 12'-15'

Redvein Crab

Leaves, flowers, fruit, bark and even the wood of this form are reddish purple. Improves with age. Vigorous.

4	to	5	ft.	1	1.75	
5	to	6	ft.	••••••	2.50	2.25
6	to	8	ft.		3.50	3.30
8	to	10	ft.	B. & B	7.50 to	15.00 each

prunifolia. 15'-18'

Pear Leaf Crab

Handsome red or yellow apples about an inch across dangle from the strong branches and persist way into the winter. Large white flowers are so numerous as to resemble snow. One of the most spectacular fruiting trees.

4	to	5	ft.	•••••	1.75	1.50
5	to	6	ft.	•••••	2.50	2.25
6	to	8	ft.	••••••	3.50	3.30

sargenti. 8'-9'

Sargent Crab

An interesting shrubby habit makes this a most useful shrub for the smaller place. Hard to decide whether it is most attractive when blanketed with sparkling white flowers or when the myriad glittering red berry like fruits are strung along the spreading branches defying zero weather.

scheideckeri. 12'-15'

Scheidecker Crab

Has large semi-double pure pink flowers of lasting quality followed by a profusion of waxy yellow fruits over a half inch in diameter. Somewhat formal and upright in habit.

3	to	4	ft.	••••••	1.35	1.20
4	to	5	ft.	•••••	1:75	1.50
5	to	6	ft.	•••••	2.50	2.25
6	to	8	ft.	•••••	3.50	

sieboldi. 12'-15'

Toringo Crab

In the bud deep rose is predominant but the open flowers fade to white. Large yellow or reddish apples in autumn.

3	to	4	ft.	***************************************	1.35	1.20
4	to	5	ft.	••••••	1.75	1.50
5	to	6	ft.	•••••	2.50	2.25
6	to	8	ft.	***************************************	3.50	
8	to	10	ft.	В. & В	7.50 to	15.00 each

— calocarpa. 12'-15'

Thick Fruited Crab

Particularly handsome while the cherry like fruits abundantly decorate the branches. The bloomy covering at first hides the brilliant scarlet coloring of these little apples but they persist until midwinter. The spring display of large pink and white flowers seems to become more beautiful each year.

3	to	4	ft.	••••••	1.35
4	to	5	ft.	•••••	1.75
5	to	6	ft.	•••••	2.50
6	to	8	ft.	• • • • • • • • • • • • • • • • • • • •	3.50

spectabilis. 12'-15'

Chinese Flowering Crab

Fragrant semi-double delicate pink flowers distinguish this beautiful upright form which for flower effect alone easily ranks among the best. Small yellow fruits are not showy.

3	to	4	ft.	***************************************	1.35	1.20
4	to	5	ft.	***********	1.75	1.50
5	to	6	ft.	•••••	2. 50	2.25
6	to	8	ft.	•••••	3.50	3.30
8	to	10	ft.	В. & В	7.50 to	15.00 each

MALUS—Continued

Each Ten

theifera. 15'-18'

Tea Crab

Hundred

Even for a crab apple this is amazingly floriferous for the whole stiffly branching structure is buried under a heavy cloud of red buds and blush white flowers. The formal outline and floral effect resembles that of a cherry tree.

3	to	4	ft.		1.75
4	to	5	ft.	•••••	2.50
5.	to	6	ft.	********	3.50
6	to	8	ft.		5.00
8	to	10		В. & В	7.50 to 15.00 each

toringoides. 18'-20'

Cutleaf Crab

A cloud of white in spring but when in full fruit superlatives are inadequate for description. The yellow fruits larger than a pea flushed with bright red are borne in profusion.

4	to	5	ft.	•••••	2.50
5	to	6	ft.	•••••	3.50

MITCHELLA repens. 2"

Partridge Berry

EVERGREEN. Round half inch white veined dark green leaves are formally arranged on the wiry little vines which hug the ground, an effective carpet in shady woods. Fragrant white flowers are followed by well known bright red berries. A gem for the rock garden and in terrariums.

3"	Pots	••••••	.25	.20	.15

MYRICA carolinensis. 5'-6'

Northern Bayberry

Few things will grow in such poor dry soil as this bayberry. The gray wax berries crowded on stiff branches last just as well when cut and dried for inside decoration as they do outside. Quickly acquires a look of age. Aromatic foliage.

12	to	15	in.	•••••	.50	.45	.40
15	to	18		•••••	.65	.60	.54
1 1/2	to	2	ft.	•••••	.80	.70	.65
2	to	$2\frac{1}{2}$	ft.	•••••	1.00	.90	.80

-- N --

NEILLIA sinensis. 4'-5'

Neillia

It is difficult to understand why this charming shrub is so little known. The bronzy miniature maple leaves are prettily disposed on the zigzag branches, each of which in June terminates in a dainty tassel like cluster of pink flowers. In color and general appearance these flowers resemble the Trailing Arbutus. Easily grown, neat and not a bit particular as to soil.

2	to	3	ft.		.90	.7 5
3	to	4	ft.	•••••	1.20	1.00
4	to	5	fŧ		1.50	

NYSSA sylvatica. 60'-70'

Tupelo—Sour Gum

Wavy, knotted interlacing branches give this native peculiar interest in winter but it is the brilliant scarlet autumn color that stands out. Moist location, spring planting best.

3	to	4	ft.	********	2.25	2.00
4	to	5	ft.		3.00	2.70
5	to	6	ft.		4.50	
6	to	8	ft.		5.25	

-0-

Each Ten Hundred

OXYDENDRUM arboreum. 30'-35' Sorrel Tree—Sourwood

Throughout the year a handsome tree with thick shiny leaves that turn vivid scarlet early in fall and remain colored until winter. The long erect bunches of white summer flowers are not to be overlooked and even the gray fruits are conspicuous. Indispensable in landscape work.

3	to	4	ft.	B.	&	В	1.75	1.50	1.35
4	to	5	ft.	В.	&	В	2.25	2.00	1.80
5	to	6	ft.	В.	&	В	3.25	3.00	2.70
6	to	8	ft.	B.	&	В	4.50	4.00	
8	to	10	ft.	В.	&	В	5.25		

---P---

PACHISTIMA canbyi. 6"-9"

Canby Pachistima

EVERGREEN. Somewhat resembles a miniature box bush. In an open moist place will gradually spread to make a pleasing glossy green mound. For rockwork or edging.

myrsinites. $1\frac{1}{2}$ '-2'

Myrtle Pachistima

EVERGREEN. The larger brother with leaves sometimes an inch long; and more of a bush.

PACHYSANDRA terminalis. 6"-9"

Japanese Spurge

EVERGREEN. Probably the most notable of all ground covers preferring shade but succeeds even in dry soil. Strong plants.

Ten H'dr'd Th's'nd

PHELLODENDRON amurense. 40'-50'

Amur Cork Tree

One of the few trees that will thrive in cities. Large compound leaves and thick corky branches give the appearance of a handsome black-walnut. Withstands drought.

4	to	6	ft.	•••••	1.75	1.50
6	to	8	ft.	•••••	2.25	

sachalinense. 30'-40'

Sakhalin Cork Tree

Has dark brown rough bark and reddish branchlets. The aromatic compound leaves are somewhat smaller with fewer leaflets than in the Amur Cork Tree. Black berries with an odor of turpentine follow the loose clusters of greenish yellow flowers. Adaptable and interesting.

4	to	6	ft.	•••••	1.75	1.50
6	to	8	ft.	•••••	2.25	

PHILADELPHUS coronarius. 8'-10'

Mock Orange

Vigorous and long lived this old fashioned "Sweet Syringa" is often found planted near the door or windows of farmhouses where the delicious fragrance of its white flowers could be enjoyed in May and June.

11/2	to	2	ft.		.30	.27	.24
2	to	3	ft.	***************************************	.40	.36	.33
3	to	4	ft.	•••••	.50	.45	.40
4	to	5	fŧ		60	54	

lemoinei. 4'-5'

Lemoine Mock Orange

The sweet fragrance has been retained in this neat compact hybrid. Needs practically no pruning, but remains within bounds indefinitely, and blooms profusely.

Ten Hundred Each PHILADELPHUS lemoinei—Continued 4'-5' White Mountain Mock Orange - Mont Blanc. These hybrids are most useful small shrubs that succeed in spite of many adverse conditions. None are more cheerful and dazzling than this when its annual June show is given. .40 .33 1½ to ft. .36 .50 .45 .40 to 3 ft. 7'-8' Virginal Mock Orange virginalis. Few shrubs have caused a greater stir of admiration than this introduction. Each flower, mostly quite double, is almost two inches across and large clusters just weigh down each branch so as to create a "heavy snowfall." sheer white blossoms just glisten in sun or moonlight and throughout the whole summer you can enjoy the delicious fragrance from the continually opening flowers. .30 1½ to 2 ft. .27 .24 ••••• .36 .33 3 2. to ft. .4060 ,55 .50 3 to ft. 12'-15' PHOTINIA villosa. Christmas Berry Unsung and little known but particularly handsome in autumn when the bold leathery foliage turns almost as red as the bright berries thickly strung over the bush all winter. ft. .60 .54 3 .70 4 ft. .80 .65 4 5 1.00 .90 to ft. 5 1.35 to 6 ft. 6 8 ft. 2.00 to 4'-5' PHYSOCARPUS opulifolia nana. Dwarf Ninebark One of the good small shrubs that will add interest to the border with flat-topped bunches of creamy flowers in June. 2 .50 3 ft. .45 .40 to 3 .54 4 to ft. .60 .50 4 5 ft. .70 to .80 PICEA asperata. 70'-80' Rough Branch Spruce ALL EVERGREEN. Somewhat similar to a refined Norway Spruce, but rather slow to become established. needles are gray-green: on large trees the bark flakes off. B. & B...... B. & B..... 2 3.00 ft. 2.70 2 to 3 ft. 4.00 3.60 75'-100' Alcock Spruce bicolor. Eventually develops into a broad pyramidal tree but is The four sided needles have two rather slow at first. sides almost white and two very dark green. 1 1½ ft. B. & B..... to 2.50 excelsa. 80'-100' Norway Spruce Generally regarded as more valuable for windbreaks and hedges than as a decorative tree, although while young the dark green symmetrical pyramid is most useful as a Christmas tree or tub specimen. Grows rapidly. 3 B. & 4 ft. B..... 4 B. & to 5 ft. B..... 4.005 ft. 6 B. & to B..... 6.00 6 ft. to 8 В. æ B..... 9.00 8 to 10 ft. B. & B..... 12.00 30'-40' - aurea. Golden Spruce The exposed side of the needles turns light yellow in spring deepening to bronze in autumn, otherwise similar to type.

B. & B.....

to

ft.

PICEA excelsa—Continued

Each Ten Hundred

— clanbrasiliana. 4'-5'

Barry Spruce

Forms a broad billowy mass of light green. Extremely hardy and grows more quickly than most dwarf forms.

15	to	18	in. spread, B. & B	3.50	3.30
11/2	to	2	ft. spread, B. & B	4.50	4.00
2	to	21/2	ft. spread, B. & B	6.75	6.00
21/2	to	3	ft. spread, B. & B	9.00	8.00
3	to	4	ft. spread, B. & B	12.00	10.00

— conica. 6'-8'

Arrowhead Norway Spruce

Without any trimming forms a perfectly symmetrical dense cone, admirable for formal or "foundation" work.

15	to	18	in.	В.	&	В	1.80	1.65	1:50
11/2	to	2	ft.	В.	&	В	2.50	2.25	2.00
2	to	21/2	ft.	В.	&	В	3.25	3.00	
21/2	to	3	ft.	В.	&	В	4.50	4.00	
3	to	4	ft.	В.	&	В	5.25	4.80	
4	to	5	ft.	В.	&	В	6.75	6.00	
5	to	6	ft.	В.	δ	В	8.25	7.50	

- Dwarf forms.

Unnamed

In this collection are some of the most interesting pygmy Spruces we have seen—just because they are not yet named need not detract from their usefulness and beauty. This is a rare opportunity to obtain some of these jewels.

12	to	15	in. spread, B. & B	2.00	1.80
15	to	18	in. spread, B. & B	3.00	2.50
18	to	24	in. spread, B. & B	4.50	4.00
24	to	30	in. spread, B. & B	6.00	5.00

- gregoryana. 3

Gregory Spruce

Another variation in this family of dwarfs. This has a broad evenly rounded form and rather pale green needles.

2	to	21/2	ft.	spread,	В.	&	В	9.00
21/2	to	3	ft.	spread.	В.	&	В	12.00

- maxwelli. 2'

Maxwell Spruce

This, the true form, is doubtless the aristocrat of the dwarfs. It forms a broad dense cushion with thick stubby branches covered all around with thick pale green needle pointed leaves. At maturity the specimen is broader than high with slight irregularities that add to its character.

_			-		
6	to	9	in. spread, B. & B	3.00	2.70
9	to	12	in. spread, B. & B	4.00	3.60
12	to	15	in. spread, B. & B	5.25	

— microsperma. $1\frac{1}{2}$ '-2'

Small cone Spruce

Diminutive in all its parts and exceedingly slow in growth—just a little green hummock, crowded with tiny needles.

12	to	15	in. spread, B. & B	4.00	3.60
15	to	18	in. spread, B. & B	5.25	

— pendula. 20'-25'

Weeping Spruce

Creates a curious sad effect with the inverted branches growing toward the ground. The grotesque lines look well among large boulders or in exotic gardens when old.

11/2	to	2	ft.	В.	&	В	3.75
2	to	3	ft.	В.	&	B	5.2 5
4	to	6	ft.	В.	&	В	10.00

A broad mat of the lovely blue Plumbago is a thrilling picture—and it is so easy to grow too.

PICEA excelsa—Continued

Each Ten Hundred

- procumbens. 2'

Prostrate Norway Spruce

In youth this little fellow has the shape of a flat pumpkin but slowly covers a broader area slightly adding to its height, and all through its long life is neat, well defined and beautifully clothed with short rich green needles.

			-			
9	to	12	in. spread, B. & B	3.00	2.70	2.40
12	to	15	in. spread, B. & B	4.00	3.60	3.30
15	to	18	in. spread, B. & B	5.25	4.80	
$2\frac{1}{2}$	to	3	ft. spread, B. & B	12.75	11.40	

— pumila. 3'-4'

Dwarf Norway Spruce

More globular than most, but very dense. Needs a little protection from winter sun but able to withstand zero.

9	to	12	in. spread, B. & B	3.00	2.70	2.40
12	to	15	in. spread, B. & B	4.00	3.60	
15	to	18	in. spread, B. & B	5.25	4.80	

— pyramidalis. 40'-50'

Pyramidal Norway Spruce

All the branches ascend to form a narrow pyramid.

3	to	4	ft.	B. & B 5.00
5	to	6	ft.	B. & B 7.50
12	to	15	ft.	B. & B 30.00

— reflexa. 70'-80'

Reflex Spruce

When mature the branches droop and thus create a pleasing movement about the tree.

1	to	1 1/2	ft.	В.	&	В	2.00
1 1/2	to	2	ft.	В.	&	В	3.00

— repens. $1\frac{1}{2}$

Creeping Norway Spruce

Wide spreading prostrate branches make a thick irregular blanket of interesting texture, quite at home among rocks.

6	to	9	in. spread, B. & B	2.25	2.00	
9	to	12	in. spread, B. & B	3.00	2.70	
12	to	15	in. spread, B. & B	4.00	3.60	3.30
15	to	18	in. spread, B. & B	5.25	4.80	4.50
l ½	to	2	ft. spread, B. & B	6.75	6.00	5.40
2	to	$2\frac{1}{2}$	ft. spread, B. & B	9.00		

glauca conica. 8'-10'

Dwarf Alberta Spruce

A perfect miniature reproduction of a tall forest tree, having branches crowded into a compact narrow cone with a rugged old look about it. Very thin slaty green foliage makes an exceedingly fine texture. Best where slightly shaded. Grows slowly and is extremely hardy.

	- 4								
15	to	18	in.	B.	&	В	2.00	1.80	
l ½	to	2	ft.	В.	&	В	3.00	2.70	
2	to	$2\frac{1}{2}$	ft.	В.	&	В	4.00	3.60	3.30
$2\frac{1}{2}$	to	3	ft.	B.	&	В	5.00	4.50	4.00
3	to	4	ft.	В.	&	В	6.00	5.40	

hunnewelliana.

Hunnewell Spruce

A comparatively new hybrid that resembles a much glorified White Spruce. Each shoot is well clothed all around with a distinct blue gray foliage. Side branches ascend to form a neat narrow pyramid—we consider this a "find."

l	to 1½	ft.	В. 8	ъ В	3.00
9	to 10	ft.		& B	

Please feel free to consult with us on any planting problem you may have.

PICEA—Continued

Each Ten Hundred

koyamai. 40'-50'

Koyamai Spruce

When young a broad-based cone, but lengthens into a narrow pyramid with husky looking branches. Scarce.

6	to	8	ft.	В.	&	В	15.00
8	to	10	ft.	В.	æ	В	18.00

omorika. 60'-80'

Serbian Spruce

We rate this as the King of Spruces, handsome from a foot high to its lofty maturity. On the under side the flat needles are lustrous green with white stripes above, giving a bicolor effect. Its narrow pyramidal outline is maintained and the severest climate does not influence its even growth.

15	to	18	in.	В.	&	В	2.00	1.80	1.65
11/2	to	2	ft.	B.	&	В	3.75	3.30	3.00
2	to	3	ft.	В.	&	B	5.25	4.80	4.50
3	to	4	ft.	В.	&	B	7.50	6.75	6.00
4	to	5	ft.	B.	&	В	10.00	9.00	8.00
5	to	6	ft.	В.	&	В	13.50	12.00	
8	to	10	ft.	В.	&	В	36.00		

orientalis. 60'-70'

Oriental Spruce

Graceful widespreading branches sweep the ground merging into a central spire which rises with classic outline to pierce the sky. Glossy blackish green needles increase its sombre dignity—a picture of aristocratic beauty. Useful in small plantings owing to its slow growth and rich color.

15	to	18	in.	В.	&	В	2.00	1.80	1.65
11/2	to	2	ft.	B.	&	В	3.75	3.30	3.00
2	to	3	ft.	B.	&	B	5.25	4.80	4.50
3	to	4	ft.	B.	&	В	7.50	6.75	6.00
4	to	5	ft.	В.	&	В	10.00	9.00	8.00
5	to	6	ft.	В.	&	В	13.50		
9	to	10	ft.	₽.	&	B	36.00		

polita. 60'-75'

Tigertail Spruce

Is the most distinct of all Spruces by reason of the thick rigid spiny needles sparsely distributed around the stubby branches. An irregular interesting tree when older.

1 1/2	to	2	ft.	B.	&	B	2.25	2.00
2	to	3	ft.	В.	&	B	3.00	2.70
3	to	4	ft.	В.	S.	В	4.50	

pungens. 70'-80'

Colorado Spruce

A bold native Spruce with dull gray-green thick needles. Quite symmetrical and handsome when young, but becomes picturesque in old age when the lower branches disappear.

3	to	4	ft.		B.	&	B	3.75	3.30
4	to	5	ft.	•	B.	&	В	5.25	4.80
5	to	6	ft.		В.	&	B	7.00	6.30
6	to	7	ft.		B.	હ	В	10.00	

— glauca. 70'-80'

Colorado Blue Spruce

From the variable seedlings has been selected this intensely "blue" form, so popular even in very small sizes.

21/2	to	3	ft.	B.	&	В	3.75	3.30
3	to	4	ft.	В.	&	В	4.50	4.00
4	to	5	ft.	B.	&	B	6.75	6.30
5	to	6	ft.	B.	&	В	10.00	9.00
6	to	7	ft.	B.	&	В	13.50	
7	to	Ω	fŧ	R	ς.	R	1.2.00	

PICEA pungens—Continued

Each Ten Hundred

-- kosteri. 50'-60'

Koster Blue Spruce

Probably the most widely known of all evergreens, due to the brilliant silvery blue foliage, which is kept uniform by grafting selected specimens. Spectacular as a lawn specimen and ideal for the color climax or contrast in groups.

$1\frac{1}{2}$	to	2	ft.	В	. &	В	4.00	3.60	3.30
2	to	$2\frac{1}{2}$	ft.	В	\$	В	5.00	4.50	4.00
$2\frac{1}{2}$	to	3	ft.	В	. &	В	6.50	6.00	5.40
3	to	4	ft.	· B	. &	В	8.50	7.80	7.00
4	to	5	ft.	В	۵.	B	12.00	11.00	10.00
5	to	6	ft.	В	. &	В	15.00	13.50	
6	to	7	ft.	В	. &	В	18.00	16.50	
7	to	8	ft.	В	. &	В	24.00	22.50	
8	to	10	ft.	В	. &	В	33.00	30.00	
10	to	12	ft.	В	. &	В	45.00		
12	to	14	ft.	В	. &	В	54.00	48.00	

PIERIS floribunda. 4'-5'

Mountain Andromeda

EVERGREEN. Both for foliage and floral effect this hardy native is well nigh indispensable. Dark green leathery privet-like leaves remain untouched in zero weather and serve splendidly as background for the upright clusters of waxy white flowers in May. Acid soil, half shade.

12	to	15	in. spread, B. & B	1.50	1.35
15	to	18	in. spread, B. & B	2.25	2.00
$1\frac{1}{2}$	to	2	ft. spread, B. & B	3.00	2.70
2	to	$2\frac{1}{2}$	ft. spread, B. & B	4.00	3.60
$2\frac{1}{2}$	to	3	ft. spread, B. & B	6.00	5.40
3	to	$3\frac{1}{2}$	ft. spread, B. & B	10.00	

japonica. 6'-7'

Japanese Andromeda

EVERGREEN. Almost the ideal shrub without a flaw. In early spring graceful pendants of waxy white urnshaped flowers are prettily interspersed among the lustrous deep green foliage. Then comes the tender green young growths beautifully winestained until the wavy leaves mature into their leathery texture defying both extreme heat and cold. In mid-winter the rugged character of the bush is emphasized by the young unopened flower buds.

12	to	15	in.	В.	δ	B	1.50	1.35
15	to	18	in.	B.	&	В	2.25	2.00
$1\frac{1}{2}$	to	2	ft.	B.	&	В	3.00	2.70
2	to	$2\frac{1}{2}$	ft.	В.	&	В	4.00	3.60
$2\frac{1}{2}$	to	3	ft.	B.	&	В	6.00	5.40
3	to	4	ft.	В.	&	B	10.00	

PINUS cembra. 30'-40'

Swiss Stone Pine

ALL EVERGREEN. Slow growing so it may be safely used in low plantings. Generally seen as a blunt compact pyramid clothed in soft textured coat of bluish-green needles, but eventually becomes a picturesque round topped tree.

			•			•	-		
1	to	$1\frac{1}{2}$	ft.	В.	&	В	3.00	2.70	2.40
11/2	to	2	ft.	В.	&	B	4.50	4.00	
2	to	$2\frac{1}{2}$	ft.	В.	&	B	6.75		
$2\frac{1}{2}$	to	3	ft.	В.	&	B	10.00		
3	to	4	ft.	В.	&	B	12.75		
5	to	6	ft	R	\mathcal{S}	R	18 00		

excelsa. 50'-60'

Himalaya Pine

Worthy of a sheltered location where it will quickly attain majestic proportions. The wide spreading branches display the slender drooping six inch needles to great advantage.

3	to	4	ft.	B.	&	В	3.75
4	to	5	ft.	В.	&	B	5.00

PINUS—Continued

Each Ten Hundred

flexilis. 30'-40'

Limber Pine

Often called the "Blue"Pine because of its characteristic steel gray tufts of stiff needles, but these turn dark green when old. Even young cultivated specimens show impatience to assume their native picturesque habit.

3	to	4	fŧ	R	æ	R	5.00	4 50
	to						6.00	
5.	to	6	ft.	В.	&	В	7.50	6:75
6	to	7	ft.	В.	&	B	9.00	
7	to	8	ft.	B.	&	B	12.00	
8	to	10	ft.	В.	&	В	15.00	

montana mughus. 3

Mugho Pine

Most conspicuous in spring when the erect "candles" of new growth decorate the top of the low cushion-like bush.

12	to	15	in. spread, B. & B	1.80	1.65
15	to	18	in. spread, B. & B	2.25	2.00
			•	2.20	2.00
11/2	to	2	ft. spread, B. & B	3.00	2.70
2	to	21/2	ft. spread, B. & B	3.75	3.30
21/2	to	3	ft. spread, B. & B	5.00	

nigra. 50'-60'

Austrian Pine

One of the most dignified of the family, with stiff dark green six inch needles covering the vigorous up curving branches tipped with silky white buds. Succeeds on poor land even down to the seashore. Handsome.

3	to	4	ft.	В.	&	В	3.50	3.00
5	to	6	ft.	В.	&	В	7.50	
6	to	7	ft.	B.	&	В	10.00	9.00
7	to	8	ft.	В.	&	В	13.50	12.75
8	to	10	ft.	В.	&	В	18.00	16.50
10	to	12	ft.	В.	&	В	27.00	24.00

resinosa. 60'-70'

Red Pine

For this section doubtless the best pine for reforestation as it succeeds on the poorest land and soon prevents erosion of a barren hillside. Vigorous in any well drained location, its dark green needles make a good background.

4	to	5	ft.	\ B.	&	B	5.25	4.80
5	to	6	ft.	В.	&	В	7.50	6.75
6	to	7.	ft.	В.	&	В	10.00	9.00
7	to	8	ft.	В.	&	В	13.50	12.75
8	to	10	ft.	В.	&	B	18.00	16.50
10	to	12	ft.	В.	&	B	27.00	24.00
12	to	14	ft.	В.	&	B	33.00	



In the far North stands a
Pine tree, lone
Upon a wintry height;
It sleeps; around it snows
have thrown
A covering of white.

It dreams forever of a Palm That, far i' the morning land,
Stands silent in a most sad calm
Midst of the burning sand.

HEINE.

PINUS-Continued

Each Ten Hundred

strobus. 80'-100'

White Pine

Truly a noble native, handsome in its formal youth and typically picturesque in its independent old age. Extremely hardy, most adaptable. Splendid soft textured hedges can be made by shearing annually in May or June.

3	to	4	ft.	В.	&	В	3.50	3.00
4	to	5	ft.	В.	&	В	5.25	4.80
5	to	6	ft.	В.	&	В	7.50	6.75
6	to	7	ft.	В.	&	B,	10.00	9.00
7	lo	8	ft.	В.	&	В	13.50	12.75
8	to	9	ft.	B.	&	В	18.00	16.50
10	to	12	ft.	В.	&	В	27.0 0	

— fastigiata. 35'-40'

Upright White Pine

Stiffly ascending branches form a narrow tree, clothed with the same soft green mantle of needles as the parent.

3	10	4	ft.	B.	&	B	5.25	4.80
4	to	5	ft.	В.	&	В	6.75	6.00
5	to	6	ft.	B.	&	В	9.00	8.00
6	to	7	ft.	В.	δ	В	12.00	11.00

-- nana. 2½'-3'

Dwarf White Pine

Notwithstanding the very compact habit this little fellow is a vigorous healthy bush. Foliage is similar to the type.

$1\frac{1}{2}$	to	2	ft.	spread,	В.	&	В	6.00	5.40
2	to	$2\frac{1}{2}$	ft.	spread,	В.	&	B	9.00	8.00

thunbergi. 80'-100'

Japanese Black Pine

Bold in all its parts—long rather stiff dark green needles—handsome wide spreading branches, free irregular growth and hardy even to bleak seaside exposure.

2	to	3	ft.	В.	δ	В	2.25	2.00
3	to	4	ft.	B.	&	В	2.75	2.50

PLATANUS occidentalis. 100'

American Plane Tree

Grows quite rapidly and develops into picturesque shapes. Usually seen with gnarled spotted white trunk hanging over the streams throughout the east.

10	to	12	ft.,	$1\frac{1}{4}$	to	$1\frac{1}{2}$	in	2.50
10	to	12	ft.,	$1\frac{1}{2}$	to	$1\frac{3}{4}$	in	3.00
12	to	14	ft.,	$1\frac{3}{4}$	to	2	in	4.50
14	to	16	ft.,	2	to	$2\frac{1}{2}$	in	5.40

orientalis. 70'-80'

European Plane Tree

For general use a far superior tree with broad leaves that resist insects, dust and smoke. Notwithstanding rapid growth the "Sycamore" attains a fabulous age. The shapely head casts comfortable shade allowing grass to grow freely, so makes a splendid lawn tree, but whether at the seashore or on the city street it "carries on."

8	to	10	ft	2.25	2.00	1.80
8	to	10	ft., 11/4 to 11/2 in	3.00	2.70	2.40
10	to	12	ft., 1½ to 1¾ in	4.00	3.60	3.30
10	to	12	ft., 13/4 to 2 in	5.00	4.50	
12	to	14	in., 2 to 2½ in	6.75	6.00	

POLYGONUM auberti. Vine, 40'-50'

Chinese Fleece Vine

Vigorous climber that grows amazingly fast. Will effectively cover or screen undesirable objects with a dense mantle of light green leaves, topped in July with an airy webbing of fleecy white flowers. Needs sunlight.

4// D +	0.0	
4" Pots	.bU	50

61	SPRINGFIELD, N. J.
POPULUS	Each Ten Hundred
nigra italica. 60'-80'	Lombardy Poplar
Familiar as the exclamation point of graceful spires of restless light gruseful for grouping, screening and 6 to 8 ft.	reen leaves are most
8 to 10 ft.	1.35 1.20
POTENTILLA fruticosa. 3'-4'	Shrubby Cinquefoil
Cheerful yellow single flowers bejeve bush all summer even during the	hottest dryest season.
12 to 18 in	.35 .30 .45 .40 .60 .55 .
tridentata. 6"	Wineleaf Cinquefoil
A tiny shrublet that manages to proflowers in May and June but its or rich deep green coloring of the folions.	crowning glory is the
PRUNUS cerasifera pissardi. 10'-12'	Purple Leaf Plum
Annual pruning of old wood will purple coloring of the peach like lea	-
3 to 5 ft	1. 00 .90 1.25
glandulosa. 4'-5' Dou	ble Flowering Almond
Every willowy branch becomes a fain very early spring. A real domes	· · ·
1 to 1½ ft	.60 .50 .40 .70 .65 .60
1½ to 2 ft	.70 .00 .00 .00 .00 .00 .00 .00 .00 .00
— αlbα. 4'-5'	White Almond
Very double white flowers are the or	
1½ to 2 ft	.60 .50
maritima. 8'-10'	Beach Plum
Frail dainty white blossoms lightly s	-
never seem so happy as when in seashore home. Beach plum jelly?	large drifts at their
12 to 18 in	.35 .30 .27
1½ to 2 ft	.45 .40 .36 .60
serrulata Amanogawa. 20'-25'	Upright Cherry
A distinct form with a Lombardy P Semi-double pink flowers gracefully l	-
3 to 4 ft	1.50 1.35
4 to 5 ft	2.00 1.80 3.00 2.70
— autumnalis. 25'-30' Autu	umn Flowering Cherry
The semi-double pink flowers rarel surprise of Cherry blossoms in fall	
3 to 4 ft	1.50
4 to 5 ft	2.00 3.00

PRUNUS serrulata—Continued	Each	Ten Hundred
— Fugenzo (Kofugen) (James H. Veitch)	30′	Double Pink
One of the latest to bloom; the unusual flowers expand with the coppery your	ally <mark>l</mark> arge	e double pink e, a nice har-
mony. Probably one of the most popul		reliable sorts.
4 to 5 ft	2.00 3.00	
5 to 6 ft	6.00	
— Gyoiko. 30'-40'	Double	Light Green
The green double flowers are more	unique	than pretty.
5 to 6 ft	3.00	-300
— Kwanzan. 30'		Double Pink
Large very double deep pink flower and bronze young growth coupled to justify the highest rating to this good	with its d form.	rapid growth Well formed.
3 to 4 ft	1.50 2.0 0	1.35 1.80
5 to 6 ft	3.00	
6 to 8 ft. B. & B	6.00	5.40
8 to 10 ft. B. & B	12.00	
— Mount Fuji (Shirotae) 30'		Double White
Undoubtedly the finest double white	e. Large	and pure in
color the flowers blanket the well for	med tree	e like snow.
3 to 4 ft	1.50	1.35
4 to 5 ft	2.00 3.00	1.80 2.70
6 to 8 ft. B. & B	6.00	2.70
		ichald Chauss
— Naden (Takasago). 30'-40'		iebold Cherry
Very showy when literally smothered double blossoms arranged in short s	_	_
3 to 4 ft	1.50	1.35
4 to 5 ft	2.00	1.80
5 to 6 ft	3.00	2.70
6 to 8 ft. B. & B	6.00	
— sachalinensis. (sargenti). 30'-40'		Yama Cherry
More vigorous and showy than the large white to pink single flowers co	vering b	
5 to 6 ft	3.00 6.00	
8 to 10 ft. B. & B	12.00	
— Shirofugen. 30'	Dou	ble Blush Pink
Pink in bud, the very large double then gradually assume a blush as t	flowers	become white,
5 to 6 ft	3.00	ure. Vigorous.
6 to 8 ft. B. & B	6.00	
8 to 10 ft. B. & B	12.00	
— Yoshino (Yedoensis). 40'-50'	Sinc	gle Blush Pink
Because of its conspicuous position of		
in Washington, D. C., this species i also it is the "advance guard" of during cherry blossom season. Th become purple tinged before falling.	s widel the gor e single Excelle	y known, and geous display pink flowers
5 to 6 ft	3.00	







PRUNUS—Continued

Each Ten Hundred

subhirtella pendula. 12'-15'

Weeping Japan Cherry

Is it possible to adequately describe those gossamer pink fountains that come from fairyland each spring? And yet they are sturdy trees that need little attention beyond a well-drained place in the sun. These are the popular tall stemmed kind, with pendulous branches at top only.

2 year head	B. & B	3.50
3 year head	B. & B	5.00

——(GRAFTED LOW)

Weeping Cherry

And these have branches right from the ground to produce a more informal natural effect. Similar pink flowers.

3	to	4	ft.	B.	&	B	3.50	3.00
4	to	5	ft.	В.	&	B	5.00	4.50
5	to	6	ft.	B.	&	B	6.75	
6	to	8	ft.	В.	&	В	9.00	
8	to	10	ft.	В.	&	B	12.00	

—— flore pleno. 12'-15'

Double Fl. Weeping Cherry

Imagine if you can, a glorified Weeping Cherry with the same graceful fountain-like sweep of branches each thickly studded with double pink flowers—it is truly magnificent.

2 year head	B. & B	4.50	4.00
-------------	--------	------	------

tomentosa. 6'-8'

Nanking Cherry

Each of the straight branches is completely surrounded by tiny white cherry blossoms, which give way to an exuberant crop of small scarlet cherries, relished by birds.

11/2	to	2	ft.	********	.50	.45
2	to	3	ft.	***************************************	.65	.60

triloba plena. 7'-8'

Double Flowering Plum

Larger and still more gorgeous than cousin "Almond." The bright pink double flowers thickly stud each branch.





PSEUDOLARIX

Each

Ten Hundred

kaempferi. 100'

Golden Larch

A noble survivor of prehistoric ages—particularly beautiful in spring when the flat, needle-like, feathery leaves are sprinkled in tufts along the branches. Such delicacy of shading in green is difficult to describe—then in autumn what a glorious yellow before this conifer drops its leaves.

2	to	3	ft.	B.	&	B	3.00
3	to	4	ft.	B.	δ	B	3.75

PSEUDOTSUGA douglasi. 70'-80'

Douglas Fir

EVERGREEN. Handsome and symmetrical from the seed bed to the towering forest monarch, this Rocky Mountain form has variable gray green foliage with soft texture.

$2\frac{1}{2}$	to	3	ft.	B.	&	В	2.50	2.25
3	to	4	ft.	В.	&	В	3.25	3.00
4	to	5	ft.	B.	&	В	4.00	3.60
5	to	6	ft.	B.	&	В	6.00	5.40
6	to	8	ft.	В.	&	В	9.00	8.00
8	to	10	ft.	В.	&	В	13.50	12.00
10	to	12	ft.	В.	&	В	21.00	19.50
12	to	15	ft.	В.	&	В	30.00	

PTEROSTYRAX hispida. 40'-50'

Epaulette Tree

A rarely seen but beautiful Chinese tree which forms an open head with slender spreading branches. The five inch oval leaves are deeply veined but the crowning glory of the tree is the large graceful fringy panicles of fragrant white flowers which hang from the side branches. Should be trained to a single stem while young. Most unusual.

2 to 3 ft. B. & B...... 2.50

PYRACANTHA coccinea lalandi. 15'-18' Laland Firethorn

EVERGREEN. But here we have quite a different character. Strong slender branches rising from the ground develop stubby side growths upon which are hung the numerous orange red berries. Altho a handsome "specimen" shrub it is seen to best advantage when trained against a wall allowing the deep green foliage to act as a back ground for the berries. Southerly exposure is preferred.

-			-	-	•	
l to	11/2	2 ft.	В. & В	1.20	1.00	.90
1⅓ to	2	ft.	potgrown	1.75	1.50	1.35
2 to	3	ft.	potgrown	2.25	2.00	



Should you wish to obtain any item not listed in this catalog we shall gladly endeavor to find it for you.

— Q —

Each Ten Hundred

QUERCUS alba. 100'

White Oak

The monarch! Of tremendous spread, rugged and slow in growth but a permanent fixture. Insists upon spring planting—careful handling—preferably small sizes.

6	to	8	ft.	•••••	3.75
8	to	10	ft.	•••••	4.50

coccinea. 80'-90'

Scarlet Oak

The brilliant scarlet of late autumn is characteristic of this handsome round topped tree. Has somewhat smaller and more deeply cut leaves than the Red Oak.

8	to	10	ft.			• • • • • • •		4. 0 0
8	to	10	ft.,	1 1/4	to	1 1/2	in	5.25
10	to	12	ft.,	$1\frac{1}{2}$	to	$1\frac{3}{4}$	in	6.00
12	to	14	ft.,	13/4	to	2	in	8.00

macrocarpa. 80'

Mossycup Oak

Although in the White Oak family a vigorous grower of typical picturesque outline and interesting corky branches.

6	to	8	ft.		3.75
8	10	10	ft.,	11/4 to 11/2 in	4.50
10	to	12	ft.,	1½ to 1¾ in	6.00

palustris. 70'-80'

Pin Oak

Most adaptable of the family this handsome fellow is used extensively for avenues where the trim pyramidal head accentuates distance. Deeply cut shiny foliage turns rich crimson in autumn transforming its swamp homeland where the old patriarchs rear their rugged irregular heads on a tall straight trunk devoid of lower branches.

			_						
8	to	10	ft., 11/4	to 1	½ in.	••••	3.25	3.00	2.70
10	to	11	ft., 1½	to 1	³ ⁄4 in.	••••	4.50	4.00	3.60
11	to	12	ft., 13/4	to 2	in.	••••	6.00	5.40	
12	to	14	ft., 2	to 2	$\frac{1}{2}$ in.	••••	8. 0 0	7.00	
14	to	16	ft., $2\frac{1}{2}$	to 3	in.	••••	10.00	9.00	
14	to	16	ft., 3	to 3	½ in.	• • • •	13.50	12.00	
16	to	18	ft., 3½	to 4	in.	••••	18.00	16.50	
18	to	20	ft., 4	to 5	in.	••••	27.00	24.00	
18	to	20	ft., 5	to 6	in.	••••	36.00		

robur. 120'

English Oak

A long lived tree with round lobed leaves that do not change color appreciably in fall. Has a short thick trunk with enormous wide spreading branches—after a lifetime.

4	to	6	ft.	•••••	2.00
6	to	8	ft.		2.75

18 to 20 ft., 4 to 5 in.

rubra. 70'-80'

Red Oak

Typically oak-like this majestic tree soon acquires size and an ageless look. Beginning in spring on fuzzy tender pink clusters the glossy green leaves become stained and blotched with warm crimson red in autumn and hang on till spring. Wide spreading branches—irregular outline.

	1	J				
8	to	9	ft	3.25	3.00	2.70
9	to	10	ft., 11/4 to 11/2 in	4.50	4.00	3.60
10	to	12	ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	6.00	5.40	4.80
10	to	12	ft., 1¾ to 2 in	8.00	7.20	6.00
12	to	14	ft., 2 to 2½ in	10.00	9.00	8.00
14	to	16	ft., 2½ to 3 in	13.50	12.00	
14	to	16	ft., 3 to 3½ in	18.00	16.50	
16	to	18	ft., 3½ to 4 in	24.00		

30.00

--- R ---

	Each Ten Hundred
RHAMNUS caroliniana. 20'-25' Handsome deep green leaves make a	Carolina Buckthorn
Red berries change to black. A go	
1½ to 2 ft	.40 .36
cathartica. 10'-12'	Common Buckthorn
Good background shrub with glitteri	ing black berries.
$1\frac{1}{2}$ to 2 ft	.40 .36
frangula. 8'-10' For its shiny attractive foliage alonas background and the berries turn	
1½ to 2 ft	.40 .35
2 to 3 ft	.50 .45 .60 .55
RHODODENDRON arbutifolia. 4'	
EVERGREEN. The lovely pure p	
brighten the shapely compact bush dull green, thick and about one a inches long. Of all the dwarf vari most reliable with us. Should be use	in June. Leaves are and one half to three ieties this has proved
12 to 15 in. spread, B. & B	3.00 2.70
15 to 18 in. spread, B. & B	4.00 3.60
$1\frac{1}{2}$ to 2 ft. spread, B. & B 2 to $2\frac{1}{2}$ ft. spread, B. & B	5.50 5.00 4.50 7.50 6.75 6.00
2½ to 3 ft. spread, B. & B	10.00
canadense. 3'-4'	Rhodora
Shy as most woodland subjects are of poetical fame is seldom seen. Tend	
borne on bare twigs brightening its $1\frac{1}{2}$ to 2 ft. B. & B	-
borne on bare twigs brightening its	moist shady home. 2.25
borne on bare twigs brightening its 1½ to 2 ft. B. & B carolinianum. 5'6' (Nursery Grown) C EVERGREEN. In an open sunny pla	moist shady home. 2.25 arolina Rhododendron ace the charming pink
borne on bare twigs brightening its 1½ to 2 ft. B. & B carolinianum. 5'6' (Nursery Grown) C EVERGREEN. In an open sunny pla May bells are more colorful and the	moist shady home. 2.25 arolina Rhododendron ace the charming pink e whole plant is more
borne on bare twigs brightening its 1½ to 2 ft. B. & B carolinianum. 5'6' (Nursery Grown) C EVERGREEN. In an open sunny pla May bells are more colorful and the bushy, although half shade is quite so	moist shady home. 2.25 Carolina Rhododendron ace the charming pink be whole plant is more attisfactory on acid soil.
borne on bare twigs brightening its 1½ to 2 ft. B. & B carolinianum. 5'6' (Nursery Grown) C EVERGREEN. In an open sunny pla May bells are more colorful and the	moist shady home. 2.25 arolina Rhododendron ace the charming pink e whole plant is more
borne on bare twigs brightening its 1½ to 2 ft. B. & B carolinianum. 5'6' (Nursery Grown) C EVERGREEN. In an open sunny pla May bells are more colorful and the bushy, although half shade is quite so 15 to 18 in. B. & B 1½ to 2 ft. B. & B 2 to 2½ ft. B. & B	moist shady home. 2.25 Garolina Rhododendron ace the charming pink whole plant is more attisfactory on acid soil. 2.25 2.00 1.80 3.00 2.75 2.40 4.00 3.60 3.30
borne on bare twigs brightening its 1½ to 2 ft. B. & B carolinianum. 5'6' (Nursery Grown) C EVERGREEN. In an open sunny pla May bells are more colorful and the bushy, although half shade is quite so 15 to 18 in. B. & B 1½ to 2 ft. B. & B 2 to 2½ ft. B. & B 2½ to 3 ft. B. & B	moist shady home. 2.25 Garolina Rhododendron ace the charming pink whole plant is more atisfactory on acid soil. 2.25 2.00 1.80 3.00 2.75 2.40 4.00 3.60 3.30 5.25 4.80
borne on bare twigs brightening its 1½ to 2 ft. B. & B carolinianum. 5'6' (Nursery Grown) C EVERGREEN. In an open sunny pla May bells are more colorful and the bushy, although half shade is quite so 15 to 18 in. B. & B 1½ to 2 ft. B. & B 2 to 2½ ft. B. & B 2½ to 3 ft. B. & B 3 to 4 ft. B. & B	moist shady home. 2.25 Garolina Rhododendron ace the charming pink be whole plant is more attisfactory on acid soil. 2.25 2.00 1.80 3.00 2.75 2.40 4.00 3.60 3.30 5.25 4.80 6.75
borne on bare twigs brightening its 1½ to 2 ft. B. & B	moist shady home. 2.25 Garolina Rhododendron ace the charming pink whole plant is more atisfactory on acid soil. 2.25 2.00 1.80 3.00 2.75 2.40 4.00 3.60 3.30 5.25 4.80 6.75 Garolina Rhododendron
borne on bare twigs brightening its 1½ to 2 ft. B. & B	moist shady home. 2.25 Garolina Rhododendron ace the charming pink whole plant is more atisfactory on acid soil. 2.25 2.00 1.80 3.00 2.75 2.40 4.00 3.60 3.30 5.25 4.80 6.75 Garolina Rhododendron slightly larger leaves.
borne on bare twigs brightening its 1½ to 2 ft. B. & B	moist shady home. 2.25 Garolina Rhododendron ace the charming pink whole plant is more atisfactory on acid soil. 2.25 2.00 1.80 3.00 2.75 2.40 4.00 3.60 3.30 5.25 4.80 6.75 Garolina Rhododendron
borne on bare twigs brightening its 1½ to 2 ft. B. & B	moist shady home. 2.25 Garolina Rhododendron ace the charming pink whole plant is more atisfactory on acid soil. 2.25 2.00 1.80 3.00 2.75 2.40 4.00 3.60 3.30 5.25 4.80 6.75 Garolina Rhododendron slightly larger leaves. 4.00 3.60
borne on bare twigs brightening its 1½ to 2 ft. B. & B	moist shady home. 2.25 Garolina Rhododendron ace the charming pink whole plant is more atisfactory on acid soil. 2.25 2.00 1.80 3.00 2.75 2.40 4.00 3.60 3.30 5.25 4.80 6.75 Garolina Rhododendron slightly larger leaves. 4.00 3.60 5.25 6.75
borne on bare twigs brightening its 1½ to 2 ft. B. & B	moist shady home. 2.25 Garolina Rhododendron ace the charming pink whole plant is more atisfactory on acid soil. 2.25 2.00 1.80 3.00 2.75 2.40 4.00 3.60 3.30 5.25 4.80 6.75 Garolina Rhododendron slightly larger leaves. 4.00 3.60 5.25 6.75 Catawba Rhododendron e the parent of many
borne on bare twigs brightening its 1½ to 2 ft. B. & B	moist shady home. 2.25 arolina Rhododendron ace the charming pink whole plant is more atisfactory on acid soil. 2.25 2.00 1.80 3.00 2.75 2.40 4.00 3.60 3.30 5.25 4.80 6.75 Carolina Rhododendron slightly larger leaves. 4.00 3.60 5.25 6.75 atawba Rhododendron e the parent of many qualities, and it does.
borne on bare twigs brightening its 1½ to 2 ft. B. & B	moist shady home. 2.25 Garolina Rhododendron ace the charming pink whole plant is more atisfactory on acid soil. 2.25 2.00 1.80 3.00 2.75 2.40 4.00 3.60 3.30 5.25 4.80 6.75 Garolina Rhododendron slightly larger leaves. 4.00 3.60 5.25 6.75 Catawba Rhododendron e the parent of many qualities, and it does argeous display as the
borne on bare twigs brightening its 1½ to 2 ft. B. & B	moist shady home. 2.25 Garolina Rhododendron ace the charming pink whole plant is more atisfactory on acid soil. 2.25 2.00 1.80 3.00 2.75 2.40 4.00 3.60 3.30 5.25 4.80 6.75 Garolina Rhododendron slightly larger leaves. 4.00 3.60 5.25 6.75 Catawba Rhododendron e the parent of many qualities, and it does. argeous display as the argeous display as the argeous display as the
borne on bare twigs brightening its 1½ to 2 ft. B. & B	moist shady home. 2.25 arolina Rhododendron are the charming pink whole plant is more atisfactory on acid soil. 2.25 2.00 1.80 3.00 2.75 2.40 4.00 3.60 3.30 5.25 4.80 6.75 Carolina Rhododendron slightly larger leaves. 4.00 3.60 5.25 6.75 atawba Rhododendron e the parent of many qualities, and it does argeous display as the argeous display and June.
borne on bare twigs brightening its 1½ to 2 ft. B. & B	moist shady home. 2.25 arolina Rhododendron are the charming pink whole plant is more atisfactory on acid soil. 2.25 2.00 1.80 3.00 2.75 2.40 4.00 3.60 3.30 5.25 4.80 6.75 Carolina Rhododendron slightly larger leaves. 4.00 3.60 5.25 6.75 atawba Rhododendron e the parent of many qualities, and it does argeous display as the ars in May and June d broken shade ideal. 2.25 2.00 3.25 3.00
borne on bare twigs brightening its 1½ to 2 ft. B. & B	moist shady home. 2.25 arolina Rhododendron are the charming pink whole plant is more atisfactory on acid soil. 2.25 2.00 1.80 3.00 2.75 2.40 4.00 3.60 3.30 5.25 4.80 6.75 Carolina Rhododendron slightly larger leaves. 4.00 3.60 5.25 6.75 atawba Rhododendron e the parent of many qualities, and it does argeous display as the argeous display and June.

RHODODENDRON—Continued

Each Ten Hundred

maximum. 12'-15' (Nursery Grown) Rosebay Rhododendron

EVERGREEN. Essentially a shade plant, the "Great Laurel" forms the backbone of most woods plantings, where the leathery six inch leaves are of even greater land-scape value than the pale pink flowers. Late May and June is "laurel season" but if happily placed in acid soil, preferably in masses, the rich foliage effect is pleasing and dignified the year round.

1	to	11/2	ft.	B.	&	В	2.00	1.80	1.65
11/2	to	2	ft.	B.	&	B,	2.75	2.40	2.10
2	to	21/2	ft.	B.	&	B	3.50	3.00	2.70
21/2	to	3	ft.	В.	&	В	4.50	4.00	3.60
3	to	31/2	ft.	B.	&	В	5.75	5.25	4.80
31/2	to	4	ft.	B.	&	В	7.0 0	6.50	
4	to	5	ft.	B.	&	В	9.00	8.00	
5	to	6	ft,	B.	&	B	12.00		
6	to	7.	ft.	B.	&	B	15.00		

minus (punctatum). 6'-8'

Piedmont Rhododendron

EVERGREEN. A loose open grower with smaller leaves than "Rosebay." Attractive rosy-pink flowers almost hidden by the young growth in June. Half shade.

2	to	3	ft.	В. •	&	В	5.00
3	to	4	ft.	В.	&	B	7.5 0

myrtifolium. 3'-4'

Myrtle Leaf Rhododendron

EVERGREEN. A neat compact shrub always well clothed with smooth leaves about one to two inches long, generally covered with brownish scales underneath. The clusters of light rosy pink funnel shaped flowers open in May.

		_	= -	-	
12	to	15	in. spread, B. & B	3.50	3.00
15	to	18	in. spread, B. & B	4.50	4.00
11/2	to	2	ft. spread, B. & B	6.00	
2	to	3	ft. spread, B. & B	10.00 to	15.00 each

racemosum. 1'-2'

Mayflower Rhododendron

EVERGREEN. Quite variable but with us a delightful shrublet that is almost prostrate making a little pad of rich shiny green leaves about an inch long. When the racemes of pale pink flowers appear in May it looks almost like a glorified Trailing Arbutus. Nice rock plant.

9	to	12	in. spread, B. & B	2.50	2.25
12	to	15	in. spread, B. & B	3.50	3.00
15	to	18	in. spread, B. & B	5.00	

wilsoni. 4'-5'

Wilson Rhododendron

EVERGREEN. According to the collector, E. H. Wilson, this is one of the most beautiful of Chinese Rhododendrons, and even though the flesh pink flowers are not remarkable with us, it is distinctly valuable for foliage.

12	to	15	in. spread, B. & B	3.50	3.00	2.70
15	to	18	in. spread, B. & B	4.50	4.00	3.60
11/2	to	2	ft. spread, B. & B	6.00	5.40	
2	to	$2\frac{1}{2}$	ft. spread, B. & B	9.00		

Most of our native plants, ferns, and the doubtful movers such as Poppies are grown in pots for convenience and safety in planting.

RHODODENDRON—Continued

Each Ten Hundred

NAMED HYBRIDS.

(ALL EVERGREEN)

The grafted named varieties flower much more freely than any others. Individual flowers are larger, more brilliantly colored than Catawba and are produced in enormous bunches held erect above the canopy of splendid foliage. Although acid soil is necessary these grafted hybrids do quite well in open sunlight but prefer light shade.

Letters indicate sizes in stock.

album elegans. 10'-12'

C. D. E. F. G. H. J.

Grows quickly into tall narrow bush; white flushed pink.

Everestianum. 5'-6'

A. B. C. D. E. F.

Prettily frilled lilac-pink flowers, compact, reliable.

maximum roseum. 8'-10'

C. D. E. F.

Deeper pink and more profuse than type. Same foliage.

roseum elegans. 8'-10'

A. B. C. D. E. F. G. H.

The most reliable and vigorous of all hybrids. Bright rosepink flowers in great clusters almost hide handsome foliage.

roseum superbum. Lovely soft rose: vigorous habit. D. E. F.

Prices for varieties named above.

A.	12	to	15	in.	В.	&	В	2.25	2.00
В.	15	to	18	in.	В.	&	В	3. 0 0	2.70
C.	$1\frac{1}{2}$	to	2	ft.	В.	&	В	4.00	3.60
D.	2	to	$2\frac{1}{2}$	ft.	В.	&	В	5.00	4.50
E.	$2\frac{1}{2}$	to	3	ft.	В.	&	В	6.75	6.00
F.	3	to ·	31/2	ft.	В.	&	В	9.00	8.25
G.	31/2	to	4	ft.	В.	&	В	13.50	12.00
Н.	4	to	5	ft.	В.	&	В	16.50	15.00
J.	5	to	6	ft.	В.	&	В	21.00	

America. 5'-6'. Bright cheerful red. A. B. C. D.
Amphion. 6'-8'. Large white eye, pink edges. C. D.
Atrosanguineum. 6'-8'. Bright red. Early. C. D.
Caractacus. 6'-8'. Gorgeous rich crimson. B. C. D. E. F.
catawbiense album. 6'-8'. Pure white. B. C. D. E. F. G. H.
Charles Bagley. 7'-8'. Brilliant cherry-red. B. C. D. E. F.
Delicatissimum. 6'-8' Tender pink. B. C. D. E. F. G. H.
Dr. H. C. Dresselhuis. 6'-8'. Good lively red. A. B. C. D. E. F.
E. S. Rand. 6'-8'. Large rich crimson, darker eye. B. C. D.
Giganteum. 8'-10'. Large trusses of deep rose. C. D.
H. H. Hunnewell. 7'-8'. Dark crimson, rich tone. B. C. D.
H. W. Sargent. 6'-8'. Splendid foliage, crimson. D. E.
Ignatius Sargent. 6'-8'. Vigorous, bright rosy red. A. B. C. D.
Lady Armstrong. 6'-8'. Light pink spotted with green. H.
Mrs. C. S. Sargent. 6'-8'. Glowing pink. A. B. C. D. E. F. G.
Old Port. 6'-8'. Unique, reddish violet. A. B. C. D. E. F.
Parson's rubrum. 6'-8'. Deep purplish red. D. E. F.
Purpureum elegans. 6'-8'. Purple opening to lavender. H. J.

A.	12	to	15	in.	В.	&	В	3. 0 0	2.70
В.	15	to	18	in.	В.	&	В	4.00	3.60
C.	$1\frac{1}{2}$	to	2	ft.	В.	&	В	5.00	4.50
D.	2	to	$2\frac{1}{2}$	ft.	В.	&	В	6.75	6.00
E.	$2\frac{1}{2}$	to	3	ft.	В.	&	В	9.00	8.25
F.	3	to	$3\frac{1}{2}$	ft.	В.	&	В	13.50	12.00
G.	$3\frac{1}{2}$	to	4	ft.	В.	&	В	16.50	15.00
H.	4	to	5	ft.	В.	δ	В	21.00	

RHODODENDRON—Continued

Each Ten Hundred

Boule de Niege. 4'-5'

Snowball Rhododendron

Extremely hardy, this dwarf form retains its irregular mounded outline, well furnished with light green leaves and liberally dotted with large clusters of white flowers.

15	1.	10	in annowal B & B	4.50	4.00
12	ιο	10	in. spread, B. & B	4.50	4.00
11/2	to	2	ft. spread, B. & B	6.00	5.40
2	to	21/2	ft. spread, B. & B	8.00	7.20
21/2	to	3	ft. spread, B. & B	10.00	9.00
			ft. spread, B. & B		12.00
			ft spread B & B		

Assorted Hybrids.

Separate colors

These are varieties that have been propagated because of their good color and growth but have not been identified.

				_	~	_	0.05	0.00
15	to	18	in.	В.	Q.	В	2.25	2.00
1 1/2	to	2	ft.	B.	&	В	3.00	2.70
2	to	$2\frac{1}{2}$	ft.	В.	&	В	4.00	3.60
21/2	to	3	ft.	В.	&	В	5.00	4.50
3	to	3½	ft.	В.	&	В	6.75	6.00

RHODOTYPOS kerrioides. 5'-6'

Jetbead

A compact well furnished shrub studded in May and June with four-petal flowers that are as intensely white as the shiny bead-like fruits are jet black, persisting all winter.

					1	,	
11/2	to	2	ft.	•••••	.40	.35	.30
2	to	3	ft.	•••••	.50	.45	.40
3	to	4	ft.		.60	.50	.45

RHUS canadensis. 4'-5'

Fragrant Sumach

Clusters of yellow shiny flowers precede the glistening little grape-like bunches of coral-red globules that ripen in June. The aromatic foliage turns brilliant orange and scarlet in autumn. Vine-like habit is particularly useful.

11/2	to	2	ft.	•••••	.60	.55	.50
2	to	3	ft.	•••••	.75	.65	.60
3	to	4	f+		1 00	90	

cotinus. 12'-15'

Smoke Tree

Until the filmy purplish cloud of fruit cluster becomes so noticeable in July we are apt to overlook the fine qualities of this handsome shrub. The clean flat round leaves are stained pink while young, then mature with yellow and purple tones in fall. As a specimen few shrubs can equal its bold rugged outline which is accentuated as the thick branches become gnarled with great age.

					-		
2	to	3	ft.	•••••	. 85	.75	
3	to	4	ft.	***************************************	1.00	.90	
4	to	5	ft.	•••••	1.35	1.20	1.00
5	to	6	ft.	•••••	2.00	1.80	1.65
6	to	7	ft.		2.75	2.40	

ROBINIA hispida. 6'-8'

Rose Acacia

Clusters of bright rose colored sweet pea-like flowers hang from the slender branches in May. By means of spreading underground stems a mass is quickly formed and this habit is utilized for holding slopes. Thrives even on poor soil.

						_
11/2	to	2	ft.	• • • • • • • • • • • • • • • • • • • •	. 35	.30
2	to	3	ft.		.50	.45

A broad mat of the lovely blue Plumbago is a thrilling picture—and it is so easy to grow too.

ROSA blanda, 3'-4'	Each	Ten Hundred Meadow Rose
Lovely pink flowers about two inch produced on thornless reddish bran	ches in	May.
1½ to 2 ft	.50	.45
Dorothy Perkins.		Double Pink
Good old favorite and worthy of its 2 year strong	place.	.50 .40
Excelsa.		Double Red
The red counterpart of Dorothy P 2 year strong		
F. J. Grootendorst. 4'-5'	Gr	ootendorst Rose
Although small, the red flowers are season; bushy habit is useful for he	produc	ed over a long
2 to 3 ft	.60 .75 1.00	
	1.00	
hugonis. 6'-8'		Hugonis Rose
In early May each arching branch night a beautiful rope of clear yello the fernlike foliage alone justifies i	w single	e flowers. And
2 to 3 ft	.75	.65
humilis (carolina). 3'		Pasture Rose
The charming pink single roses of inches across brightening the road this native. Quickly becomes established the second throad the second throad thr	side in blished :	June belong to in the sun.
1½ to 2 ft	.50 .60 . 7 5	.40 .35 .50 .45 .60 .55
lucida (virginiana). 2'-6'		Virginia Rose
Has large shining leaves and goodl	_	ers of rose pink
flowers lasting into July. A good $1\frac{1}{2}$ to 2 ft		o introduce.
$1\frac{1}{2}$ to 2 ft	.50 .60	.55 .50
nitida. 2'-3'		Bristly Rose
Deliciously fragrant deep pink, single beautifully by the glossy green for covered with stiff bristly hairs. Sp $1\frac{1}{2}$ to 2 ft	oliage. olendid f	The stems are
rouletti. 6"		Roulet Rose
The perfect miniature rose with lovers and characteristic rose foliage a 3" Pots		
rubrifolia. 5'-6'		Redleaf Rose
An erect densely branched shrub foliage and pink flowers. Purple s 2 year		
rugosa. 5'-6'	Re	d Rugosa Rose
Handsome as a massed shrub with age and surprisingly large single flowers that scent the air with fraglow and red hips are decorative, too. 1½ to 2 ft	crepe-l grance.	ike deep pink The large yel-

Each Ten Hundred ROSA rugosa—Continued 4'-5' White Rugosa Rose - alba. Fragrant white flowers are produced almost all summer. .75 3 ft. ••••• 1.00 ft. - Max Graf. 4'-5' Hybrid Rugosa Rose Excellent as a ground cover when the long growth forms a rich green blanket of rugosa-like leaves bejewelled in June with shiny pink flowers. Rambles happily on a slope. 1½ to ft. .50 .45 10'-12' Prairie Rose setigera. Long arching branches will cover the ground to make a

wichuriana. Vine. 8'-10'

3 year, 2 to 4 ft.

Memorial Rose

.50

.55

.60

Most useful as a ground cover on sunny slopes where the small glossy green leaves effectively hide the long stringy vines, which root where they touch the ground. Single white flowers brighten the picture in July. Red fruits.

great broad bush. Large single pink flowers in July. Fine for covering wide rocky slopes, where few succeed.

I remember, I remember The fir-trees dark and high;

I used to think their slender tops

Were close against the sky.

HOOD.

— **S** —

	Each Ten Hundred
Long stringy branches droop vertical with the narrow light green leaves texture. Grows rapidly especially 6 to 8 ft	create a soft velvety
pentandra. 30'-40'	Laurel Willow
Well named for the rich green shiny this an ideal quick background, a 4 to 6 ft.	t seashore or inland.
SAMBUCUS pubens. 10'-12'	Scarlet Elder
One of the earliest shrubs to display berries in great bunches. For wild ders or rocky bank, it is ideal. 3 to 4 ft	_
SCHIZOPHRAGMA hydrangeoides. 25'-3	0' Hydrangea Vine
For permanence this self-clinging variety The round leaves are about four incha wall beautifully. Quite similar to gea this can be identified by the among the more numerous true flow 4" Pots	nes across and shingle the climbing Hydran- single petaled bracts ers.
4 Pols	1.50
SCIADOPITYS verticillata. 20'-25'	Umbrella Pine
	Umbrella Pine thick four inch leaves e ribs of an umbrella. andsomely clothe the midal head. Growing ed in low plantings. que beautiful conifer.
SCIADOPITYS verticillata. 20'-25' EVERGREEN. So called because the are arranged in whorls similar to the These dark green glossy needles have branches which make a dense pyrativery slowly it can be safely used Drainage is essential for this unions.	Umbrella Pine thick four inch leaves e ribs of an umbrella. andsomely clothe the midal head. Growing ed in low plantings. que beautiful conifer.
SCIADOPITYS verticillata. 20'-25' EVERGREEN. So called because the are arranged in whorls similar to the These dark green glossy needles have branches which make a dense pyrativery slowly it can be safely use Drainage is essential for this unite 7 to 8 ft. B. & B	Umbrella Pine thick four inch leaves e ribs of an umbrella. andsomely clothe the midal head. Growing ed in low plantings. que beautiful conifer. 30.00 Chinese Scholar Tree branches assume in- greenish yellow pea- a fine tree that should
SCIADOPITYS verticillata. 20'-25' EVERGREEN. So called because the are arranged in whorls similar to the These dark green glossy needles he branches which make a dense pyrate very slowly it can be safely used Drainage is essential for this unite 7 to 8 ft. B. & B SOPHORA japonica. 60'-70' Improves with age as the tortuous teresting shapes, and the crop of shaped flowers increases. Really a be used for avenue or specimen profied as to soil. 3 to 4 ft	Umbrella Pine thick four inch leaves e ribs of an umbrella. andsomely clothe the midal head. Growing ed in low plantings. que beautiful conifer. 30.00 Chinese Scholar Tree branches assume in- greenish yellow pea- fine tree that should urposes. Easily satis-
SCIADOPITYS verticillata. 20'-25' EVERGREEN. So called because the are arranged in whorls similar to the These dark green glossy needles he branches which make a dense pyrate very slowly it can be safely used Drainage is essential for this unite 7 to 8 ft. B. & B SOPHORA japonica. 60'-70' Improves with age as the tortuous teresting shapes, and the crop of shaped flowers increases. Really a be used for avenue or specimen purfied as to soil.	Umbrella Pine thick four inch leaves e ribs of an umbrella. andsomely clothe the midal head. Growing ed in low plantings. que beautiful conifer. 30.00 Chinese Scholar Tree branches assume in- greenish yellow pea- fine tree that should urposes. Easily satis-
SCIADOPITYS verticillata. 20'-25' EVERGREEN. So called because the are arranged in whorls similar to the These dark green glossy needles he branches which make a dense pyrate very slowly it can be safely used Drainage is essential for this unite 7 to 8 ft. B. & B SOPHORA japonica. 60'-70' Improves with age as the tortuous teresting shapes, and the crop of shaped flowers increases. Really a be used for avenue or specimen profied as to soil. 3 to 4 ft	thick four inch leaves e ribs of an umbrella. and somely clothe the midal head. Growing ed in low plantings. Que beautiful conifer. 30.00 Chinese Scholar Tree branches assume ingreenish yellow pears fine tree that should urposes. Easily satis- 2.00 1.80 1.65 3.00 2.70 2.40
EVERGREEN. So called because the are arranged in whorls similar to the These dark green glossy needles he branches which make a dense pyrate very slowly it can be safely used Drainage is essential for this unity 7 to 8 ft. B. & B	thick four inch leaves e ribs of an umbrella. and somely clothe the midal head. Growing ed in low plantings. que beautiful conifer. 30.00 Chinese Scholar Tree branches assume ingreenish yellow pears fine tree that should arposes. Easily satisticated as a sum of the control o

Perhaps some of the combination plantings on pages 132-133 will fit in your garden. Won't you please suggest others that are effective?

Ten Hundred SORBARIA Each 12'-15' arborea glabrata.

Tree Spirea

All too rarely is this bold handsome August blooming shrub seen. The feathery bunches of flowers are often two feet long, gracefully held aloft or extended at ends of arching branches. Large compound leaves add to the tropical effect.

2	to	3	ft.	***************************************	.75	.65
3	to	4	ft.	•••••	1.00	.90
4	to	6	ft.	••••••	1.50	1.35

sorbifolia. 5'-6'

Ural False Spirea

Quickly spreads by suckers to make a handsome clump well clothed with refined ash-like foliage, topped in August by creamy panicles of fuzzy flowers. Easily grown.

11/2	to	2	ft.	••••••	.40	.35
2	to	3	ft.	•••••	.50	.45
3	to	4	ft.	••••••	.6 5	.60

SORBUS aucuparia. 25'-30'

European Mountain Ash

Ideal for the small lawn, the Rowan tree is extremely popular in Europe, where the great clusters of orange-red fruits figure in song and story, but here they serve the more practical purpose of food for robins. Good drainage.

6	to	8	ft.	•••••	2.75
8	to	9	ft.	•••••	3.50

SPIRAEA Anthony Waterer.

Waterer Spirea

Flat topped heads of rose pink flowers are produced all summer. Compact useful shrub for "facing" tall border.

			-		_		
12	to	15	in.	•••••	.30	.27	.24
15	to	18	in.	***************************************	.40	.36	.33
1 1/2	to	2	ft.	•••••	.50	.45	.40
2	to	3	ft.	***************************************	.6 0	.5 5	.50

prunifolia. 7'-8'

Bridal Wreath

The erect branches are in May gracefully arched over by the profusion of tiny double white flowers that are borne in clusters along the upper stems. The handsome dark green foliage turns orange and finally scarlet in Autumn.

1 1/2	to	2	ft.	•••••	.50	.40
2	to	3	ft.	•••••	.60	.50

thunbergi. 4'-5'

Thunberg Spirea

Even finer than "arguta" this feathery light green shrub is a bank of snow in April when every twig bears its quota of white flowerlets. Orange and scarlet autumn coloring.

1 1/2	to	2	ft.	•••••	.40	.35	.30
2.	to	3	ft.		.50	.45	.40

5'-6' trichocarpa.

Korean Spirea

Quite similar but coarser than Van Houtte which flowers about three weeks before this neat broad spreading bush.

		•••		•	_	
1½ to	2	ft.	••••••	.40	.35	.30
2 to	3	ft.	•••••	.50	.45	.40
3 to	4		********	.70	.65	.60
4 to	5	ft.	***************************************	.90	.80	

3'-4'

Three Lobe Spirea

Has unfortunately been eclipsed by the offspring "Van Houtte" to which it is similar but smaller in every part. Really very beautiful and useful as a low "facing" shrub.

11/2 to	0	£1	50
1 ½ to	7.	TT.	 ·JU

SPIRAEA—Continued

Each Ten Hundred

van houttei. 6'-8'

Van Houtte Spirea

Generally "overdone" but nevertheless very beautiful in June, when the arching branches are transformed into snowy garlands which defy description. Fortunately no special soil or location is needed but space it must have and please don't prune formally or "bob" its growth.

11/2	2 to	2	ft.	•••••	.35	.30	.25
2	to	3	ft.		.40	.35	.30
3	to	4	ft.		.50	.45	.40
4	to	5	ft.	• • • • • • • • • • • • • • • • • • • •	.65	.60	

STAPHYLEA colchica. 10'-12'

Colchis Bladdernut

Interesting because of its pale green inflated seed pods but not showy. In June the upright clusters of yellowish white flowers can be traced by their delicate fragrance.

2	to	3	ft.	•••••	.80	.70
3	to	4	ft.	•••••	1.00	.90
4	to	5	ft.	•••••	1.25	1.00

STEPHANANDRA flexuosa. 5'-6'

Cutleaf Stephanandra

Graceful arching branches well clothed with finely cut bright green leaves changing to reddish purple in autumn. Never grows "out of hand," a useful filler.

1 1/2	to:	2	ít.	 .40	.35	.30
2	to	3	ft.	.50	.45	.40
3	to	4	ft.	 .60	.55	.50

STEWARTIA pentagyna. 12'-15'

Mountain Stewartia

Throughout June surprisingly handsome white bowl-shaped flowers three inches across, continue to open on the young branches. The centre of each flower is accentuated by a mass of golden yellow anthers. The cinnamon brown bark and interesting branching habit commend it for winter effect too. Little known and rarely used this handsome fellow will warm the heart of any plant lover.

1 1/2	to	2	ft.	B.	&	В	1.50	1.35
2	to	3	ft.	B.	&	B	2.50	2.25
3	to	4	ft.	B.	ጹ	B	3.50	

pseudo-camellia. 25'-30'

Japanese Stewartia

Why has this lovely thing been overlooked or neglected? The erect growing branches of young plants quickly indicate a more erect tree, but this is just as desirable as its Mountain relative. Cup shaped white flowers are slightly smaller but the foliage is just as handsome, and when older the reddish bark peels off in large flakes.

4	to	5	ft.	B.	&	В	4.50	4.00
5	to	6	ft.	B.	&	В	6.00	5.40
6	to	8	ft.	B.	&	В	7.50	6.75

STRANVAESIA davidiana. 12'-15'

David Stranvaesia

EVERGREEN. Handsome indeed where the loose bunches of orange scarlet berries shine out against the rich deep green broad leaves. Given a sheltered spot it will well repay one.

1	to	11/2	ft.	B.	&	В	1.20	1.00
11/2	to	2	ft.	_		В		1.35

- undulata. 10'-12'

Wavy Leaf Stranvaesia

EVERGREEN. Quite similar to the type but has slightly smaller more wavy leaves and the berries are orange.

			-		
2	to	21/2 ft	R	ÆR	2.25

STYRAX

Each Ten Hundred

japonica. 18'-20'

Japanese Snowbell

To say merely "a beautiful tree" is almost a travesty on this comparatively unknown subject. In July the wide spreading branches are closely strung with nodding pure white bells, an exceedingly handsome picture. Specimens or lawn plants are more effective than in mass.

4	to	,6	ft.		1.50	1.35	1.20
6	to	8	ft.	•••••	2.25	2.00	
8	to	10	ft.		3.00	2.70	

obassia. 25'-30'

Fragrant Snowbell

Strikingly large round handsome leaves partially hide the well shaped white flowers but the fragrance causes one to look up and see the loose bunches along the branches. Rarely seen but splendid, appreciated when known.

8	to	10	ft.	В.	&	B	7.50
10	to	12	ft. sp	ecimer	ıs,	B. & B.	10.00

SYMPHORICARPOS chengulti. 3'-4' Chengult Coralberry

Quite an improvement on the Coralberry of which this is a hybrid. Always neat and well furnished in appearance particularly handsome when the slender branches are laden with the bunches of coral red fruits, which persist.

11/2	to	2	ft.	••••	.35	.30	.27
2	to	3	ft.	••••	.45	.40	.35
3	to	4	ft.		.55	.50	.45

racemosus. 4'-5'

Snowberry

Well loved for the large white berries which weigh down the willowy branches in September, widely used for inside decorations. Happiest in half shady spot but adaptable.

1½ to	2	ft.	•••••	.35	.30	
2 to	3	ft.	***************************************	.45	.40	
3 to	4	ft.		.55	.50	.45

vulgaris. 4'-5'

Coralberry

Like the Snowberry is not fastidious as to soil and location, in fact does well even in a dry shady place where the bunched coral berries remain bright until early spring. Somewhat straggling but splendid for naturalizing.

11/2	to	2	ft.	•••••	.30	.27	.24
2	to	3	ft.	•••••	.40	.35	.30
3	to	4	ft.	•••••	.50	.45	.40
4	to	5	ft.		.60	.55	

SYMPLOCOS paniculata. 20'-25'

Turquoise Berry

Just imagine a well grown Hawthorn heavily laden with turquoise blue berries and you have an idea of what this rarity looks like in autumn, a magnificent sight. In spring white flowers are quite conspicuous and an intricate arrangement of branches show in winter. Drainage please

2	to	3	ft.	••••••••	1.00	.90	.80
3	to	4	ft.	•••••	1.35	1.20	1. 0 0
4	to	5	ft.	•••••	2.00	1.80	1.65
5	to	6	ft.	•••••	3.00	2.70	
6	to	8	ft.	• • • • • • • • • • • • • • • • • • • •	3.50	3.00	

There is a subtle difference about salads flavored just right with Tarragon cut fresh from your own garden. See our complete list of Herbs page 116.

SYRINGA	Each	Ten Hu	ndred
chinensis. 12'-15'		Chinese	Lilac
Slender graceful branches terminate	in com		_
purple lilac flowers. This hybrid f			
ceded as better than its parent			
$1\frac{1}{2}$ to 2 ft	.50	.45	.40
2 to 3 ft	.70	.65	.60
— saugeana. 12'-15'	Purple	Chinese	Lilac
An even better variety with glowing			
far better foliage. Grows more vigor			
their best in May and develop into			
$1\frac{1}{2}$ to 2 ft	.50	.45	.40
persica. 8'-10'		Persian	Lilac
Doubtless will always be popular for	its frag	grant pale	lilac
flowers which are loosely arrange			
$1\frac{1}{2}$ to 2 ft	.60	.55	
vulgaris. 12'-15'	Commo	n Purple	Lilac
A great old commoner, the mere me			
fails to recall the delicious fragrance	of May.	By close	assc-
ciation with man from early days, h	as beca	ome an i	nstitu-
tion. The lovely flowers will smile	at yo	u every	year.
if given a sunny spot with sweet			
1½ to 2 ft	.35	.30	.25
2 to 3 ft	.45 .60	.40 .55	.35
4 to 5 ft	.75	.55 .65	.50
- 10 0 1	0	.00	
— alba. 12'-15'	Commo	on White	Lilac
Is the white form more fragrant? Just	try ther	n side by	side.
$1\frac{1}{2}$ to 2 ft	.40	.35	side.
1½ to 2 ft	.40 .50	.35 .45	
$1\frac{1}{2}$ to 2 ft	.40	.35	.30
1½ to 2 ft	.40 .50	.35 .45	.30 .40
1½ to 2 ft	.40 .50 .75	.35 .45 .65	.30 .40
1½ to 2 ft	.40 .50 .75	.35 .45 .65 Hybrid flowers,	.30 .40 Lilac lilac.
1½ to 2 ft	.40 .50 .75 double bright r	.35 .45 .65 Hybrid flowers, ourple-crin	.30 .40 Lilac lilac. mson.
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. French Lilacs. 8'-15' Alphonse Lavalle. Med. sized, Charles Joly. Double Edith Cavell. Double white. He	.40 .50 .75 double bright r	.35 .45 .65 Hybrid flowers, ourple-crine sturdy	.30 .40 Lilac lilac. mson. bush.
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. French Lilacs. 8'-15' Alphonse Lavalle. Med. sized, Charles Joly. Double Edith Cavell. Double white. He Emil Gentil. Bright cobalt blue	.40 .50 .75 double bright r andsom	.35 .45 .65 Hybrid flowers, ourple-crine sturdy really do	.30 .40 Lilac lilac. mson. bush.
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. French Lilacs. 8'-15' Alphonse Lavalle. Med. sized, Charles Joly. Double Edith Cavell. Double white. He Emil Gentil. Bright cobalt blu Jean Mace. Very larg	.40 .50 .75 double bright r andsome and e doubl	.35 .45 .65 Hybrid flowers, ourple-crine sturdy really do	.30 .40 Lilac lilac. mson. bush. buble.
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. French Lilacs. 8'-15' Alphonse Lavalle. Med. sized, Charles Joly. Double Edith Cavell. Double white. He Emil Gentil. Bright cobalt blu Jean Mace. Very larg Katherine Havemeyer. Large do	.40 .50 .75 double bright randsome and	.35 .45 .65 Hybrid flowers, ourple-crine e sturdy really do le purple- owers, mo	.30 .40 Lilac lilac. mson. bush. buble. blue.
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. French Lilacs. 8'-15' Alphonse Lavalle. Med. sized, Charles Joly. Double Edith Cavell. Double white. He Emil Gentil. Bright cobalt blu Jean Mace. Very larg Katherine Havemeyer. Large do	.40 .50 .75 double bright randsome and e double buble flactish lilat	.35 .45 .65 Hybrid flowers, purple-crime sturdy really do le purple owers, mo	.30 .40 Lilac lilac. mson. bush. buble. blue. auve.
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. French Lilacs. 8'-15' Alphonse Lavalle. Med. sized, Charles Joly. Double Edith Cavell. Double white. He Emil Gentil. Bright cobalt blu Jean Mace. Very larg Katherine Havemeyer. Large do Leon Gambetta. Double pink Ludwig Spaeth. Large single no	.40 .50 .75 double bright randsome and e double buble flationshila	.35 .45 .65 Hybrid flowers, ourple-crime sturdy really do le purple owers, mo c, tall gro	.30 .40 Lilac lilac. mson. bush. buble. blue. auve. ower. sters.
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. French Lilacs. 8'-15' Alphonse Lavalle. Med. sized, Charles Joly. Double Edith Cavell. Double white. He Emil Gentil. Bright cobalt blu Jean Mace. Very larg Katherine Havemeyer. Large do Leon Gambetta. Double pink Ludwig Spaeth. Large single no	.40 .50 .75 double bright randsome and e double buble flationshilar	.35 .45 .65 Hybrid flowers, curple-crime sturdy really do le purple- owers, mo c, tall gro urple clu e single	.30 .40 Lilac lilac. mson. bush. buble. blue. auve. ower. sters. pink.
Trench Lilacs. 8'-15' Alphonse Lavalle. Med. sized, Charles Joly. Double Edith Cavell. Double white. He Emil Gentil. Bright cobalt blu Jean Mace. Very larg Katherine Havemeyer. Large do Leon Gambetta. Double pink Ludwig Spaeth. Large single no Mad. Francisca Morel. Exceptional	.40 .50 .75 double bright randsome and e double cish lilation pily larg	.35 .45 .65 Hybrid flowers, purple-crime sturdy really do le purple owers, mo c, tall gro urple clu e single nkish flo	.30 .40 Lilac lilac. mson. bush. buble. blue. auve. ower. sters. pink. wers.
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. French Lilacs. 8'-15' Alphonse Lavalle. Med. sized, Charles Joly. Double Edith Cavell. Double white. He Emil Gentil. Bright cobalt blu Jean Mace. Very larg Katherine Havemeyer. Large do Leon Gambetta. Double pink Ludwig Spaeth. Large single no Mad. Francisca Morel. Exceptional Michael Buchner. Double Mont Blanc. Immense truss	.40 .50 .75 double bright randsome and ouble flaterow parties larger between the contraction of the contrac	.35 .45 .65 Hybrid flowers, ourple-crime sturdy really do le purple owers, mo c, tall grouple clu e single nkish flowers, le pure v	.30 .40 Lilac lilac. mson. bush. buble. blue. auve. ower. sters. pink. wers.
Trench Lilacs. 8'-15' Alphonse Lavalle. Med. sized, Charles Joly. Double Edith Cavell. Double white. He Emil Gentil. Bright cobalt blu Jean Mace. Very large Katherine Havemeyer. Large do Leon Gambetta. Double pink Ludwig Spaeth. Large single no Mad. Francisca Morel. Exceptional Michael Buchner. Double Mrs. Edward Harding. Bright	.40 .50 .75 double bright randsome and e double cish lilar arrow p lly larg uble, pi ses sing carmine	.35 .45 .65 Hybrid flowers, curple-crime sturdy really do le purple owers, mo c, tall gro urple clu e single nkish flowers, de pure verse double,	.30 .40 Lilac lilac. mson. bush. buble. blue. cuve. ower. sters. pink. wers. white. tall.
I ½ to 2 ft. 2 to 3 ft. 3 to 4 ft. French Lilacs. 8'-15' Alphonse Lavalle. Med. sized, Charles Joly. Double Edith Cavell. Double white. He Emil Gentil. Bright cobalt blue Jean Mace. Very large Katherine Havemeyer. Large does Leon Gambetta. Double pink Ludwig Spaeth. Large single not Mad. Francisca Morel. Exceptional Michael Buchner. Does Mont Blanc. Immense truss Mrs. Edward Harding. Bright Paul Thirion. Double. Lovely	.40 .50 .75 double bright randsome and e double cish lila arrow p lly larg uble, pi ses sing carmine	.35 .45 .65 Hybrid flowers, ourple-crime sturdy really do le purple owers, mo c, tall gro urple clu e single nkish flowers, de pure versed	.30 .40 Lilac lilac. mson. bush. buble. blue. auve. ower. sters. pink. wers. vhite. tall. buds.
I ½ to 2 ft. 2 to 3 ft. 3 to 4 ft. French Lilacs. 8'-15' Alphonse Lavalle. Med. sized, Charles Joly. Double Edith Cavell. Double white. He Emil Gentil. Bright cobalt blue Jean Mace. Very large Katherine Havemeyer. Large do Leon Gambetta. Double pink Ludwig Spaeth. Large single not Mad. Francisca Morel. Exceptional Michael Buchner. Double Mont Blanc. Immense trust Mrs. Edward Harding. Bright Paul Thirion. Double. Lovely President Failliere. Great truss	.40 .50 .75 double bright randsomme and somme and somme and somme somme somme somme somme somme somme somme carmine claret es double.	.35 .45 .65 Hybrid flowers, curple-crime sturdy really do le purple owers, mo c, tall gro urple clu e single nkish flowers e double, rose-red cole rosy	.30 .40 Lilac lilac. mson. bush. buble. blue. auve. ower. sters. pink. wers. vhite. tall. buds. lilac.
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. French Lilacs. 8'-15' Alphonse Lavalle. Med. sized, Charles Joly. Double Edith Cavell. Double white. He Emil Gentil. Bright cobalt blue Jean Mace. Very large Katherine Havemeyer. Large does Leon Gambetta. Double pink Ludwig Spaeth. Large single not Mad. Francisca Morel. Exceptional Michael Buchner. Does Mont Blanc. Immense truss Mrs. Edward Harding. Bright Paul Thirion. Double. Lovely President Failliere. Great truss President Grevy. Soft blue-very	.40 .50 .75 double bright randsome and e double buble flation plans arrow plly larg uble, pi ses sing carmine claret es doub	.35 .45 .65 Hybrid flowers, curple-crime sturdy really do le purple owers, mo c, tall gro urple clu e single nkish flowers, de double, rose-red cole rosy cuble flowers	.30 .40 Lilac lilac. mson. bush. buble. blue. cuve. sters. pink. wers. vhite. tall. buds. lilac. wers.
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. French Lilacs. 8'-15' Alphonse Lavalle. Med. sized, Charles Joly. Double Edith Cavell. Double white. H. Emil Gentil. Bright cobalt blue Jean Mace. Very large Katherine Havemeyer. Large do Leon Gambetta. Double pink Ludwig Spaeth. Large single not Mad. Francisca Morel. Exceptional Michael Buchner. Double Mont Blanc. Immense truss Mrs. Edward Harding. Bright Paul Thirion. Double. Lovely President Failliere. Great truss President Grevy. Soft blue-to- President Poincaire.	.40 .50 .75 double bright randsomme and e double cish lilatory p lly larg uble, pi ses sing carmine claret es double violet de	.35 .45 .65 Hybrid flowers, ourple-crime sturdy really do le purple owers, mo c, tall gro urple clu e single nkish flowers, rose-red ole rosy ouble flowers, Double v	.30 .40 Lilac lilac. mson. bush. buble. cuve. ower. sters. pink. wers. vhite. tall. buds. lilac. wers.
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. French Lilacs. 8'-15' Alphonse Lavalle. Med. sized, Charles Joly. Double Edith Cavell. Double white. Heal Gentil. Bright cobalt blue Jean Mace. Very large Katherine Havemeyer. Large do Leon Gambetta. Double pink Ludwig Spaeth. Large single not Mad. Francisca Morel. Exceptional Michael Buchner. Double Mont Blanc. Immense trust Mrs. Edward Harding. Bright Paul Thirion. Double. Lovely President Grevy. Soft blue-versident Grevy. President Poincaire. Reamur. Single	.40 .50 .75 double bright randsomme and e double cish lilator poly larg uble, pi ses sing carmine claret es doub dark so	.35 .45 .65 Hybrid flowers, ourple-crime sturdy really do le purple owers, mo c, tall gro urple clu e single nkish flow e double, rose-red ole rosy ouble flow Double verting carr	.30 .40 Lilac lilac. mson. bush. bush. ouble. blue. auve. ower. sters. pink. wers. vhite. tall. buds. lilac. ilac.
2 to 3 ft. 2 to 3 ft. 3 to 4 ft. French Lilacs. 8'-15' Alphonse Lavalle. Med. sized, Charles Joly. Double Edith Cavell. Double white. H. Emil Gentil. Bright cobalt blue Jean Mace. Very large Katherine Havemeyer. Large doe Leon Gambetta. Double pink Ludwig Spaeth. Large single not Mad. Francisca Morel. Exceptional Michael Buchner. Double Mont Blanc. Immense trust Mrs. Edward Harding. Bright Paul Thirion. Double. Lovely President Failliere. Great truss President Grevy. Soft blue-versident Poincaire. Reamur. Single Rubra de Marly. Si	.40 .50 .75 double bright randsomme and e double cish lilation plans ly larguble, pi ses sing carmine claret es doub dark sa	.35 .45 .65 Hybrid flowers, ourple-crime sturdy really do le purple owers, mo c, tall grouple clu e single nkish flowers, rose-red ole pure vertically color osy ouble flowers, color osy ouble vertiny carr uish lave	.30 .40 Lilac lilac. mson. bush. buble. blue. cuve. ower. sters. pink. wers. vhite. tall. buds. lilac. wers. ciolet. mine.
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. French Lilacs. 8'-15' Alphonse Lavalle. Med. sized, Charles Joly. Double Edith Cavell. Double white. Heal Gentil. Bright cobalt blue Jean Mace. Very large Katherine Havemeyer. Large do Leon Gambetta. Double pink Ludwig Spaeth. Large single not Mad. Francisca Morel. Exceptional Michael Buchner. Double Mont Blanc. Immense trust Mrs. Edward Harding. Bright Paul Thirion. Double. Lovely President Grevy. Soft blue-versident Grevy. President Poincaire. Reamur. Single	.40 .50 .75 double bright randsomme and e double cish lilation plans ly larguble, pi ses sing carmine claret es doub dark sa	.35 .45 .65 Hybrid flowers, ourple-crime sturdy really do le purple owers, mo c, tall gro urple clu e single nkish flow e double, rose-red ole rosy ouble flow Double verting carr	.30 .40 Lilac lilac. mson. bush. buble. blue. cuve. ower. sters. pink. wers. vhite. tall. buds. lilac. wers. ciolet. mine.
2 to 3 ft. 2 to 3 ft. 3 to 4 ft. French Lilacs. 8'-15' Alphonse Lavalle. Med. sized, Charles Joly. Double Edith Cavell. Double white. H. Emil Gentil. Bright cobalt blue Jean Mace. Very large Katherine Havemeyer. Large doe Leon Gambetta. Double pink Ludwig Spaeth. Large single not Mad. Francisca Morel. Exceptional Michael Buchner. Double Mont Blanc. Immense trust Mrs. Edward Harding. Bright Paul Thirion. Double. Lovely President Failliere. Great truss President Grevy. Soft blue-versident Poincaire. Reamur. Single Rubra de Marly. Si	.40 .50 .75 double bright randsomme and e double cish lila arrow p lly larg uble, pi ses sing carmine claret es doub dark sa ngle bla Double	.35 .45 .65 Hybrid flowers, ourple-crime sturdy really do le purple owers, mo c, tall gro urple clu e single nkish flow e double, rose-red ole rosy ouble flow Double ver uish lave e mauve	.30 .40 Lilac lilac. mson. bush. buble. blue. cuve. ower. sters. pink. wers. vhite. tall. buds. lilac. wers. ciolet. mine.
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. French Lilacs. 8'-15' Alphonse Lavalle. Med. sized, Charles Joly. Double Edith Cavell. Double white. He Emil Gentil. Bright cobalt blue Jean Mace. Very large Katherine Havemeyer. Large do Leon Gambetta. Double pink Ludwig Spaeth. Large single not Mad. Francisca Morel. Exceptional Michael Buchner. Double Mont Blanc. Immense trust Mrs. Edward Harding. Bright Paul Thirion. Double. Lovely President Failliere. Great trust President Grevy. Soft blue-versident Poincaire. Reamur. Single Rubra de Marly. Si Wm. Robinson.	.40 .50 .75 double bright randsomme and e double cish lilation plans ly larguble, pi ses sing carmine claret es doub dark sa	.35 .45 .65 Hybrid flowers, ourple-crime sturdy really do le purple owers, mo c, tall grouple clu e single nkish flowers, rose-red ole pure vertically color osy ouble flowers, color osy ouble vertiny carr uish lave	.30 .40 Lilac lilac. mson. bush. buble. blue. cuve. ower. sters. pink. wers. vhite. tall. buds. lilac. wers. ciolet. mine.

--- T ---

Each Ten Hundred

TAXUS baccata compacta. 10'-12' Compact English Yew

ALL EVERGREEN. Shaped like an enormous black-green egg standing on broad end. Stiff ascending branches

4	to	5	ft.	B. & I	3 9.00)
5	to	6	ft.	B. & I	3 12.00)
6	to	7	ft.	B. & I	3 18.00)

-- ovata. 12'-15'

Oval Yew

Comparatively new and a worthwhile kind. Quite upright and narrow in youth but develops into a narrow compact oval shaped column of deep green. A splendid form.

15	to	18	in.	B.	&	B	2.00	1.80
1 1/2	to	2	ft.	В.	&	В	3.00	2.70
2	to	$2\frac{1}{2}$	ft.	В.	&	B	4.00	3.60
21/2	to	3	ft.	B.	&	В	5.25	

- repandens. 2'-3'

Spreading English Yew

Winter coloring is particularly rich when the long curved leaves constitute the darkest green spot in the landscape. Spreading horizontal branches form a most useful bush for low plantings or large rock work; makes nandsome edging.

12	to	15	in. spread, B. & B	2.25	2.00	1.80
15	to	18	in. spread, B. & B	3.00	2.70	2.40
11/2	to	2	ft. spread, B. & B	3.75	3.30	3.00
2	to	$2\frac{1}{2}$	ft. spread, B. & B	5.25	4.80	
$2\frac{1}{2}$	to	3	ft. spread, B. & B	6.75		

— washingtoni. 6'-8'

Golden Yew

Rather a surprising color among the somber Yews, but a handsome variation, brightest in summer. A broad bush

2½ to 3 ft. spread, B. & B..... 6.00

canadensis. 3'-4'

Canada Yew

Under the dense shade of Pines and Hemlocks on a moist cool slope this "ground Hemlock" is the ideal ground cover. Altho extremely hardy must not be exposed to winter sun.

12	to	15	in. spread, B. & B	2.25	2.00
15	to	18	in. spread, B. & B	2.75	2.50
11/2	to	2	ft. spread, B. & B	3.50	3.00
2	to	$2\frac{1}{2}$	ft. spread, B. & B	5.00	

- strictα. 2'-2½'

Dwarf Hedge Yew

Added to its inherent hardiness the compact bushy character of this newcomer make it a thoroughly dependable evergreen hedge plant. Withstands severe clipping, retains a dark green color throughout the year.

12	to	15	in.	B.	&	B	2.25	2.00	1.80
15	to	18	in.	В.	&	В	3.00	2.70	2.40
l ½	to	2	ft.	В.	&	B	3.75	3.50	3.00
2	to	$2\frac{1}{2}$	ft.	B.	δ	B	5.25	4.80	
$2\frac{1}{2}$	to	3	ft.	В.	&	В	6.00	5.40	

Would you like to have a clipped Yew hedge? More than any other one factor a neat hedge, already shaped, gives a finished appearance to garden or terrace. For shapes and sizes available, see page 80, priced by the lineal foot. See them at nursery.

TAXUS—Continued

Each Ten Hundred

cuspidata. 12'-15'

Japanese Yew

Vigorous, hardy, most dependable and practically naturalized gives promise of becoming as venerable here as the English Yew in its homeland. Unless pruned occasionally will attain tremendous spread with an open center. Splendid dark green leaves are often bejeweled with brilliant crimson fruits in autumn, a "christmasy" effect. No better evergreen hedge plant. Bushy plants.

12	to	15	in. spread, B.	&Β	1.20	1.00	.90
			•				
15	to	18	in. spread, B.	& Β	1.65	1.50	1.35
$1\frac{1}{2}$	to	2	ft. spread, B.	& B	2.25	2.00	1.80
2	to	$2\frac{1}{2}$	ft. spread, B.	& B	3.50	3.00	2.70
$2\frac{1}{2}$	to	3	ft. spread, B.	& B	5.00	4.50	4.00
3	to	31/2	ft. spread, B.	& B	7.50	6.75	6.00
31/2	to	4	ft. spread, B.	& B	10.00	9.00	
4	to	5	ft. spread, B.	& B	15.00	13.50	
5	to	6	ft. spread, B.	& B	20.00	18.00	

— Anderson form. 12'-15'

Anderson Yew

Grow	rs e	ven i	more freely but	needs	the knife.	A fine	hedge.
12	to	15	in. spread, B. 8	& B	1.20	1.00	.90
15	to	18	in. spread, B. &	\$ В	1.65	1.50	1.35
1 1/2	to	2	ft. spread, B. &	ъ В	2.25	2.00	1.80
			ft. spread, B. &		3.50	3.00	2.70
$2\frac{1}{2}$	to	3	ft. spread, B. &	ъ В	5.00	4.50	•
			ft. spread, B. &		7.50	6.75	100
			ft. spread, B. &		10.00	9.00	

— capitata. 20'-25'

Tree Form Japan Yew

This is really the typical Japanese Yew from which the spreading bush form has sprung. Handsome indeed are the broad well filled pyramids so effectively used in formal gardens or a lawn specimen, and even as tub plants. Perfectly adapted for the taller hedge. Very striking with young growth in spring. Sheared or natural.

1 1/2	to	2	ft.	В.	&	В	2.00	1.80	1.50
2	to	$2\frac{1}{2}$	ft.	В.	&	В	3.00	2.70	2.40
$2\frac{1}{2}$	to	3	ft.	В.	&	В	4.00	3.60	3.30
3	to	31/2	ft.	В.	&	B	5.50	5.00	4.50
31/2	to	4	ft.	В.	&	B	7.50	6.75	6.30
4	to	5	ft.	В.	&	B	10.00	9.00	8.10
5	to	6	ft.	В.	&	В	13.50	12.00	11.00
6	to	7	ft.	В.	&	B	18.00		

— compact form. 6'-8'

Compact Japanese Yew

Because of its distinct very compact habit we selected this variety and have propagated only the best. Grows slowly and without any pruning remains a well filled bush of rich dark green. Will eventually be demanded.

		-			4
$1\frac{1}{2}$ to	2 f	t. B.	&	В	3.75
2 to	$2\frac{1}{2}$ f	t. B.	&	B	4.50
$2\frac{1}{2}$ to	3 f	t. B.	&	B	6.00

-- densα. 4'-5'

Dense Japanese Yew

From the Arnold Arboretum—a dwarf very compact type with many ascending branches forming a rounded bush.

				_	_
9	to	12	in.	В. & В	2.00

Every one of the items mentioned on page 119 is a worthwhile plant—worthy of a place in your garden—every one has been tested—a selection even at random is sure to be interesting.

TAXUS cuspidata—Continued

Each Ten Hundred

--- nana. (brevifolia). 5'-6'

Dwarf Japanese Yew

Conservative and careful, it takes time for this member to assume proportions becoming the dignity of such an aristocrat. Irregularly spreading in growth it will merge with rock garden planting or is excellent for permanent low effects. Intense blackish green leaves are enhanced by the coldest winter. Various shapes available.

6	to	9	in. spread, B. & B	1.00	.9 5	.90
9	to	12	in. spread, B. & B	1.50	1.35	1.20
12	to	15	in. spread, B. & B	2. 25	2.10	1.95
15	to	18	in. spread, B. & B	3.25	3.00	2.70
11/2	to	2	ft., spread, B. & B	4.50	4. 0 0	3.75
2	to	$2\frac{1}{2}$	ft. spread, B. & B	6.75	6.00	5.40
21/2	to	3	ft. spread, B. & B	9.00	8.00	· 7. 20
3	to	31/2	ft. spread, B. & B	12.00	11.00	
31/2	to	4	ft. spread, B. & B	18.00		

--- Upright form. 4'-5'

Dwarf Upright Yew

After many years we can offer this very slow growing gem. It has the thick blackish green foliage of "nana" but the branches grow erect to form a rugged little cone.

9	to	12	in.	В.	&	B	2.25
12	to	15	in.	B.	&	В	3.00
15	to	18	in.	B.	&	B	4.00

— nigra. 6'-8'

Black Japanese Yew

Compact bushes are slowly formed by many ascending branches clothed with the blackest green leaves.

15	to	18	in.	spread,	В.	&	B	3.25	3.00
11/2	to	2	ft.	spread,	В.	&	B	4.50	4.00
2	to	$2\frac{1}{2}$	ft.	spread.	B.	&	B	6.7 5	

- sieboldi. 12'-15'

Siebold Yew

A vigorous bushy "cuspidata" that develops real character in a few years. Quickly forms a strong well filled hedge.

12	to	15	in.]	В.	δ	B	1.35	1.20	1.00
15	to	18	in.]	В.	&	В	2.00	1.80	1.65
11/2	to	2	ft.]	B.	&	B	2.75	2.50	2.25
2	to	$2\frac{1}{2}$	ft.	.]	B.	&	B	4.00	3.60	3.30
21/2	to	3	ft.]	B.	&	B	6.00	5 .50	
3	to	31/2	ft.		В.	&	B	9.00		
31/2	to	4	ft.]	В.	&	B	12.00		

media. 12'-15'

Hybrid Yew

Quite similar but more vigorous and bushy than "nana." Doubtless one of the handsomest evergreen shrubs for supplying the deep green note. Forms a characterful hedge.

	-					-
12	to	15	in. spread, B. & B	1.50	1 .3 5	1.20
15	to	18	in. spread, B. & B	2.25	2.00	1.80
11/2	to	2	ft. spread, B. & B	3.00	2.70	2.40
2	to	$2\frac{1}{2}$	ft. spread, B. & B	4.50	4.00	3. 60
$2\frac{1}{2}$	to	3	ft. spread, B. & B	6.00	5.40	5.0 0
3	to	31/2	ft. spread, B. & B	9.00		
31/2	to	4	ft. spread, B. & B	12.00		

--- browni. 5'-6'

Brown's Yew

The broad upright bushy character is first class for hedging—needs but little pruning to keep it in shape—good color all winter. A favorite of the originator.

12 to	15	in.	B. & B	1.7 5	1.50	1.35
15 to	18	in.	B. & B	2.25	2.00	
$1\frac{1}{2}$ to	2	ft.	B. & B	3.00	2.70	

TAXUS media—Continued Ten Each Hundred - hatfieldi. 12'-15' Hatfield Yew Forms a compact perfectly furnished cone shaped bush that offers many possibilities especially in the small garden. to 15 in. B. & B..... 1.35 1.20 1.00 & 15 18 to in. В. В..... 2.00 1.80 1.65 1½ to 2 ft. В. & В..... 3.00 2.70 2.25 2 2½ ft. В. δ B..... to 4.50 4.00 3.50 $2\frac{1}{2}$ to ft. 3 В. & В..... 5.00 6.00 5.40 3 3½ ft. B. & В..... to 9.00 8.00 3½ to 4 ft. В. & В..... 12.00 11.00 4 В. & B..... to ft. 15.00 – hicksi. 10'-12' Hicks Yew A hardy substitute for the columnar Irish Yew. Upright branches are clothed with typical dark green leaves. Planted closely you have a ready made hedge. B. & B..... in. 1.20 1.10 1.00 15 18 B. & B..... to in. 1.80 1.65 1.50 $1\frac{1}{2}$ to B. & B..... ft. 2.50 2.25 2.00 $2\frac{1}{2}$ ft. to B. & B..... 3.75 3.50 3.25 $2\frac{1}{2}$ to B. & B..... 3 ft. 5.25 4.804.50 B. & B..... to $3\frac{1}{2}$ ft. 8.00 7.20 6.75 3½ to 4 B. & B..... ft. 10.00 9.00 to 5 ft. B. & B..... 13.50 12.00 — wellesleyana. 8'-10' Wellesley Yew Another child of Hatfield's that promises to be outstanding as a real hardy substitute for Irish Yew. The closely packed branches all grow upward to make, in youth at least, a well shaped fat column well furnished with thick rich green leaves. This will surely remain popular. 15 B. & B..... in. 2.00 1.80 1.65 B. & B..... 15 to 18 2.75 2.50 in. 2.25 1½ to 2 B. & B..... ft. 4.00 3.60 2 to $2\frac{1}{2}$ ft. В. & B..... FINISHED YEW HEDGES With a view of supplying a finished article wherever possible and prompted by a number of requests we have been growing some Yew hedges of various shapes and sizes and for the first time now offer these well clipped compact hedges. TAXUS cuspidata Japanese Yew 560 Lineal feet. Clipped round. 16 to 18 inches tall by 16 to 18 inches broad. 3.00 per foot TAXUS cuspidata sieboldi Siebold Yew 65 Lineal Feet. Clipped Square. Flat top and sides. 28 inches tall by 24 inches broad. 6.00 per lineal foot TAXUS cuspidata capitata Tree Form Japan Yew 150 Lineal feet. Formal pyramid. Clipped to a point. 3 to $3\frac{1}{2}$ feet tall by 18 to 20 inches at base. 6.00 per foot TAXUS cuspidata Clipped cubes Topiary Yew Ideal for formal gardens or finishing the end of hedges. 1½ to ft. $\times 1\frac{1}{2}$ ft. B. & B..... 6.00 Each

 $2\frac{1}{2}$ ft. x 2

ft. x 2

 $3\frac{1}{2}$ ft. x $2\frac{1}{2}$ ft.

ft.

ft.

B. & B...... 9.00 Each

B. & B...... 12.00 Each

B. & B...... 15.00 Each

to

3

 $2\frac{1}{2}$ to

Each Ten Hundred

TEUCRIUM chamaedrys. 12"-15"

Germander

EVERGREEN. Interesting rock garden shrub with glossy deep green leaves and rose-purple flowers in loose spikes. Can be successfully used to substitute Boxwood edging.

21/4"	Pote	25	20	1 =
4	T Of	.40	.20	.15
2 3	year field grown	25	20	Ωı
4	redi Heid Glowii	.00	.40	.41

THUYA. ALL EVERGREEN

occidentalis. 30'-35'

American Arborvitae

Certainly a most prolific species giving rise to many handsome widely differing forms. Too often is this "Tree of Life" prejudged in its infancy, for surely does it assume its natural place among the patriarchs of the tree world. Generally useful for hedging or formal work, its well clothed pyramidal outline can be sheared severely without hurt. Brown inside foliage can be vigorously shaken out in early spring. Most Arborvitaes prefer a moist place.

3	to	4	ft.	В.	&	В	2.00	1.80	1.65
4	to	5	ft.	В.	&	В	3.00	2.70	
5	to	6	ft.	В.	&	В	4.00	3.60	
6	to	7	ft.	В.	&	B	5.5 0	5 .00	
7	to	8	ft.	В.	&	В	6.75	6.00	
8	to	10	ft.	В.	δ	В	9.00		
10	to	12	ft.	В.	&	В	12.00		

— compacta. 4'-5'

Parson's Arborvitae

Naturally almost globe shape.—Light green foliage. 2½ to 3 ft. B. & B....... 3.00

— douglasi aurea. 15'-20'

Douglas Golden Arborvitae

Bronzy yellow foliage clothes the well shaped pyramid. Very hardy and quick growing. Quite attractive in spring.

$2\frac{1}{2}$	to	3	ft.	В.	&	В	1.50	1.35
3	to	4	ft.	В.	&	В	2.00	1.80
4	to	5	ft.	B.	&	В	3.00	2.70
5	to	6	ft.	В.	&	В	4.00	3.60
6	to	7	ft.	В.	&	В	5.50	5 .00
7	to	8	ft.	В.	&	B	6.75	6 .0 0
8	to	10	ft.	В.	&	B	9.00	8.00

— pyramidalis (plicata). 20'-25'

Douglas Arborvitae

Easily identified by the curiously twisted fern like branches covered with typical shiny green scale like leaves. A narrow pyramid with short lateral branches.

6	to	8	ft.	В.	&	В	7.50
8	to	10	ft.	B.	&	В	10.00

— elegantissima. 15'-20'

Golden Tipped Arborvitae

Fleshy lustrous green leaf-branches are in spring conspicuously tipped with gold but retain their vivid green throughout the winter. A well formed broad based pyramid. This is one of the finest of the varieties.

uiiia.	111	110	ID OILC	OI LII	J 1.	IIICSI OI	tiic varie	LICS.	
21/2	to	3	ft.	В.	&	В	2.00	1.80	1.65
3	to	4	ft.	В.	&	В	2.7 5	2.50	2.25
4	to	5	ft.	В.	&	В	3.7 5	3.25	3.00
5	to	6	ft.	В.	δ	В	5.00	4.50	
6	to	7	ft.	В.	&	В	6.00	5.40	
7	to	8	ft.	В.	δ	В	8.00		
8	to	10	ft.	В.	&	В	10.00		

Please feel free to consult with us on any planting problem you may have.

THUYA occidentalis—Continued

Each Ten Hundred

--- globosα. 3'-4'

Globe Arborvitae

A little ball of light green just made for formal designs. 12 to 15 in. B. & B....... 1.00 .90 .80

14	LO	10	111.	ъ.	Œ	D	1.00	.90
15	to	18	in.	В.	&	В	1.35	1.20

-- hoveyi. 3'-4'

Hovey Arborvitae

Broadly oval in outline, bright green foliage, fresh in spring. 3 to $3\frac{1}{2}$ ft. B. & B....... 4.00

- Little Gem. 2'-3'

Little Gem Arborvitae

Apparently has been overlooked for whenever seen this appropriately named little fellow rarely fails to excite admiration and desire to possess. Hugging the ground all through life it slowly spreads and expands in billowy humps creating an age old effect. For edging, a low informal hedge, or any low planting, fitting and permanent.

12	to	15	in. spread, B. & B	1.75	1.50	1.20
15	to	18	in. spread, B. & B	2.25	2.00	1.80
$1\frac{1}{2}$	to	2	ft. spread, B. & B	3.00	2.70	2.40
2	to	$2\frac{1}{2}$	ft. spread, B. & B	4.00	3.60	

-- lutea. 12'-15'

Geo. Peabody Arborvitae

Conspicuous at all times with bright yellow foliage throughout the well shaped pointed column. Helped by trimming.

3	to	4	ft.	В.	&	В	2.00	1.80
4	to	5	ft.	В.	&	В	3.00	2.70
5	to	6	ft.	В.	&	В	4.00	3.60
6	to	7	ft.	В.	&	В	5 .50	5.00
7	to	8	ft.	B.	&	В	6.75	6.00
8	to	10	ft.	В.	&	В	9.00	8.00

- nigra. 30'

Dark American Arborvitae

Selected for its remarkably dark green foliage which retains its color far better than the type. Typical growth.

2	to	3	ft.	B., & B	2.00
_		_	11.	D. G. D	. 2.00

— pumila. 3'-4'

Dwarf Arborvitae

In juvenile stage practically a globe but eventually becomes a notably round topped bush. Very dependable.

12 to	15 in.	B. & B	1.20	1.00	.90
15 to	18. i n.	В. & В	1.50	1.35	1.20
$1\frac{1}{2}$ to	2 ft.	В. & В	2.00	1.80	1.65
2 to	$2\frac{1}{2}$ ft.	В. & В	2.50	2.25	



SPRINGFIELD, N. J. 83 Each Ten Hundred THUYA occidentalis—Continued 25'-30' Pyramidal Arborvitae - pyramidalis. In a narrow column clothed with lively green foliage that retains its color throughout winter. Useful alike in formal or informal planting for the spire-like shafts or as a hedge. В..... 1.35 2½ ft. В. δ 1.20 to $2\frac{1}{2}$ to 1.65 1.50 3 ft. В. & В..... 1.80 2.25 2.00 3 В. & 2.50 to 4 ft. B..... 3.75 3.30 3.00 4 5 В. & ft. to В..... 5 å 5.00 4.50 4.00 6 В. to ft. В..... 7 5.40 5.00 6 ft. В. & B..... 6.00 7 & 7.50 6.75 B..... to 8 ft. В. B..... 8 10 ft. В. હ 10.00 9.00 to 10 12 В. & В..... 13.50 to ft. 8'-10' - rosenthali. Rosenthal Arborvitae Decidedly worthy of wider use, as it grows slowly and its knobby rugged appearance improves with age, maturing as a "weathered" column of dark green. 21/2 to & B..... 2.00 1.80 3 ft. В. 2.25 2.40 В..... 2.70 3 4 В. & 3.00 ft. to 4 5 3.60 to ft. В. & В..... 4.00 - umbraculifera. 3'-4' Umbrella Arborvitae Low spreading branches soon form a luscious looking rich green mushroom shaped bush. A worthwhile low form. 3½ ft. B. & B..... $3\frac{1}{2}$ to ft. B. & B..... 6.00 10'-12' Vervaen Arborvitae vervaeneana. Another broad pyramid of exceptional vigor and hardiness. The foliage varies from green to yellow and bronze. 3 2.50 2.00 4 ft. В. & В..... 2.25 to 5 3.75 4 B. & 3.30 3.00 ft. В..... to 5 6 B. & 5.00 4.50 to ft. B..... 7 & 6 ft. В. B..... 6.00 to 7 8 & В..... ft. В. 7.50 to 10 В. & В..... 10.00 to ft. 12'-15' Siberian Arborvitae wareana. Exceedingly hardy, this dense growing form makes a splendid hedge although as a spot plant its rugged broad pyramid is worthy of consideration. Improves with age. 2 to $2\frac{1}{2}$ ft. B. & В..... 1.65 1.50 1.35 $2\frac{1}{2}$ to В..... 3 ft. B. δ 2.25 2.00 1.80 3.00 В..... 3 4 ft. B. E 2.70 2.50 to & B..... 5 В. 4.50 4.00 to ft. 3.60 orientalis (BIOTA) 25'-30' Oriental Arborvitae Flat fan like branches pressed together "on end" form at first an oval shape column brilliantly clothed in emerald Develops into a bushy pyramidal tree. B. & B....... 2.25 green foliage. 4 10'-12' - aurea conspicua (BIOTA) Goldspire Arborvitae

Gayly dressed in bright yellow foliage that deepens to glowing old gold and warm brown in winter. Columnar.

2	to	21/2	ft.	B.	&	В	2.00	1.80	1.65
$2\frac{1}{2}$	to	3	ft.	В.	&	B	2.50	2.25	2.00
3	to	4	ft.	В.	&	В	3.50	3.25	3.00
4	to	5	ft.	В.	&	В	5.00	4.50	
5	to	6	ft.	В.	&	В	6.75		

THUYA orientalis

Each Ten Hundred

4'-5' - aurea nana.

Berckman Golden Arborvitae

From the "bed plant" to old age the same compact neat egg-shape mass is retained, changing from the brilliant yellow high lights of spring to warm reddish brown tones, tipped with gold in winter. Popular for edging.

15	to	18	in.	В.	&	В	2.00	1.80
11/2	to	2	ft.	В.	æ	B	2.75	2.40

- compacta (BIOTA)

Siebold Arborvitae

Except for its vivid constant green foliage is similar to "Berckman." Most useful when color isn't wanted. color isn't wanted.

 $2\frac{1}{2}$ to B. & B..... 3 ft. 3.00

-elegantissima (BIOTA) 10'-12' Yellow Column Arborvitae

In outline a broad swelling column, quite compact and well furnished. Few if any conifers can compare favorably to this handsome bush for warm rich coloring throughout the year. Spring covers the surface with sparkling yellow tips ripened by the summer sun to golden brown, and winter brings out the rich reddish bronze coat flecked with yellow brilliants, with vivid green inside.

						-		
2	to	$2\frac{1}{2}$	ft.	В.	&	B	2.00	1.80
$2\frac{1}{2}$	to	3	ft.	В.	&	B	2.50	2.25
3	to	4	ft.	В.	&	B	3.50	3.30
4	to	5	ft.	В.	ጽ	B.	5.00	4.50

plicata atrovirens (lobbi) 35'-40'

Giant Arborvitae

Lustrous green fleshy leaves clothe the branchlets assuming warm bronze tones in winter. Given a sunny reasonably moist spot will quickly develop into a splendid dignified irregular tree. Quite unlike any other arborvitae.


						-		
2	to	3	ft.	B. & I	В	1.80	1.65	1.50
3	to	4	ft.	B. & I	B	2.50	2.25	2.00
4	to	5	ft.	B. & I	B	3.50	3.25	3.00
5	to	6	ft.	B. & 1	В	5.00	4.50	
8	to	10	ft.	B. & I	B	12.00		
10	to	12	ft.	B. & I	B	15.00		

standishi. 12'-15'

Standish Arborvitae

Rather sorrowful but provides a welcome "break" with its open branches, irregular pyramidal habit and coarse growth. The south side tones to a warm bronze in winter.

2	to	3	ft.	В.	&	B	2.00	1.80	1.65
3	to	4	ft.	В.	&	В	2.50	2.25	2.00
4	to	5	ft.	В.	&	В	3.50	3.00	
5	to	6	ft.	В.	&	В	5.00		
6	to	7	ft.	В.	&	В	6.50		
7	to	8	ft.	В.	&	B	9.00		
8	to	10	ft.	В.	&	B	12.00		



Behold the trees unnumbered rise, Beautiful, in various dyes; The gloomy pine, the poplar blue, The yellow beech, the sombre yew, The slender fir that taper grows, The sturdy oak with broad-spread boughs.

TILIA

Each Ten Hundred

americana. 80'-90'

American Linden

In a fairly moist location this native Basswood will, once started, quickly develop into a large limbed round topped tree, handsome in its dress of great heart shaped leaves, conspicuous in June when the fragrant flowers attract bees.

10	to	11	ft.,	$1\frac{1}{2}$	to	$1\frac{3}{4}$	in	3.25	3.00
11	to	12	ft.,	13/4	to	2	in	4.00	3 .60
12	to	14	ft.,	2	to	$2\frac{1}{2}$	in	5.00	4.50
12	to	14	ft.,	$2\frac{1}{2}$	to	3	in	6.50	6.00
14	to	16	ft.,	3	to	31/2	in	9.00	8.00
16	to	18	ft	$3\frac{1}{2}$	to	4	in	11.00	10.00

cordata. 70'-80'

Littleleaf European Linden

Generally conceded the best form for street planting as the dark green leaves remain good until late autumn. The compact low branched head is particularly fitted to lawn purposes where the branches make a natural canopy.

8	to	10	ft.,	11/4	to	$1\frac{1}{2}$	in	3. 75	3.30	3.00
10	to	11	ft.,	11/2	to	$1\frac{3}{4}$	i n	4.50	4.00	3.60
11	to	12	ft.,	13/4	to	2	in	5.50	5.00	4.50
12	to	14	ft.,	2	to	$2\frac{1}{2}$	in	6.75	6.00	5.40
12	to	14	ft.,	$2\frac{1}{2}$	to	3	in	9.00	8.00	
12	to	14	ft.,	3	to	31/2	in	12.00		
14	to	16	ft.,	31/2	to	4	in	13.50		

euchlora. 70'-80'

Crimean Linden

Shiny yellow branchlets, distinctive—good clean foliage.

8	to	10	ft.			• • • • • • • •	•••••	3.00	2.70
								3.75	3 .30
10	to	12	ft.,	11/2	to	$1\frac{3}{4}$	in	5.00	
10	to	12	ft.,	$1\frac{3}{4}$	to	2	in	6.50	
12	to	14	ft	2	to	$2\frac{1}{2}$	in	9.00	

platyphyllos (grandiflora) 80'-100' Bigleaf European Linden

Maybe not as popular as the small leaved brother but a robust handsome fellow that has made famous the stately avenues of Europe. Both types are often formally clipped.

			_						_	
9	to	10	ft.,	11/4	to	11/2	in	3.00	2.70	2.40
10	to	11	ft.,	11/2	to	13/4	in	4.00	3.60	3.25
11	to	12	ft.,	$1\frac{3}{4}$	to	2	in	5.25	4.80	4.25
12	to	14	ft.,	2	to	$2\frac{1}{2}$	in	6.75	6.00	5.40
12	to	14	ft.,	$2\frac{1}{2}$	to	3	in	9.00	8.00	
14	to	16	ft.,	3	to	31/2	in	12.00		
14	to	16	ft	31/2	to	4	in	13.50		

- pyramidalis. 40'-50'

Pyramidal Linden

For narrow avenues or even an accent tree this would be a good choice as the clean branches all grow upward.

8 to 10 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in.... 9.00

tomentosa. (argentea) 50'-60'

Silver Linden

Few trees could be more handsome than this striking species. The heart-shaped leaves are green above and silvery white beneath. Grows into a compact specimen, in June surrounded by bees gathering honey from the sweetly fragrant greenish yellow flowers.

	4			J =		1		
8	to	10	ft.,	$1\frac{1}{2}$	to	13/4	in	5.25
10	to	12	ft.,	13/4	to	2	in	6.75
10	to	12	ft.,	2	to	$2\frac{1}{2}$	in	9.00
12	to	14	ft	$2\frac{1}{2}$	to	3	in	12.00

TSUGA

Each Ten Hundred

canadensis. 70'-80'

Canada · Hemlock

EVERGREEN. Grace, dignity and beauty have conspired successfully to make this American a living example of magnificent stateliness. With plenty of space the tree claims right to its noble forest stature, but is willing to be clipped into hedges—splendid walls of close textured green. Half shade or a north slope is preferred but sun is alright too.

to	2	ft.	В. & В	1.35	1.20	1.00
to	$2\frac{1}{2}$	ft.	В. & В	1.80	1.65	1.50
to	3	ft.	В. & В	2.50	2.25	2.00
to	4	ft.	B. & B	3.50	3.30	3.00
to	5	ft.	В. & В	5.00	4.50	4.00
to	6	ft.	В. & В	7.50	6.75	
to	7	ft.	В. & В	11.00		
to	8	ft.	В. & В	15.00		
to	10	ft.	specimens, B.&B.	21.00	19.50	
to	12	ft.	specimens, B.&B.	30.00	27.00	
to	14	ft.	specimens, B.&B.	42.00	39.00	
	to to to to to to to	to 2½ to 3 to 4 to 5 to 6 to 7 to 8 to 10	to $2\frac{1}{2}$ ft. to 3 ft. to 4 ft. to 5 ft. to 6 ft. to 7 ft. to 8 ft. to 10 ft. to 12 ft.	to 2½ ft. B. & B to 3 ft. B. & B to 4 ft. B. & B to 5 ft. B. & B to 6 ft. B. & B to 7 ft. B. & B to 8 ft. B. & B to 10 ft. specimens, B.&B. to 12 ft. specimens, B.&B.	to 2½ ft. B. & B 1.80 to 3 ft. B. & B 2.50 to 4 ft. B. & B 3.50 to 5 ft. B. & B 5.00 to 6 ft. B. & B 7.50 to 7 ft. B. & B 11.00 to 8 ft. B. & B 15.00 to 10 ft. specimens, B.&B. 21.00 to 12 ft. specimens, B.&B. 30.00	to 2½ ft. B. & B 1.80 1.65 to 3 ft. B. & B 2.50 2.25 to 4 ft. B. & B 3.50 3.30 to 5 ft. B. & B 5.00 4.50 to 6 ft. B. & B 7.50 6.75 to 7 ft. B. & B 11.00 to 8 ft. B. & B 15.00 to 10 ft. specimens, B.&B. 21.00 19.50 to 12 ft. specimens, B.&B. 30.00 27.00

— atrovirens. 20'-25'

Deep Green Hemlock

A gem indeed, in which the flat needles of varying sizes are closely packed on the short branchlets to make a dense plump pyramid. Truly a handsome specimen. 12 to 15 in. B. & B........ 4.00

— dwarf forms. 4'-10'

Dwarf Hemlocks

Selected seedlings that differ in character and rate of growth to the type. Interesting and beautiful but unnamed.

2	to	3	ft.	В.	&	В	4.00
4	to	5	ft.			B	9.00
5	to	6	ft.	B.	&	B	12.00
6	to	7	ft	B	ጽ	B	18 00

- fremdi. 15'-20'

Fremd Hemlock

Slowly but surely this aristocrat develops into a most handsome specimen, broadly pyramidal in outline. Rich foliage is crowded on branchlets completely clothing whole.

15	to	18	in.	В. &	В	5.00		
$1\frac{1}{2}$	to	2	ft.	В. &	В	6.75		
2	to	$2\frac{1}{2}$	ft.	В. &	В	9.00		
$2\frac{1}{2}$	to	3	ft.	B. &	В	11.00		
10	to	12	ft.	specimens	B &B	50.00 to	75.00	each

— pendula. 6'-8'

Sargent Weeping Hemlock

EVERGREEN. Makes a tremendous mound of wavy outline many times broader than high, always well clothed and neat. Like all good things it develops slowly but becomes a real possession in your "personal effects."

2	to	$2\frac{1}{2}$	ft. spread, B. & B	8.00	7.20
			ft. spread, B. & B	10.00	9.00
			ft. spread, B. & B	12.00	11.00
$3\frac{1}{2}$	to	4	ft. spread, B. & B	15.00	13.50
4	to	5	ft. spread, B. & B	19.50	18.00
6	to	8	ft. odd shape, B.&B.	45. 0 0	

Would you like to have a clipped Yew hedge? More than any other one factor a neat hedge, already shaped, gives a finished appearance to garden or terrace. For shapes and sizes available, see page 80, priced by the lineal foot. See them at nursery.

TSUGA—Continued

Each Ten Hundred

caroliniana. 40'-50'

Carolina Hemlock

EVERGREEN. Compared with the "Canada" Hemlock, this southerner has longer yew-like foliage, irregularly disposed on the twigs, and the spreading half drooping branches are so arranged as to create splendid shadow patterns. Absolutely hardy, in fact the foliage seems proof against sun scalding. One of the aristocrats.

21/2	to	3.	ft.	В.	&	В	3.00	2.70
3	to '	4	ft.	B.	&	B	4.00	3.60
4	to	5	ft.	B.	&	B	5.50	5.00
5	to	6	ft.	В.	&	В	8.00	7.20
6	to	7	ft.	B.	&	B	12.00	11.00
7	to	8	ft.	В.	&	B	16.50	15.00
8	to	10	ft.	B.	&	В	22.50	21.00
10	to	12	ft.	B.	હ	В	30.00	

diversifolia. 40'-50'

Japanese Hemlock

With us a very slow grower with short blunt yew-like leaves evenly disposed on reddish branchlets. Side branches are short and horizontal forming a graceful pyramid of rich dark glossy green foliage. Quite hardy.

12	to	15	in.	В.	&	В	2.25	2.00
15	to	18	in.	В.	&	В	3.00	2.70
11/2	to	2	ft.	B.	&	В	4.00	3.60
2	to	21/2	ft.	В.	&	В	5.25	

— **U** —

ULMUS americana. 100'

American Elm

Almost wherever you go the lofty arching branches silently pronounce a benediction on the traveller. No tree it would seem can be more majestic than our dear old American Elm, a tower of strength, grace and beauty.

12	to	14	ft.,	2	to	$2\frac{1}{2}$	in	4.00	3.60
12	to	14	ft.,	$2\frac{1}{2}$	to	3	in	5.00	4.50
								7.00	
16	to	18	ft.,	31/2	to	4	in	11.00	10.00
16	to	18	ft.,	4	to	5	in	16.50	

— molini. 80'-100'

Moline Elm

Unexpected in the Elm family, nevertheless a most useful and handsome member is this vigorous youngster of broad conical outline clad in splendid large leaves. Ideal for narrow streets, or even for tall screening purposes.

8	to	10	ft.,	11/4	to	11/2	in	2.00	1.80
10	to	12	ft.,	11/2	to	13/4	in	2.50	2.25
10	to	12	ft.,	13/4	to	2	in	3.25	3.00
12	to	14	ft.,	2	to	21/2	in	4.00	3.60
14	to	16	ft.,	$2\frac{1}{2}$	to	3	in	6.00	5.40
16	to	18	ft.,	3	to	31/2	in	8.50	
16	to	18	ft.,	31/2	to	4	in	12.00	

— vase shaped. 80'-100'

Vase Elm

Selected to emphasize the graceful lines of the vase shape top, and it has handsome foliage to boot. Where uniform shape is desired these budded trees must be used.

8	to	- 10	ft.,	1 1/4	to	11/2	in	2.00	1.80
10	to	12	ft.,	11/2	to	13/4	in	2.50	2.25
10	to	12	ft.,	13/4	to	2	in	3.25	3.00
12	to	14	ft.,	2	to	$2\frac{1}{2}$	in	4.00	3.60
14	to	16	ft.,	$2\frac{1}{2}$	to	3	in	6.00	5.40
16	to	18	ft.,	3	to	31/2	in	8.50	

ULMUS—Continued

Each Ten Hundred

campestris. 80'-100'

English Elm

The handsome leaves remain green long after the native Elm is bare. Straight clean stems and a strong oak-like structure of branches makes this a splendid street tree.

8	to	10	ft	11/4	to	11/2	i n	3.75	3.50
10	to	12	ft.,	11/2	to	13/4	in	4.50	4.00
10	to	12	ft.,	$1\frac{3}{4}$	to	2	in	6.00	5.40
12	to	14	ft.,	2	to	$2\frac{1}{2}$	in	7.50	6.75
14	to	16	ft.,	$2\frac{1}{2}$	to	3	in	10.00	
16	to	18	ft.,	3	to	31/2	in	13.50	
16	to	18	ft.,	$3\frac{1}{2}$	to	4	in	18.00	



__ **V** ___

VACCINIUM corymbosum. 6'-8'

Highbush Blueberry

Apart from the delicious "huckleberries," here is a handsome shrub of many uses. In sour swampy places brilliant coloring of the foliage is an annual pageant and even the clusters of waxy white bell flowers are remarkable.

2	to	3	ft.	В.	&	B	2.00	1.80
3	to	4	ft.	В.	&	B	3.00	2.70
4	to	5	ft.	В.	&	В	4.00	3.60

VIBURNUM acerifolium. 5'-6'

Maple Leaved Viburnum

Altho not striking, the heads of white May flowers result in bunches of glittering black berries that in autumn stand out against the gorgeous pink to purple foliage. Naturally a shade lover. even in dense woods great masses abound.

1 ½	to	2	ft.	•••••	.55	.50	.45
2	to	3	ft.	•••••	.65	.60	

americanum. 10'-12' American Cranberry Bush

Bright scarlet berries persist nearly all winter, handsome.

1 1/2	to:	2	ŧt.	**********	.40	.35	.30
2	to	3	ft.	•••••	.50	.45	.40
3	to	4	ft.	•••••	.60	.55	.50
4	to	5	ft.	••••••	.75	.70	
5	to	6	ft.	*********************	.90	.80	

carlesi. 4'-5'

Fragrant Viburnum

Waxy pink, deliciously fragrant flowers appear in little round clusters as the leaves are unfolding. Not easily grown it is wise to select well drained sunny spot where you can keep it moist in the summer. Broader than tall.

1	to	11/2	ft.	В.	&	В	.75	.65
$1\frac{1}{2}$	to	2	ft.	В.	&	В	1.20	1.00
2	to	$2\frac{1}{2}$	ft.	В.	&	B	1.80	1.65
$2\frac{1}{2}$	to	3	ft.	В.	&	B	2.25	
3	to	4	ft.	В.	&	В	3.00	
5	ft. x	5	ft.	В.	&	В	13.50	

VIBURNUM—Continued

Each Ten Hundred

cassinoides. 6'-8'

Witherod

Color starts in June with the large clusters of white flowers, preceding green berries which in turn change to pink and finally blue black. Leathery leaves add their touch of crimson and purple in autumn. Prefers a moist spot.

		_	•			-
1½ to	2	ft.		.6 0	.54	.50
2 to	3	ft.	•••••	.75	.70	. 65
3 to	4	ft.	•••••	1.00	.90	
4 to	5	ft.		1.50		

dentatum. 10'-12

Arrow Wood

Has creamy white flowers in May and black berries later. Purple and red shades are typical for autumn dress, seen to best advantage when massed in half shady moist spot.

11/2	to	2	ft.	•••••	.40	.36	.33
2	to	3	ft.	•••••	.50	.45	.40
3	to	4	ft.	•••••	.70	.65	.60
4	to	5	ft.	•••••	.90	.80	
5	to	6	ft.	В. & В	2.50		

dilatatum. 8'-10'

Linden Viburnum

Here again time is needed to bring out the real fine character of this shrub. Handsome rough foliage, six inch clusters of creamy flowers and glittering scarlet berries all winter are a few of its assets. No pruning necessary.

1 1/2	to	2	ft.	•••••••	.60	.54	.50
2	to	3	ft.	•••••	.80	.70	.65
3	to	4	ft.	•••••	1.00	.90	.80
4	to	5	ft.	•••••	1.50	1.35	
5	to	6	ft.	•••••	2.25	2.00	

lantana. 12'-15'

Wayfaring Tree

Becomes most attractive when the handsome foliage turns red and the fruits change from crimson to black in autumn. Apparently at home in a lime soil. Useful for bold accents.

1 1/2	to:	2.	fŧ		4∩	35	
2		2	tr		. 10 E0	.00	40
4	to	3	11.	•••••	.50	.45	.40
3	to	4	ft.	••••	.60	.55	.50
4	to	5	ft.		.80	· .70	
5	ťo	6	ft.		1.20		

lentago. 20'-25'

Nannyberry

Almost a tree eventually, having clean looking foliage that becomes rich purple and crimson in fall. Black berries are decorative all winter too. Extremely hardy and adaptable.

1 1/2	to	2	ft.	•••••	.50	.45	.40
2	to	3	ft.		.65	.60	.55
3	to	4	ft.	••••	.80	.75	.70
4	to	5	ft.	•••••	1.00	.90	

molle. 10'-12'

Kentucky Viburnum

The rounder darker green leaves constitute the main difference between this and dentatum. Purple berries.

11/2	+~	2	£+		16	50	15
172	to	4	11.	*********		.50	.40

opulus nanum. 1'-2'

Dwarf Cranberry

Forms a dense globular affair packed with shoots and foliage but rarely blooms, a stunning plant for edging.

	_			-			_
6	to	, 9	in.	•••••	.40	.36	.3 3
9	to	12	in.	•••••	.6 0	.5 5	.50
12	to	15	in.	•••••	.80	. 75	
15	to	18	in		1 00	90	

VIBURNUM—Continued

Each Ten Hundred

prunifolium. 12'-15'

Black Haw

A sturdy clean cut shrub with few stiff upright stems and a maze of horizontal branches. Attractive pure white May flowers give place to large bunches of pink fruits turning to black. Decidedly best in masses when the intricate branches form one vast clump beautifully softened with smallish leaves, purple in fall. Effective with cedars.

11/2	to	2	ft.	•••••	.75	.70	.65
2	to	3	ft.	******	1.00	.90	.85
3	to	4	ft.	•••••	1.50	1.35	1.20
4	to	5	ft.	•••••	2.00	1.80	
5	to	6	ft.	•••••	2.50		

rhytidophyllum. 8'-10'

Leatherleaf Viburnum

EVERGREEN. Rough deeply veined Rhododendron-like leaves six to eight inches long quickly distinguish this bold southerner. If the brilliant red berries are to mature a sheltered half shady spot is needed.

3	to	4	ft.	В. 8	§ B	•••••	4.50
4	to	5	ft.	В. 8	§ B	•••••	6.00
5	to	6	ft.	В. а	S B	•••••	7.50

sieboldi. 8'-10'

Siebold Viburnum

Tree-like, few stemmed shrub with handsome dark green lustrous foliage, creamy flowers and berries that start out green changing to pink to black. Certainly a "dominant."

11/2	to	2	ft.	•••••	.50	.45	.40
2	to	3	ft.	,	.60	.55	.50
3	to	4	ft.	*******	.80	.70	.60
4	to	5	ft.	•••••	1.00	.90	
5	to	6	ft.		1.20	1.00	,

tomentosum. 8'-10'

Doublefile Viburnum

The Beau-Brummel of the family whose neatness is of little note beside the handsome spectacle afforded by a well grown specimen in full bloom. The flat topped clusters of pure white flowers are thickly strung along the top of the horizontal branches so as to resemble a fall of snow. The purple foliage color is distinctive too. By all means indispensable. Red berries occasionally produced.

$1\frac{1}{2}$	to	2	ft.	••••••	.40	.35	.30
2	to	3	ft.	•••••	.50	.45	.40
3	to	4	ft.		.65	.60	.55
4	to	5	ft.		.85	.75	
5	to	6	ft.	**********	1.20	1.00	

- plicαtum. 7'-8'

Japanese Snowball

In June the familiar white three inch "Snowballs" are generously studded over a well clothed shrub; no fruits.

J					orotirod pirit	12, 11
$1\frac{1}{2}$	to	2	ft.	***************************************	.40	.35
2	to	3	ft.	***************************************	.50	.45
3	to	4	ft		65	60

wrighti. 8'-10'

Wright Viburnum

Somewhat like dilatatum with the same brilliant scarlet fruit. When mature a strikingly handsome subject.

Q	to	1	f+		 00
J	ιO	4	11.	***************************************	.90
4	to	5	ft.	•••••	1.20

Teucrium is a splendid hardy substitute for Box-wood edging—and speaking of edgings—do look at the surprising number of interesting dwarf Iris we have.

VINCA minor Each Ten Hundred
Periwinkle

EVERGREEN. Accepted as THE ground cover, its close blanket of dark green foliage is well known. Shade is best but a sunny spot is alright too, if not too dry and hot. Well established.

VITEX macrophylla. 5'-6'

A dainty shrub with branching spikes of very attractive lavender blue flowers in September beautifully offset by the star shaped gray green leaves. Must have sun.

1 1/2	to:	2	ft.	•••••	.40	.35	.3 0
2	to	3	ft.	••••••	.50	.45	.40
3	to	4	ft.	***************************************	.65	.60	.54



-- W --

WEIGELA amabilis. 7'-8' Rose Weigela

Old but still good the trumpet shaped flowers are rosy pink outside and pale inside—a lovely profusion in May and June. Vigorous and easily grown.

31.3 07.07

candida. 6'-8'

Creamy white trumpets try to outnumber the young leaves in May. Vigorous upstanding subject. Cut out old wood.

•		~ ₇ .		,	o approximating base	,00 04.	04. 014	.,
	11/2	to	2	ft.	•••••	.30	.25	
	2	to	3	ft.	••••	.40	.3 5	
	3	to	4	ft.		.50	.45	.40
	4	to	5	ft.		.60	.55	.50
	5	to	6	ft.	•••••	.75	.70	

--- Eva Rathke. 4'-5' Red Flowering Weigela

Almost continuously throughout the summer the short branches are covered with reddish carmine blossoms.

11/2	to	2	ft.	••••	.40	.35	.30
2	to	3	ft.	•••••	.50	.45	.40
3	to	4	ft.		.75	.65	

-- Feerie. 6'-8' Feerie Weigela

11/2	to	2	ft.		.50	.45
2	to	3	ft.		.60	.55
3	to	4	ft.	•••••	.80	.70

- Venus ta. 6'-8' Venus Weigela

Really an improvement on the old sorts, with large rose trumpet bells just crowded on the long sturdy branches.

11/2	to	2	ft.	•••••	.50	.45
2	to	3	ft.	• • • • • • • • • • • • • • • • • • • •	.60	.55
3	to	4	ft.		.80	.70

After the long term of admirable service should be retired in favor of its lovely daughters. Just as vigorous as any.

2	to	3	ft.		.40	.35	_
3	to	4	ft.	***************************************	.50	.45	.40
4	to	5	ft.	•••••	.65	.60	

WISTERIA

Each Ten Hundred

multijuga. 25'-30'

Longcluster Wisteria

Properly trained the three foot sprays of purple flowers can never be forgotten. Even in May the fragrance is noteworthy.

3 year, GRAFTS B. & B..... 1.50 Standards, 3 year heads 6.00

25'-30'

White Longcluster Wisteria

Clusters of white flowers are just as long in this variety. 3 year, GRAFTS B. & B..... 1.50

Rosy Longcluster Wisteria

Similar in every way to type except in color which is α good pink. These are fine heavy flowering specimens.

3 year, GRAFTS Pots..... 5 year, 4 to 6 ft. B. & B..... ft. standards, B.&B. 25.00

sinensis. 30'-40'

Chinese Wisteria

Shorter and therefore more compact sprays of the beautiful lavender-pea blossoms open a little before "Longcluster." That same delectable scent thrills the senses. Single stem "standards" pruned each year.
3 year, GRAFTS B. & B.......

— X —

XANTHOCERAS sorbifolia. 10'

Chinese Buckeye

Everything about this forgotten shrub is handsome and interesting yet after seventy years it is practically unknown! The broad round bush is generally made up of a few main branches, well divided into smaller laterals which bear the compound dark green glossy foliage. During the latter part of May and early June the striking upright clusters of white flowers, resembling a glorified penstemon, appear. Only those at the top of these nine inch clusters are fertile so that the brown horse chestnut like seeds are sparingly produced. Prefers sun.

3 ft. B. & B..... 3 B. & B..... to 4 ft.

--- Y ---

YUCCA filamentosa. 2'-3'

Adam's Needle

EVERGREEN. Much abused, poorly used, but withal a handsome exotic when the six foot spikes of creamy nodding bell flowers force attention in July. Try it in masses among dry rocky outcroppings, or in the wide border.

.40 3 year35 4 year50 .45 .35

--- **Z** ----

ZANTHORHIZA apiifolia. 2'-21/2'

Yellow Root

For under planting with leggy shrubs no better selection could be made. Either in sun or shade, moist or dry places it will quickly spread to form a light ground cover and open its brownish purple flowers. Dislikes lime.

9	to	12	in.	•••••	.25	.22	.20
12	to	18	in.	••••••	.35	.30	.25




Herbaceous Perennials

For ten years we have carefully developed a real Perennial department, testing not only novelties, but old varieties, to be sure they will do well with us. Some things prefer certain conditions not possible here, so we contract with specialists who produce the best in those few items, enabling us to offer a collection that, for most garden purposes, is complete.

To fully describe each plant in this limited space was impractical, so this reference chart was designed to help you determine—what, where, and how to use perennials. The chart itself is self-explanatory, and you will notice the "flower spectrum" has been used to indicate color—intermediate colors and shades are signified by careful placement of marking in the color columns.

A separate listing of Ferns (page 117) and Herbs (page 116) seemed more convenient, and to conserve space the quantity prices are computed on a percentage basis as specified in the chart heading.



		—			+						,				,	_			,	,	,		_	_	
Eα.		.25	.25	.30	.30	.30	.35	.35	.35	.30	.30	.25	.35	.35	.35	.25	.30	30	.25	30	.25	.30	.25	.25	.30
REMARKS	20% discount on five. 40% discount on twenty-five plants to be of one variety.	Fern like foliage	Excellent cut flower	Choice rock plant	For back of border	Free flowering	Uncommon native gem	The hardiest variety	Like a wee Daphne	ctive co	The best for color	Rampant ground cover	Glistening foliage	Rare dainty beauty	Unusual bulbous species	Tasty in salads	Very attractive foliage	Quaint for Rock Garden	Good for screening	Soft pastel shade	Popular in Rock Gardens	Tiny golden buttons	Free flowering	Splendid border plant	Now called Brunnera
SEASON	Exposure April May June June August Sept. October						0			•				0			•					0			
COLOR	White Blue Purple Magenta White Pink Red Orange																								
HEIGHT (FEET)	One Two Three Four Six Over		✓		A	A	<			←	< -	\forall		4	< ■	4	<	4	A				∀	∀	\forall
	Location: Full Sun Normal Full shade	Pink Yarrow		- 1	~	- 1		Spanish Stonecress	OΙ	Brockbank Bugle	Geneva Bugle	Carpet Bugle	Ladies' Mantle	Golden Allium	Lily Leek	Chive	Twisted Allium	Tibetian Allium	Hollybock	Lemon Alyssum	Golden Tuft	Double Gold Tuft	Bugloss	Bugloss	See Brunnera
NAME	Soil: A—Average D—Dry M—Moist	101	ptarmica Boule de Neige.	tomentosa.	ACONITUM fischeri.	napellus Spark's Variety	ACIINIA nerbacea.	AEIHIONEMA IDENIGIUM.	Warley Rose.	AJUGA brockbanki.	genevensis.	reptans.	ALCHEMILLA alpina.	ALLIUM flavum minor.	Moly.	schoenoprasum.	senescens glaucum.	Thibet.	ALTHAEA rosea.	ALYSSUM saxatile citrinum.	compactum.	-flore pleno.	ANCHUSA italica Dropmore.	-Opal.	myosotidiflo ra .

			_		-		_	1	•			_	T -	·	·							,	_		_
Ea.		55.	.25	.30	.30	.30	.30	.30	.30	.30	.50	.25	.30	.30	8.	9.	.35	.30	.30	.30	.30	.30	.25	.30	.30
REMARKS	20% discount on five, 40% discount on twenty-five plants to be of one variety.	Silky tuffets, choice	Early flowering low	Large early flowering	Large double flowers	Very early single	Charming semi-double	Large double flowers	Lovely in leaf and fruit	For shade Rock Gardens	A rare choice gem	Medicinal herb	Like frosted silver	Carpeter, Herb Garden	For cutting	Rare and unusual	The true species	Graceful and beautiful	Vigorous easy grower	Sun or shade	. Very free and lasting	Charming ivory dwarf	Wonderful color range	A striking contrast	Invaluable border plant
SEASON	Exposure April May June July August Sept. Sept.																								
COLOR	Mugenta Magenta Mugenta Mugenta Mugenta																								
	White	Ĺ																							
.HEIGHT (FEET)	One Two Three Four Six Over			\ 	Y	X	< 			\vee		W		\			\forall		Y	\forall		\forall	\forall	\forall	A
	Location: Full Sun Normal Full shade	Rock Jasmine	S. Hupeh Anemone	Japanese Anemone	Jahanese Anemone	Japanese Anemone	Japanese Anemone	Juhanese Anemone	Pasque Flower	Snowdrop Anemone	Spring Anemone	Angelica	Pussytoes	Camomile	Perry': Camomile	Blue Lily Grass	Alpine Columbine	Colorado Columbine	Helen Columbine	American Columbine	Golden Columbine	White Fan Columbine	Long spurred Hybrid	Long spurred Hybrid	Long spurred Hybrid
NAME		ANDROSACE Chumbyi.	ANEMONE hupehensis splendens.	japonica Kriemhilde.	Queen Charlotte.	-September Charm.	-September Queen.	Whirlwind.	pulsatill a.	sylvestris.	vernalis.	ANGELICA Archangelica.	ANTENNARIA dioica.	ANTHEMIS nobilis.	tinctoria Perry's variety	APHYLLANTHES monspeliensis.	AQUILEGIA alpina.	caerulea.	-helenge.	canadensis.	chrysantha grandiflora.	flabellata nana alba.	hybrida Dobbies Strain.	Crimson Star.	—Pearson's separate shades

KEMAKKS
SEASOIN
F
NAME

NAME		HEIGHT (FEET)	COLOR	SEASON	REMARKS	Ea.
Soil: A—Average D—Dry M—Moist	Location: Full Sun Normal Full shade	One Two Three Four Six Over	Soil White Blue Magenta White Purple Pink Pink Red Ael Ned White	Exposure April May June July August Sept.	20% discount on five. 40% discount on twenty-five plants to be of one variety.	
ASTER Little Pink Lady.	Michaelmas Daisy			0	Companion to Boy Blue	.35
· Mount Everest.	Michaelmas Daisy				The finest white	.35
Nancy.	Dwarf Hybrid				Bushy free flowering	.30
Queen Mary.	Michaelmas Daisy			1	Large free flowering	.30
subcaeruleus Wartburg Star.	India Aster				Improved showy variety	.35
Skyland Queen.	Michaelmas Daisy				Tall shaggy	.30
Snowsprite.	Dwarf Hybrid				Very low, showy	.30
Venus.	Dwarf Hybrid				Well named, pleasing	.30
Victor.	Dwarf Hybrid				Showy large flowers	.30
ASTERAGO luteus.	Yellow Aster				Dainty cut flowers	.30
ASTILBE arendsi Gladstone.	Hybrid Astilbe	≥			Ideal for mixing	.50
Gloriα.	Hybrid Astilbe	\geq			Showy and vigorous	.50
Peach Blossom.	Hybrid Astilbe	~			Delicate, pleasing	.50
AUBRIETIA deltoidea.	Aubretia	7			Sheets of bloom	.25
New Hybrids.	Hybrid Rock Cress				Lively rich shades	.30
BAPTISIA australis.	Blue Indigo	1			Bushy, showy spikes	.30
BELAMCANDA chinensis.	Blackberry Lily	\forall			Orange spotted red	.30
BOLTONIA asteroides.	White Boltonia		A		Aster like, enormous	.25
latisquama nana.	D. Pinkray Boltonia				Back of border	.25
BRUNNERA macrophylla.	Siberian Bugloss	1			Dainty mass of bloom	.30
CALAMINTHA alpina.	Alpine Savory	/			Pretty little Herb	.30
CAMPANULA barbata.	Bearded Bellflower				Large, hanging bells	.35
carpatica.	Carpathian Bellflower	V			Long blooming season	.30
White Star.	Carpathian Bellflower				Ideal for edging	.30

Ēα.		30	30	30	30	30	50	.50	30	30	30	35	30	50	40	25	30	.25	25	25	.25	.25	52	.25	.35
REMARKS	20% discount on five. 40% discount on twenty-five plants to be of one variety.	A real gem	Dwarf compact showy	Huge showy flowers	as biennial	Well known biennials	ole	Camelia like flowers	Huge open chalices	al little gem	Ever blooming	loice	y stems, lovely	m	Shrubby late blooming	cutting	ce flowers	Ideal for walls	biennial	tall	ds of bloom	Pink cushions	Free, single bushy	of white	Beautiful free flowering
SEASON	Exposure May June June Juny August Sept.																								
COLOR	White Blue Purple Magenta White Pink Red Orange Yellow White																	0							
HEIGHT (FEET)	One Two Three Four Six Over		V	A	A	\forall	\forall	\forall	A	A	V	Y	A	\forall	\forall		\forall	Q	A	A	Y	✓	A	A	\forall
	Location: Full Sun Normal Full shade	Alpine Bellflower	Danesblood	Large leaf Bellflower	Single Canterbury Bells	Cup and Saucer	Double Peach leaf	Double Peach leaf	Peach leaf Bellflower	Dalmatian Bellflower	Serbian Bellflower	Dwarf Bellflower	Olympic Harebell	Top Bellflower	Blue Spirea	Cornflower	Ruthenian Cornflower	Snow-in-Summer	Wallflower	Garden Hybrid	Azaleamum	Azaleamum	Korean Hybrid	False Arctic Daisy	Arctic Hybrid
NAME	Soil: A—Average D—Dry M—Moist	CAMPANULA garganica.	glomerata acaulis.	latifolia macrantha.	medium.	calycanthema.	persicifolia Humosa.	—Moerheimi.	-Telham Beauty.	portenschlagiana.	poscharskyana.	pusilla.	rotůndifolia olympica.	turbinata.	CARYOPTERIS incana.	CENTAUREA montana.	ruthenica.	CERASTIUM tomentosum.		CHRYSANTHEMUM Adelaide.	Amelia Bronze.	Amelia Pink.	Apollo.	arcticum.	Astrid.

						-																		-	
Ēα.		.25	.75	.25	.25	.25	.25	.25	.25	.25	.25	.50	.30	.50	.25	.25	.50	.25	.25	.35	25	.25	.50	.35	.30
REMARKS	20% discount on five. 40% discount on twenty-five plants to be of one variety.	Early large yellow	Double oxblood	Tall pompon	Chamois yellow	Single spreading	Single early	Large rich color	Best white pompon	Large single	Single, a favorite	Frilled and shaggy new	Large semi-double	Double for cutting	Large shaggy	Shaggy, deep pink	Pompon clear color	Medium free flowering	Large shaggy flowers	Single, charming	-	Large shaggy white	New cut flower	Grand ground cover	Lovely woodland plant
SEASON	April May June July August Sept.					D is 11																			
COLOR	Blue Purple Wagenta White Pink Red Acange Yellow Yellow									1												1			•
HEIGHT (FEET)	Two Three Five Six Over Soil	V	X	∀	∀	∀	∀	X	<	X	<	∀	X	< 	<	∀	∀	∀	V	A	\forall	≺	<	≺	∀
H	One	Ц	H			Н				Н					Н	Н			0						
	Location: Full Sun Normal Full shade	g Garden Hybrid	Korean Hybrid	Garden Hybrid	Korean Hybrid	Korean Hybrid	Garden Hybrid	Garden Hybrid	Garden Hybrid	Garden Hybrid	Korean Hybrid	Shasta Daisy	Shasta Daisy	Sbasta Daisy	Garden Hybrid	Garden Hybrid	Korean Hybrid	Garden Hybrid	Garden Hybrid	Korean Hybrid	Korean Hybrid	Garden Hybrid	September Daisy	Golden Star	Bugbane
NAME		THEMUM Bar. Cumming		ik.			Is.	Whittlesey.			ing.	Chiffon.	train.	an.				latton.	ing.			Tasiva.	ONIA pulcherrima.	IM virginianum.	racemosa.
	Soil: A—Average D—Dry M—Moist	CHRYSANTHE	Caliph.	Captain Cook.	Ceres.	Daphne.	Donald Wells.	ì	Irene.	Joan Piper.	Louise Schling.	Maximum C	—Diener's	-White Swan.	Murillo.	October Gir	Pygmy Gold	R. Marion F.	Ruth Cumm	Sappho.	Saturn.	Tasiva.	CHRYSOBOLT	CHRYSOGONI	CIMICIFUGA

		16		ιΩ	2					<u>.</u>	(10	_	10	100	10						10			l.c
Ea.		15	4.	.75	.35	.25	.40	.35	.35	1.00	1.00	.75	.30	.25	2	.25	<u>ج</u>	9.	<u>წ</u>	<u>ڊ</u>	.30	.2	.30	30	.25
REMARKS	20% discount on five. 40% discount on twenty-five plants to be of one variety.	Arching wands, true	fragrant,	Wonderful rare form	An easý dwarf	Popular cut flower	٦		Fall walls in shade	Fragrant, hardy gem	Mottled ivy leaves	The casiest variety	Everblooming dwarf	Ideal for cutting	Everblooming cut flower	Dainty low form	A grand strain	Selected clumps	Free branching habit	ent gray	Purest salmon pink	Ø.	Double, everblooming	Choice spiny tufts	Wonderful color range
	Sept. October		101			-										-	-	1			1		I		
ZO	fauguA				İ	İ				İ	1		İ	İ	Ì	İ	İ	İ	Ť	Ť	ł	+	ł		
SEASON]njλ]nue	+		4	4	4	4	-	1					1				1	1	1			1	4	
S	Мау	上		-				1	-	+	\dashv	1	4	1	4	4	-	4	1	1	1	╂	-	7	
	Exposure April																								
-	White	-			<u> </u>	4										9				90	\mathcal{C}			9	\circ
	Yellow		23		1	-		I	1			1				1		+			+	+	+	+	
1	Ned Orange	1	_	_	1	•	-						\Box						1	Ţ					
15	Pink	+	\dashv	\dashv	\dashv	+	+	+	-	1	1	\dashv	\dashv	+	\dashv	+	+	+	+	1	1	1	ł	+	-1
COLOR	White		1	1	1		1				1					1			1		1				
0	Purple Magenta		\dashv	+	+	- -	+	+	4	+	+	-	-		-	1								+	
	Blue			1	1		1	+	+	Ť	\dagger	+	1		1	ı	t	t	l	-	$^{+}$		+	+	\dashv
<u> </u>	White						_		Ţ								1	Ţ				1	1		口
	Soil		₹.	≦(20	7	≥ <	7	4	4	4	≦!	₹	4	4	4	{ ⟨	1	94	3 <	4	7	70	7	$\frac{1}{2}$
品	xi2								1				_	+	+	+	+	1	+	\dagger	+	+	+	+	\dashv
I (F	Four Five		-	-	\downarrow	-	+	+	+	+	\downarrow	_	4	-	-	+	1		-	T	Ţ	1	1	T	
HEIGHT (FEET)	Three		1	+	+	ł	+	+	\dagger	+	+	+	+	╁	1	+	╂	H	1	+	+	+	+	+	\dashv
HE	enO owT						1		1	I	1	1		1		1		L	I	Ţ			1		1
	040		-	╀	1	1	1	1	4	+	╇	+	+	╇	╀	╀	+	-	-	-	+	1	1	4	4
	Location: Full Sun Normal Full shade	labanese Bugbane	Tily of the Valley	Duret Correspois	Ria Corrobeir	Bunchborry	Crown Vetch	Fumitory	Alhine Som Broad	Neaholitan Cyclomen	Lady Slibber	`		Larkshur	Slender Larbehur	Hybrid Larbshur	Hybrid Larbshur	Formosum Larkshur	Dwarf Cheddar Pink	Hybrid Pink	Maiden Pink	Hybrid Pink	Ice Pink	Grace Pink	Class Link
NAME		CONVAIL ABIA	—flore pleng.	COREOPSIS auriculata nana	lanceolata arandiflora.	CORNUS canadensis.	CORONILLA cappadocica.	CORYDALIS lutea.	CYCLAMEN europaeum.	neapolitanum.	CYPRIPEDIUM pubescens.	DELPHINIUM Belladonna B. Grotto	Clivedon Beauty.	Bellamosum Improved.	chinense azureum.	Gold Medal Hybrids.	Hybrids Springfield Strain.	Lamartine.	DIANTHUS arvernensis.	Beatrix.	deltoides Brilliant.	Furst Bismark.	neglectus.	plumarius Highland Hybrids	

103		.30	.30	.30	.30	.25	.50	.35	.35	.25	.25	.25	.30	.30	.35	.50	.35	.30	.30	.30	.30	.75	.50	.50	
REMĀRKS	20% discount on five. 40% discount on twenty-five plants to be of one variety.	Clove scented, double	Low gray tufts	New English Hybrid	Dainty woodlander	Always in flower	Old garden favorite	Permanent garden plant	Sturdy bushy habit	Tall graceful spikes	Ideal for shade	Wonderful strain	Dancing cyclamen flowers	Earliest of Daisies	Tall, golden suns	Silver foliage, choice	Spiny green tufts	Green spreading mats	Uncommon, easy plant	Vigorous, showy	Steel blue, cutting	Evergreen ground cover	Attractive ground cover	Beautiful foliage plant	
SEASON	May May June June July August Sept. Tedos																								
R	Pink Red Orange Yellow White Exposure	0	0	0		•	①	0	0	•		•	0			0	0	0	0	0	0	•	•	•	
COLOR	Soil White Purple Magenta White				5	∀	5				A	→	A	A	A	A	Q	A				W	\	A	
HEIGHT (FEET)	Two Three Four Five Six Over																					V			
HE	enO owT	4	-	J																		_			
	Location: Full Sun Normal Full shade	Hybrid Pink	Roy's Pink	Hybrid Pink	Dutchman's Breeches	Fringed Bleeding Heart	Bleeding Heart	Gasplant	Pink Gasplant	White Foxglove	Foxglove	Hybrid Foxglove	Shooting Star	Lcopardbane	Leopardbane	Gold Androsace	Whitlow Grass	Siberian Whitlow	Siberian Dragonhead	Purple Coneflower	Globe Thistle	Trailing Arbutus	Barrenwort	Barrenwort	
NAME		rs. Sinkins.		Wormald.	RA cucullaria			albus.)α.	Isabellin a.		N meadia.	caucasicum.		italiana.	Ifolia.		DRACOCEPHALUM ruyschiana.	purpurea.	.o.	ns.	macranthum niveum.		
	Soil: A—Average D—Dry M—Moist	DIANTHUS Mrs.	roysii.	winteri Mrs.	DICENTRA cuc	eximia.	spectabilis.	DICTAMNUS C	ruber.	DIGITALIS alba.		Shirley.	DODECATHEON	7	excelsum.	DOUGLASIA vitaliana.	DRABA bruniifolia	sibericα.	DRACOCEPHA	ECHINACEA p	ECHINOPS ritro.	EPIGAEA repens.	EPIMEDIUM m	-rubrum.	

يا	 	1		-		<u>_</u>		_				J	<u></u>		<u>_</u>	Ī. -	<u></u>	<u></u>	_	Ī	Ī	_	<u> </u> _	1	J. ~
Ea.		.35	.35	.50	.25	.30	.25	.30	.25	.25	.25	.35	.50	.75	96.	.75	.50	.50	.50	.35	.35	.30	.50	.25	.25
REMARKS	20% discount on five. 40% discount on twenty-five plants to be of one variety.	Gray fern foliage	Sparkling neat gem	Silver fern foliage	Favorite cut flower	Medicinal, cutting	Like Baby's Breath	Attractive gold bracts	For edging border	Grand cut flower	Dwarf compact form	The best golden	Brilliant, for cutting	Prostrate shrub	Quaint flat leaves	Spiny, sheets of gold	Of famed Gentian Blue	Trailing, tube-like flowers	Most satisfactory Gentian	Interesting Rock beauty	Delicate soft pink	Continuous bloomer	Brilliant flame color	Old favorite, cutting	Strong free flowering
	Sept. October									-							-1	4							
Z	August		+					-		-	-							1	-			-	-		-
SEASON]nj\]nue																	-							
S	May	5	24	TIT!						-		7	Q.	W	iii	n	7.2				443				-
_	lingA		â			Ā		1				_													
-	White Exposure	•	•	•	J	•			\bigcirc	9	\bigcirc	\bigcirc	0	\bigcirc	9	9	0	0	U	(\bigcirc	0	0	0
	Yellow					E H		-																	
	Red Orange		-			-	-		\int	-	-									_					
NR.	Pink			-	\dashv	-	-			-	-			\dashv	-	\dashv	\dashv	-	-						
COLOR	Magenta White					1		_		4															
0	Purple							-			15	71											10	To	
	Blue				1				1					1			1	1	1						
\vdash	Soil estid	\vdash	\exists			\overline{A}		\forall	\overline{A}	$\frac{1}{2}$	\exists							4						1	/
	Over		ᄏ		1	7	1	1	7	<u></u>	<u> </u>	<u>ر</u>					7	7	7	1	\triangleleft	\forall	\forall	Y	Ķ.
EE	XiZ			\exists	\Box		\exists										\dashv								
E)	Four	-		_			+	+	\dashv	\dashv	+	-		-		1	\dashv	-	\dashv						•
HEIGHT (FEET)	Тртее					1	4			-4															
出	enO owT			1	╂	+	┨	1	-	+	1	-	-	4	-	-	_					-	-		
			1					1	2	1				1		1	1	1							
							4	- 1	57455																
	\bigcirc		2111		ower		nr8e	780	Stem	100	ver	ver	ver	mou	roon	# :	tian	Jan	ntian	11195	sbill			2	15
	de	=	Pink Heronsbill	; ! !	Blue Mist Flower	I boroughword	riowering Spurge	Cuspion Spurge	Dwarf Blue Stem	blanker Flower		Flower	Blanket Flower	Creeping Broom	Arrowhead Broom	Broom	Stemless Gentian	Sienaer Gentian	nascomb Gentian	White Craneshill	Dwarf Cranesbill			Avens	Avens
	Location Full Sun Normal Full shade	Heronsbill	7 He	Heronsbill	Mis	1048	verin	nord	111 0	IREL	IRE F	Blanket	iket	bing.	owne	Prickly	nless	aer	come.	2	int C	72	22	1	
	Satte	Her	Pink	Her	Blue	1 00	101		DWa	Dian	Bian	Blan	Blan	2	Arre	Pric	Sten	Sien	nas	M	Dwe	Avens	Avens	Double	Double
	J N																								
ME	50																								
NAME			ė		ġ														1	arparu					
			Seu		Sun															m					
	" &	um.	S I)ele:									<u>i</u>		lens	IIIS.			Ĭ I				i.	
	g _b	amanum	olde:	-		il.		60.	D'ACC		1	l gok		Sira		Sund	Can	5	515	5un	suse			lede	hαw
	ragt st	ğ :	garic	מטונ		niio M			DI P						٠ ا زو	IS K	4	500	Tag:	2	strie	risi.	ğ.	tratt	ads
	Ave Dry Moi	MDI	mae	YSGI		Cael		I Z		11.		SUL	7. X	410		IN M	N S	4117	NTTT	27.7	inca		5	× ×	Br
	Soil: A—Average D—Dry M—Mois¹	ERODI	cha	Chr	41	TOT	in a	TTV	4111			Mit.	Ruby.	LINI	Sag	SYL	GENTLANA deduns.	T T	N G	Yug.		2 2	rire	Γαα	Mrs
	ùΣ	ы		Į.	4	Į.	1	į.	زاز	1			۲	ַל		C	5		(5	-	5			

Ea.	•	32	.25	.25	.40	.25	.30	.25	.30	.30	30	.30	08.	.25	1.00	1.00	.75	:75	.30	.30	.75	.75	1.00	:75	.60
REMARKS	20% discount on five. 40% discount on twenty-five plants to be of one variety.	Neat little Rock plant	Fine for bouquets	For mixing in vases	Best filler for bouquets	Evergreen trailer	Crowds of tiny buttons	For rear of border	Unusual early form	Popular late flower	A blaze of color	Double button flowers	Evergreen, delicate shade	Strong grower, large flowers	Very attractive foliage	For winter flowers	For sun or shade	Very large, vigorous	Old dwarf, good	Graceful, fragrant	Broad petals, deep color	Rich large flowers	The finest yellow	Recurved petals, fine	Large double flowers
SEASON	May June June July August Sept. Sept.	-1				-																			
	White	0	0	0	0	0	0	1	0	0	0	0	0	0	•	•	0	0	0	0	0	1	0	0	•
~	Red Orange Yellow																								
COLOR	Magenta White White																								·
	White Blue Purple																								
Œ	TevO	9	2	5				\forall	\vee	\ <u>\</u>				\forall	\forall	\forall	✓	⋖	⋖		<	⋖	\forall	\leq	⋖
IT (FEET)	Four Five Six																								
HEIGHT	onO owT eendT																					H			
	000	Mouse-ear Gypsophila	Γ	Breath	Double Baby's Breath	Creeping Gypsophila	Gypsophila	Flower	elenium	Sneezeweed				liopsis		Rose	Daylily	aylily	aylily	13	Daylily	Daylily	Daylily	aylily	aylily
	Location: Full Sun Normal Full shade	Mouse-ear	Rose Baby	Baby's Br	Double Ba	Creeping (Bodger's C	Helen's	Hoopes Helenium	Bronze Sn	Sunrose	Sunrose	Sunrose	Rough Heliopsis	Helebore	Christmas Rose	Hybrid D	Hybrid Daylily	Hybrid Daylily	Lemon Lily	Hybrid D	Hybrid D	Hybrid D	Hybrid Daylily	Tawny Daylily
NAME		cerastioides.			ry.			JM autumnale superbum.		m.	JM aureum.			scabra zinniflora.	foetida.		IS Cressida.	an.	-		m.			ord.	e pleno.
	Soft: A—Average D—Dry M—Moist	GYPSOPHILA CE	Oldhamiana.	paniculata.	-Bristol Fairy.	repens.	Bodgeri.	HELENIUM aut	hoopesii.	Riverton Gel	HELIANTHEMUM	Mrs. Earle.	Rose Queen.	HELIOPSIS SCC	HELLEBORUS	niger.	HEMEROCALL	D. D. Wyme	Dr. Regel.	flava.	Golden Drea	Gypsy.	Hyperion.	J. A. Crawford	Kwanso flore pl

Ea.		.75	.50	.75	.75	.25	.25	.25	.30	.30	.35	.30	.25	.35	.25	.50	.50	.35	e.	.50	.30	.25	.35	.25	.30
REMARKS	20% discount on five. 40% discount on twenty-five plants to be of one variety.	Soft, slender blooms	Narrow foliage, rare	The latest flowering	One of the finest	Charming native	Scented flowers	Striking large leaves	Graceful for cutting	Strong growing, lovely	Deepest red, grand	Large flowers, fine	For moist or dry place	Silver fuzzy leaves	Ideal for shade	Huge glancus leaves	Bold foliage plant	Rare low form	Popular edging plant	Evergreen if sheltered	Huge golden suns	Aromatic Herb	The lowest species	Evergreen indispensible	Evergreen box-like tufts
SEASON	April May June July August Sept. Sept.																								
COLOR	White Blue Magenta White Purple Red Orange Yellow Wite																								
HEIGHT (FEET)	One Two Three Four Five Six Over					VV	A A	A								∀			\vee	\vee	A			V	A
	Location: Full Sun Normal Full shade	Hybrid Daylily	·	Hybrid Daylily	Hybrid Daylily	Three lobe Hebatica	Dames Rocket	White Rocket			Crimson Bells		Common Rosemallow	_	Blue Plantainlily	Fortune Plantainlily	Big Plantainlily	Dwarf Plantainlily .	Varigated Plantainlily	Goldflower	Olymbic Goldflower	Hyssop	Rock Candytuft	Candytuft	Dwarf Candytuft
NAME	Soil: A—Average D—Dry M—Moist	HEWEROCALLIS Lemona	minor	Mrs W H Wyman		HEPATICA triloba.	HESPERIS matronalis.	-nana candidissima.		sanguinea Perry's White.	—Pluie de Feu.	Rosamonde.	HIBISCUS moscheutos.	HIERACIUM bombycinum.	HOSTA caerulea (FUNKIA)	fortune1.	plantaginea grandiflora.	-ninor.	variegata.	HYPERICUM moserianum.	olympicum.	HYSSOPUS officinalis.	IBERIS saxatilis.	sempervirens.	-Little Gem.

				-																					
Ea.		.30	.40	.50	.50	.30	.35	.50	1.00	.25	.50	.25	.50	.50	.50	.50	.50	.25	.50	1.00	.30	.25	.50	1.00	.25
REMARKS	20% discount on five. 40% discount on twenty-five plants to be of one variety.	Waxy leaves, huge flowers		A blaze of color	For moist place	Good ground cover	Sheets of bloom	Unusual, beautiful	Lovely rare beauty	Fragrant large flowers	One of the finest yellows	Deep rich blend, huge	Fall blooming, grand	! ⊶	Lovely, well named	A great favorite	Unusual, fine coloring	Gigantic, velvety red	Fall flowering, yellow & blue	Beautiful shade, large	Winner Dykes Medal	Fine foliage, good variety	73	Analine blue, perfect	Still a great favorite
SEASON	May May June July August Sept.																								
COLOR	Purple Magenta White Pink Aed Orange Yellow Yellow										0	0	0	0	0							0	0	0	0
T (FEET)	Five Six Over Soil White Blue	<	<		×	W	W		W	Q	Q	Q	A	A	Q	<u>C</u>	D		A		D	Q	0	Q	D
HEIGHT	One Two Three																								
	Location: Full Sun Normal Full shade	Snowflake Candytuft	Inula	Sand Iris	Goldvein Iris	Crested Iris	Crested Iris	Vesper Iris	Yunnan Iris	German Iris	German Iris	German Iris	German Iris	German Iris	German Iris	German Iris	German Iris	German Iris	German Iris	German Iris	German Iris	German Iris	German Iris	German Iris	German Iris
NAME		IBERIS sempervirens Snowflake.	INULA royleana.	IRIS arenaria.	chrysographes.	cristata.	alba.	dichotoma.	forresti.	germanica Alcazar.	-Alta Californica.	Ambassadeur.	-Autumn King.	-Autumn Queen.	-Blue Velvet.	-Friedα Mohr.	-Grace Sturtevant.	—Indian Chief.	—Jean Siret.	-Pink Satin.	Pluie d'or	-Princess Beatrice.	-Red Elf	-Sensation.	-Souv de Mme Gaudichau

Ea.		.50	.75	.25	.50	.50	.50	.50	.50	.50	.25	.25	.25	.20	1.00	.50	.20	.25	.30	œ.	.50	.30	.50	.35	.35
REMARKS	20% discount on five. 40% discount on twenty-five plants to be of one variety.	Large, glorious white	With yellow throat	After the famous.China	Grassy foliage, dainty	Double, gold bands	Huge velvety flowers	Iridescent, lovely	Large showy, double	Delft blue, lovely	Earliest, extremely pretty	Softest sky blue	Fragrant large flowers	Vigorous grower	Our own raising	Rich velvety maroon	Snowcap, greenish falls	Border or streamside	Clear color, likes moisture	Crowds of snowy flowers	Tufty grass-like habit	Large blooms, dry place	Rare and lovely form	Various colors	One of the loveliest
SEASON	May June June July August Sept. Tedoto																		-						
COLOR	Blue Purple Wagenta Pink Pink Norange Yellow Yellow Exposure	C																							
HEIGHT (FEET)	One Two Three Four Six Over		C	<u></u>	2	Σ	Σ	Z	>		A	4	<	4	4	4	V	VV	W	2	4	4			<
	Location: Full Sun Normal Full shade	German Iris	German Iris	German Iris	1	labanese Iris	Japanese Iris	Japanese Iris		labanese Iris	Pygmy Iris	Pygmy Iris	Pygmy Iris	Pyemy Iris	Pygmy Iris	Pygmy Iris	Pygmy Iris	Siberian Iris	Siberian Iris	Siberian Iris	Ralban Iric	Inhanese Roof Iris	Tahanes Roof Iric	1	Spring Iris
NAME	Soil: A—Average D—Dry M—Moist	TDIG gormanica Chasta	′l r`	Wodgewood	oracilines.	Frampferi Gold Bound		Pink Pearl	Pyramid	One of the Blues	nimila atroviolacea.	—capulled	—cydned	Daleare.	-Gold Finch	Puck.	Schneecuppe.	siberica	Perrv's Blue	Spow Ousen	eintenesi	tototot	~1b	-dibdill:	verna.

ri ri		စ္တ	.50	30	30	30	30	25	.75	.30	25	25	30	30	30	30	30	30	25	30	กั	25	2	55	ស៊
Ēα.	.	, eš	5	8.	ι	65	က	.2	.7	ų.	.2	2.	હું	હ	હ્યું	હિં	હ	હં	.2	્ર (સ્	.75	2.	.30	.35	.35
REMARKS	20% discount on five. 40% discount on twenty-five plants to be of one variety.	Lovely woodlander	Slender spikes, early	٠. ا	Fragrant and beautiful	For linen drawer	Of Swiss romance	Showy spikes, cutting	New fine cut flower	Home raised bulbs	The best garden lily	Bright and graceful	Cut flower for drying	Low carpeter, shade	Quaint paving plant	Dainty evergreen cover	Shrubby plant, bright	Deepest blue, large	Clouds of flowers	Grass-like ground cover	Low, shrubby evergreen	For moist place	Evergreen mats, double	Popular border plants	Well drained soil
7	Sept. October													1											
SEASON	June July August		1		-1			-														_		-	
S	April YpM	H												-	•	-									!
	White Exposure	•	0	0	0	0	•	0	0	•	1	•	0	0	0	•	0	0	0	•	•	•	0	•	•
- 1	Orange				0 = 1							- ij							-	7					
æ	Pink))							15														
COLOR	Magenta White																							_	
	Blue				1								-1												
	Soil Soil	5							D	\forall	A	V	\forall	7	M	M	A	A	A	A	\forall	W		\forall	<
ET)	Six	_		-							7		7	_	V	<u> </u>	7]	7		1	<u> </u>			<u> </u>
r (FEET)	Four Five		P				Ti				17			201	in in		11-11								15
неіснт	Two			Ĭ																					
H	One										1			(4)	15			(F)				1	= 1		
	000		ly	ily		er	weiss	ather	ber					flax	Iflax				Flax			er	oil		
	ge.	f	Early Torchlily	Bonfire Torchlily		Dwarf Lavender	Common Edelweiss	Gayfeather	White Gayfeather	Lily	ily	ily	nder	Lobeleaf Toadflax	Liverleaf Toadflax	lower	Flax	Narbonne Flax	Blue Perennial	rd	11	Cardinal Flower	Birdsfoot Trefoil	pine	upine
	ocation: Full Sun Normal Full shade	Twinleaf	ırly T	anfine	Lavender	warf	ommo	Cattail	bite (Wonder Lily	Regal Lily	Coral Lily	Sea-Lavender	beleaf	verlea	Twin Flower	Golden Flax	arbonn	ue Pe	Snakebeard	Gromwell	ardinal	irdsfoo	Blue Lupine	White Lupine
	Location: Full Sun Normal Full shac	T	E,	Bι	L.	D	ŭ	ŭ		- 1	R	ŭ	S	Γ_{ζ}	Lı	T	Ğ	N	Bı	S _n	S	'C	Bı	BI	A
NAME										philippinense formosanum.			dumosa.			ana.					m.].		
Z		·llα.				×	nnuic	yα.		e forr			- 1	δά.		americana				um.	stratu		fl. pl.	ıs.	
	"	diphylla.	ſα.	riano	vera.	Variety.	PODIUM alpinum	pycnostachya	g.	inens			UM latifolium	aequitriloba	g.	alis a	انہ			graminifolium	ERMUM prostratum.	nalis	corniculatus	polyphyllus	
	rage it	A	IA rufa.	pfitze	DULA	ted \	200	orokc	alp	hilipp		ium.	Iat	aedn	aefoli	bore	flavum	nense		grami	RMU	1 cardinalis	ornicu	polyi	florus.
	Soll: A—Average D—Dry M—Moist	JEFFERSO	KNIPHOFIA	uvaria pfitzeriana	LAVANDULA	-Muns	NTOP	LIATRIS I	scariosa alba.	d Wn	regale.	tenuifolium.	ONIO	ARIA	hepaticaefolia.	NAEA	1	narbonnense	perenne.	OPE	1OSPE	LOBELIA	ns c	INUS	albifle
	Soll: A-D- M-	JEF	KNI	'n	LAV		LEO	LIA	SC	LILI	re	ţ	LIM	LIN	he	TINI	LINUM	п	ğ	LIRI	LITE	LOB	LOI	LUP	

					-											-									
Eα.		.35	.75	.35	1.00	.30	.25	.25	.25	.25	.35	.30	.25	.25	.25	:25	.50	.25	.35	.25	.30	.25	.25	.25:	.30
REMARKS	20% discount on five. 40% discount on twenty-five plants to be of one variety.	Heavy spikes, good	Sensational new strain	Striking, cut flower	Plant between low shrubs	Strong bushy grower	Herb, for candy	Ground cover, charming	Lemon scented Herb	Low trailing Mint	Refreshing fragrance	The prettiest Mint	Herb, for cordials	Fine for naturalizing	Evergreen cover, shade	Herb, showy for border	Wiry evergreen cover	Everblooming, moist place	- Myrrh for fragrance	Cover for walls, banks	Erect form, cutting	Low mats aye in bloom	Scented large flowers	Bright, long season	Like Forget-me-not, shade
SEASON	May May June July Kugust Sept. Tepts				1																				
_	Exposure	0	1	O	0	0	0	•	0	0	•	0	0	0	•	Ö	•	0	•	\circ	0	0	O	0	•
	hed Orange WolleY elidW)														
COLOR	Purple White White											-1	-1							- 10					
	etir(W Blue				-		-	H	-	-			-								•				
	lio2	⋖	1	₹		S		Z	⋖	Σ	⋖	≶	≥	⋖	≥	≥	\forall	X	V	D	Δ	M	0	\forall	\forall
(FEET)	Five Six Over													- -											
E	Four																								
HEIGHT	Three				-	Ц		_	-	_					_						-				
HE	owT owT	Н	Н	Н	Н	Н	Н	\vdash	Н	h			Н	Н											
	Location: Full Sun Normal Full shade	i. Moerbeim Lupine		Ι	Hardy Amaryllis	Rose Loose-strife	Hoarbound	Mazus	Balm	Pennyroyal	Creeping Mint	Apple Mint	Spearmint	Virginian Bluebell	Partridge Berry	Beebalm	Dwarf Wirevine	g. Forget-Me-Not		Catnip	Giant Catnip	Whitecup	White Sundrops	Evening Sundrops	Navelwort
NAME	Soil: A—Average D—Dry M—Moist	LUPINUS polyphyllus Moerheimi.	-Russell Hybrids.	LYCHNIS viscaria splendens flpl.	LYCORIS squamigera.	LYTHRUM salicaria roseum.	MARRUBIUM vulgare.	MAZUS rugosus.	MELISSA officinalis.	MENTHA pulegium.	requieni.	rotundifolia.	spicata.	MERTENSIA virginica.	MITCHELLA repens.	MONARDA Cambridge Scarlet	MUEHLENBECKIA nana.	MYOSOTIS Pearl of Ronnenberg	IS odorata.	NEPETA mussini.	Six Hills Giant.	NIEREMBERGIA rivularis.	OENOTHERA speciosa.	fruticosa youngi.	OMPHALODES verna.

.09						-		_			_								(11					, 1	
Ēα.		.35	.35	.75	.25	.25	.20	.50	.50	.50	.50	.50	1.00	.50	1.00	1.00	.25	.35	.35	.35	.35	.35	.30	.30	.35
REMARKS	20% discount on five. 40% discount on twenty-five plants to be of one variety.	Flowers like Grape Hyacinth	Foliage striped gold	Herb, rare and interesting	Herb, flavoring meats	Herb used for seasoning	Evergreen ground cover	Large globular flesh white	Popular early rose pink	Midseason semi-rose, fragran	White flecked crimson early	Midseason tall, good variety	Deepest crimson midseason	Late tall variety good	Fine silvery blush cream	Midseason, huge rose pink	Jolly lively pastel shades	Plant anytime from pots	Light salmon, lovely variety	Still most popular Poppy	Large double, spreading	Delightful satiny flowers	Lemon scented, tender	Graceful, for cutting	Everblooming, low habit
SEASON	April May Jung July August Sept. Tept.															•									
	Exposure	0	0	0	0	0	•	•	•	•	•	0	0	0	0	0	1	0	0	•	0	0	O	•	•
N	Orange Yellow White		110														7								
COLOR	Hed . Myite Madeuta								ı																
-	Blue Burple	H	H						-												i.				
	White																								
	Over Soil	<			\ <u> </u>	<	≥	⋖	 <	⋖	✓	⋖	⋖	\forall	\forall	⋖	⋖	\leq	\forall	\forall	\vee	⋖		\forall	⋖
(FEET)	xi2																								
T (F	Four Five		113						1								Ħ							0,76	
HEIGHT	Тһтее								4						×.	ŀ			-1	-1	H				
用	owT	H	H					Н			-	H	H	£,		_			Н			Н		,	ž
	Location: Full Sun Normal Full shade	Snakesbeard	Snakesbeard	True Dittany	Sweet Marjoram	Pot Marjoram	Japanese Spurge	Peony	Peony	Peony	Peony	Peony	Peony	Peony	Peony	Peony	Iceland Poppy	Oriental Poppy	Oriental Poppy	Oriental Poppy	Oriental Poppy	Oriental Poppy	Scented Geranium	4. Pink Beard Tongue	Arends Phlox
NAME	Soil: A—Average D—Dry M—Moist	OPHIOPOGON jaburan.	ariegata.	ORIGANUM dictamnus.	majorana.	tes.	IYSANDRA terminalis.	NIA Baroness Schroeder.	ılis superba.	yene Verdier	Festiva maxima.	rl Rosenfield.	rtin Cahuzac.	rah Bernhardt.	Solange.	Therese.	AVER nudicaule gartef.	orientale Beauty of Livermere.	-Jeannie Mawson.	Ars. Perry	-Olympiad.	erry's White.	GONIUM crispum.	PENTSTEMON barb. Pink Beauty	X Arendsi Louise.
	Soil: A-I	OPHI	^	ORIG	ma	onii	PACHYS	PAEO	Edı	Euç	Fes	Karl B	Martin	Sar	Sol	The	PAPAVER	orie	Ť	N.		4	PELA	PENT	PHLO

. O	F. NURSE	ERI	ES	-											-							,		_	11
Ēα.		25	.25	30	30	25	.25	30	30	.25	.25	.25	.20	.20	.25	.60	.25	.25	.30	.25	.25	.35	.25	.25	.25
REMARKS	20% discount on five. 40% discount on twenty-five plants to be of one variety.	Tall, large, a favorite	Vinous red, huge trusses	Bluest, large florets	Largest flower, deep eye	Medium height lovely color	Improved Deutchland	Pyramidal trusses non fading	Softest clear pink	Beautiful in evening	Still one of the best	Lavender in effect	Fragrant, carpeting plant	Vigorous, sheets of white	Compact evergreen mats	New, glistening Ige. flowers	Compact neat grower	Evergreen, neat spiny foliage	Trailing lilac heads	Shiny foliage, long season	Compact, lively color	Rounded flower heads	Long season, delightful	Large flowers, showy	Dwarf form, long season
SEASON	Exposure April May June July August Sept.																•								
COLOR	Blue Magenta White Pink Pink Aed Orange Vallow																		-						
HEIGHT (FEET)	One Two Three Four Six Over	<	<	<	<	<	<	<	<	Y	\(\rightarrow\)	✓	<	<	<	A	Y	\forall	<	V	\forall	A	∀	\forall	∀
	Location: Full Sun Normal Full shade	Garden Phlox	1	Garden Phlox	Garden Phlox	Garden Phlox	Garden Phlox	Garden Phlox	Garden Phlox	Garden Phlox	Garden Phlox	ı	Blue Phlox	White Moss Pink	Moss Pink	Moss Pink	Nelson's Moss Pink	Rosy Moss Pink	Creeping Phlox	Glossy Phlox	Vivid Dragonhead	Horned Rampion	Balloon Flower	_	Marie's Balloon Flower
NAME		PHLOX decussata Attraction.	B. Comte.	Caroline Vandenberg.	Daily Sketch.	Enchantress.	Karl Foerster.	Leo Schlageter.	Lilian.	Mrs. Jenkins.	Rheinlander.	Wanadis.	divaricata.	subulata alba.	—Blue Hills.	—Camlaensis.	-Nelsoni.	-Vivid.	stolonifera.	suffruticosa Miss Lingard.	PHYSOSTEGIA virginiana Vivid.	PHYTEUMA scheuczeri.	PLATYCODON grandiflorum.		Mariesi

		2	0	2	2	ις.	0	2		0	0	0	15	0	0	0	0	2	2	0	ις.	2	0	0	0
Ēα.		.25	œ.	.25	.75	e .75	.30	.35	.35	.50	.30	.30	.25	.50	.40	.30	.30	.35	.35	.30	.35	.75	.50	.50	.50
REMARKS	20% discount on five. 40% discount on twenty-five plants to be of one variety.	Indispensible for late flowers	Charming feathery leaves	Grand green ground cover	Evergreen shrublet, rare	Small evergreen leaves, rare	Straggly grower, bright	Satiny flowers, neat habit	Trailing stems, everblooming	Glossy green ground cover	Bright, valuable Rock plant	Clouds of gold "Butterflies"	Fragrant, earliest Spring	Some lovely shades	Rich lively shades, large	Earliest, rounded heads	Slender stems, grand thing	Round heads, very showy	Charming wee rock plant	Light shades, very free	Deep rich shades	Huge blossoms, easy	Bright, low, cool corner	Old garden favorite	Deep chrome large flowers
SEASON	Exposure April May June July August Sept.											C													
COLOR	Blue Purple White Wagenta White Purple Purple																								
HEIGHT (FEET)	Three Four Six Over Soil Soil		\	<		<	<	<	\forall	W	\forall	∀	W	W	W	M					A	Y	W	∀	. W
HEIG	owT		_		-																				
	One	Ш	Ц								_														
	Location: Full Sun Normal Full shade	Blue Leadwort	Jacob's Ladder	Creeping Polemonium	Box Milkwort	Milkwort	ott. Hybrid Cinquefoil	Low Cinquefoil	Divided Cinquefoil	Wineleaf Cinquefoil	Spring Cinquefoil	Waren's Cinequefoil	English Primrose	Blue Primrose	Hybrid Primrose	Kashmir Primrose	Bigleaf Primrose	Himalaya Primrose	Leafy Primrose	Polyantha Primrose	Elliott Polyantha	Siebold's Primrose	Juliana Primrose	Hose-in-Hose Primrose	Hybrid Primrose
NAME	Soil: A—Average D—Dry M—Moist	PLUMBAGO larpentae.	POLEMONIUM humile.	reptans.	POLYGALA chamaebuxus.	vayredae.	POTENTILLA nepalensis Willmott	rupestris pygmaea.	tonguei.	tridentata.	verna nana.	Warensi.	PRIMULA acaulis.	—Blue Shαdes.	—Teicher's Giants.	cachemiriana.	cortusoides.	denticulata alba.	frondosa.	polyanthus Munsted.	—Six Hills.	sie b oldi.	Wanda.	veris duplex.	—Kleyni.

Ēα.		30	.25	09:	99.	.60	.60	.60	.30	.25	.25	.25	.25	.30	.25	.25	.30	.35	.25	.25	.25	.50	30	.35	99
REMARKS	20% discount on five. 40% discount on twenty-five plants to be of one variety.	Broad leaves, early flowering	Single, beautiful cutting	Anemone crested large	For cutting, border	One of the best	Lovely soft shade	Crested, large flowers	Fragrant Herb, tender	Many lovely shades	Beautiful for cutting	Attractive Herb, soups	Airy slender spikes	True blue, at a good time	Delightful woodlander	Pretty Herb, flavoring	Woolly silver shrublet, edging	Emerald evergreen, shrublet	Trailing gem, walls, banks	Rock Herb	Herb used for seasoning	Large waxy leaves	Free blooming cut flower	Large flowers, many shades	for cutting
SEASON	April May June July August Sept. Sept.																		\$+1	1	76				
COLOR	White Blue Magenta White Pink Pink Acd Orange Yellow White			0									0					0	0				0	0	0
HEIGHT (FEET)	Two Two Three Four Six Over	\forall	\forall		\forall	A						\forall	A		A			D				×			D
	Location: Full Sun Normal Full shade	azurea. Cowslip Lungwort	Painted Lady	Double Hybrids	Double Hybrids	Double Hybrids	Double Hybrids	Double Hybrids	Rosemary	Blackeyed Susan	Showy Coneflower	Rue	ایما		Blood Root	Burnet	Lavender Cotton	Green Santolina	ens. Rock Soapwort	Alpine Savory	Winter Savory	Heartleaf Saxifrage	Caucasian Scabiosa	New Hybrids	Fischer's Scabiosa
NAME	Soil: A—Āverage D—Dry M—Moist	PULMONARIA angustifolia azu	PYRETHRUM hybridum.	—Buckeye.	Doris.	-Lord Roseberry.	Queen Mary.	Sylviα.	ROSMARINUS officinalis.	RUDBECKIA hirta hybrids.	speciosa.	RUTA graveolens.	SALVIA azurea grandiflora.	pitcheri.	SANGUINARIA canadensis.	SANGUISORBA canadensis.	SANTOLINA incana.	viridis.	SAPONARIA ocymoides splendens.	SATUREIA alpina.	montana.	SAXIFRAGA cordifolia.	SCABIOSA caucasica.	-House Hybrids.	fischeri.

,,		_	· ·	•	_			-						-		-	·			Ī					_
Ea.		.20	.20	.20	.20	.25	:22	.25	.25	.20	.30	.25	.20	.60	.25	.60	.30	.25	.25	9.	.25	.25	.25	55	.30
REMARKS	20% discount on five. 40% discount on twenty-five plants to be of one variety.	For dry hot places	Tight green carpeter	Useful ground cover	Tiny carpeter, paving	Gray, spreading, neat	Like trosted silver grit	Attractive green foliage	Neat habit, gray leaves	Green ground cover, shade	Best flowering variety	Gray waxy leaves, showy	Cover, bronze in winter	Quaint, rare, beautiful	Many attractive species	Glazed leaves, evergreen	Tightest green moss	Dainty, choice rock plant	Valuable for late flowers	Charming, beautiful soft color	Herb used in salads	Green hummocks, good	Very showy evergreen tufts	Choice, neat tufty habit	Showy long stems, cutting
SEASON	May June July August Sept.																	1							
	White Exposure	$^{\circ}$	C	\bigcirc	\bigcirc	\bigcirc	\circ	•	•	0		•	•	0	\Box		9	O	•	9	•	9	9	9	<u> </u>
	Orange																			_					
	БөЯ																								
COLOR	White Pink																								
8	Magenta															_					_	_	1		
	Purple Blue			(tert	1 3		1 13	1 2 4		4 3	1 1			513					71				5:11		
	White	S																			11				
	Soil							\leq	A	Α	\forall		\forall	\leq	Ć	M		\triangleleft	А	\triangleleft	\forall		⋖		\forall
E	xi2 19vO	\vdash		-	-		-								_			\dashv	_				-	-	
(FEET)	Five																		_					_	
H	ээтиТ ТиоЧ	-	-	-	-	-	_	-		_	-	-			_			-						-	
неіснт	owT																								
	oue	L	4	1		_1			_1	_1				1	_		┙	_		_		_1	_	-	4
	Location: Full Sun Normal Full shade	Goldmoss	Dwarf Goldmoss	White Stonecrop	English Stonecrop	Grayleaf Stonecrop	Leafy Stonecrop	Orange Stonecrop	Nevi Stonecrop	Stringy Stonecrop	Siebold Stonecrop	Showy Stonecrop	False Stonecrop	Japanese Columbine	Var. Houseleek	Oconee-Bells	Moss Campion	Alpine Catchfly	Schafta Catchfly	Wherry Catchfly		White Thrift	Thrift	Dwarf Thrift	False Thrift
NAME	Soil: A—Average D—Dry M—Moist	M acre.	inus.	album.	anglicum minus.	petalum.	dasyphyllum.	kamtschaticum.	nevi (true).	nentosum.	sieboldi.	spectabile Brilliant,	rium.	4QUILEGIA adoxoides	SEMPERVIVUM Asst. Named Vo	TIA galacifolia.	E acaulis.	alpestris.	afta.	erryi.	SIUM sisorum.	ICE armeria alba.	laucheana.	Six Hills Hybrid.	pseudo-armeria Bees Ruby
	Soil: A—D—I	SEDUM	m 	albn	ang	άnοβ	das)	kam	nevi	sarn	sieb	spec	Inds	SEMIA	SEMPI	SHORTIA	SILENE	alpe	scho	Whe	STUM	STAT	ol	Six	bse

Εα.		.30	.35	.25	.35	.25	.30	.35	.25	.25	.30	.30	.30	.25	.25	.25	.25	.35	.25	.35	.35	.30	.25	.35	.35
REMARKS	20% discount on five. 40% discount on twenty-five plants to be of one variety.	Large showy flowers, cutting	Everblooming, choice plant	Attractive ferny Herb	Ideal dwarf hedge	Beautiful foliage plant	Airy fluffy flowers, cutting	Light airy and graceful	Attractive foliage, Herb	Herb Gard., Rock Gard., walls	Green, Caraway scent	Choice, very neat habit	Small erect shrublet	For carpeting, Herb or Rock	Blaze of color, evergreen	Silvery, low carpeter	Evergreen, edging plant	Uncommon, quaint, pretty	Early, pretty woodlander	Very effective border	Long season, free flowering	Valuable, late summer	Spreading mats, hardy	Dazzling, brilliant, tender	Like striped rock candy
SEASON	May Anul June Yinl August teagraph Agoto										at r														
COLOR	White Blue Purple Magenta White Pink Red Orange Yellow Yellow																				0				
HEIGHT (FEET)	Two Two Three Four Six Over	\forall	\(\rightarrow\)	\forall	<	\mathbb{Z}	W	Σ						0				W	W	\Sigma	∑	A	A		D
	Location: Full Sun Normal Full shade	Stoke's Aster	Celandine Poppy	Tansy	Chamaedrys Germander	Maidenhair Meadowrue	Columbine Meadowrue	Ynnnan Meadowrue	Silver Thyme	Lemon Scented Thyme	Herb Scented Thyme	Marshall Thyme	Shining Thyme	White Thyme	Scarlet Thyme	Woolly Thyme	Common Thyme	Toad Lily	Snow Trillium	Globe Flower	Globe Flower	Double Tunic Flower	Canada Verbena	Peru Verbena	Pretty Verbena
NAME		STOKESIA lilacina grandiflora.	STYLOPHORUM diphyllum.	TANACETUM crispum:	TEUCRIUM chamaedrys.	THALICTRUM adiantifolium.	aquilegifolium.	dipterocarpum.	THYMUS argenteus.	citriodorus aureus.	herba barona.	Marshalli.	nitidus.	serpyllum albus.	-coccineus.	-lanuginosus.	vulgaris.	TRICYRTIS hirta.	TRILLIUM grandiflorum.	TROLLIUS europaeus.	ledebori Golden Queen.	TUNICA saxifraga flore pleno.	VERBENA canadensis.	peruviana.	pulchella maonetti.

						•		•																	
Ēα.		.30	.25	.30	.25	.35	.30	.25	.25	.25	.35	.25	.30	.25	.20	.25	.30	.35	.20	.25	.30	.30	.25	.25	.30
REMARKS	20% discount on five. 40% discount on twenty-five plants to be of one variety.	Low tuzzy growth	Rampant green carpeter	Handsome foliage	Gray foliage, neat habit	Valuable, late border plant	Spreading habit, good	For paving, cool position	Low growth, pretty flowers	Evergreen carpeter, showy	Richest blue, very low	Mats of green foliage	Charming free form	Pretty golden foliage	Evergreen ground cover	Evergreen, refreshing change	Finest variety, lge. flowers	Rare, reddish buttons	Lovely shade, edging	Still about the best	Fully double, hardy	Very sweet and lovely	Always in flower	Full sun and sandy soil	Very large flowers
SEASON	Exposure April May June July August Sept. Sept.												0												•
COLOR	Blue Purple Magenta White Red Orange Yellow White																								
HEIGHT (FEET)	Three Four Six Over Soil Soil	<		4		<	X	−	∀	q		Q	\forall		×	×	>	A	I V I I	A	∀	V	Q		A
HEI	enO owT																								
	Location: Full Sun Normal Full shade	Armenian Speedwell	Bird's-eye	Gentian · Speedwell	Woolly Speedwell	Clump Speedwell	Stem' Speedwell	Creeping Speedwell	Spike Speedwell	Blue. Hungarian Speedwell	Dwarf Rock Speedwell	Hungarian Speedwell	Royal Blue Speedwell	Treban Speedwell	Periwinkle	White Periwinkle	Bowles'. Periwinkle	Double Periwinkle	Apricot Viola	Jersey Gem Viola	Sweet Violet	Sweet Violet	Birdsfoot Violet	Birdsfoot Violet	Hybrid Viola
NAME	Soil: A—Average D—Dry M—Moist	VERONICA armenia.	filiformis.	gentianoides	incana.	longifolia subsessilis.	pedunculata.	repens.	spicata.	n dubia Heavenly	nana.	rosea.	——Royal Blue.	trehani.	VINCA minor.	—αlba.	Bowles Variety.	rubra flore plena.	VIOLA cornuta Apricot.	Jersey Gem.	odorata Double Russian.	rosinα.	pedata bicolor.	—lineαrilobα.	Purple Glory.

List of Herbs

Herbal Name	Botanical Name	Use	Each
Alpine Savory	Satureia alpina	Seasoning	\$.25
Angelica	Angelica Archangelica	Soups	.25
Apple Mint	Mentha rotunditolia	Julep	.30
Balm	Melissa officinalis	Salads	.25
Beebalm Burnet	Monarda didyma Sanguisorbia canadensis	Fragra nc e Flavo r	.25
	Stachys grandiflora	Medicinal	.25
Betony (big) Betony (Woolly)	Stachys lantana	Purgative	.25
Calamintha	Calamintha alpina	Seasoning	.30
Camomile	Anthemis nobilis	Tonic	.25
Cat nip	Nepeta mussini	Cats	.25
Chive	Allium schoenoprasum	Salads, Soups	.25 .25
Clary	Salvia sclarea Mentha requieni	Seasoning Drinks	.35
Creeping Mint Costmary	Chrysanthemum balsamita	Medicinal	.35
Cowslip	Primula veris	Flavor wines	.35 .30 .75
Dittany	Origanum Dictamnus	Medicinal	.75
Elecampane	Inula helenium	Medicinal	.30
Fennel	Foeniculum yulgare	Garnishing	.25
Garden Heliotrope	Valeriana officinalis	Nervousness	.25
Germander Greek Valerian	Teucrium chamaedrys Polemonium caeruleum	Medicinal Medicinal	.55
Hoarhound	Marrubium vulgare	Colds	.25
Hyssop	Hyssopus officinalis	Aromatic	.25
Lavender	Lavendula vera	Fragrance	.30
Lavender dwarf	Lavandula munsted	Knot gardens	.30
Lavender cotton	Santolina incana	Aromatic	.30
Lovage	Levisticum officinale	Aromatic root	s .25
Marjoram (pot)	Origanum onites Salvia pratensis	Seasoning Seasoning	.25
Meadow Sage Parsley	Petroselinum hortense	Flavoring	.20
Pennyroyal	Mentha pulegium	Seasoning	.25
Peppermint	Mentha piperita	Drinks	.25
Rosemary	Rosmarinus officinalis	Headaches	.30
Roman Wormwood	Artemisia pontica	Tonic	.30
Rue	Ruta graveolens	Garnish, Soup	.25
Sage Santolina green	Salvia officinalis Santolina viridis	Flavoring Knot gardens	.25 .35
Savory (winter)	Satureia montana	Seasoning	.25
Senna	Cassia marilandica	Medicinal	.25 .30
Scented Geranium	Pelagonium crispum	Finger bowls	.30
Skirret	Sium sisarum	Salads	.25
Snake root	Cimicifuga racemosa	Snake bite	.30
Sorrel Southernwood	Rumex scutatus Artemisia abrotanum	Salads Moths	.25 .30
Sow bread	Cyclamen europaeum	Medicinal	1.00
Spearmint	Mentha spicata	Flavoring	.25
Sweet Cecily	Mhyrris adorata	Mhyrr-Perfum	e .35
Sweetflag	Acorus calamus	Aromatic	.25
Sweet Marjoram	Origanum majorana	Flavoring	.25
Sweet Woodruff	Asperula odorata	Punch	.30 .30
Sweet Violet Tansy	Viola adorata Tanacetum crispum	Perfume Flavoring	.25
Tarragon	Artemisia dracunculus	Pickles	.30
Thoroughwort	Eupatorium urticaefolium	Medicinal	.30
Thyme (common)	Thymus vulgaris	Seasoning	.25
Thyme (citron)	Thymus citriodorus	Seasoning	.25
Thyme, various,	See main list	Seasoning	.25
Wild Ginger	Asarum canadense	Spice	.35
Woolly Yarrow Wormwood	Achillea tomentosum Artemisia absinthinum	Aromatic Vermifuge	.30 .25
11 01 111 W U U U	Wifellisia ansiminimum	, cimii uge	.2,

Annual Herbs

Which Should Be Raised from Seed Sown in Spring

Anise
Basil
Borage
Caraway
Coriander
Dill
Savory, Summer

Pimpinella anisum Ocimum basilicum Borago officinalis Carum carvi Coriandrum sativum Anthum graveolens Satureia hortensis Cordials
Flavoring
Cordials—salads
Flavoring pastries
Candies—Gin
Pickles—sauces
Soups—stews

Hardy Ferns

	Each	Ten Hundred
ADIANTUM pedatum.		Maidenhair
Airy, graceful, shade	.35	.30 .24
ASPLENIUM platyneuron.		Ebony Spleenwort
Erect fronds up to 12"	25	.30 .24
trickemence		wheir Calconwort
trichomanes.	Walae	enhair Spleenwort
Small, dainty for cliffs	.35	.30 .24
ATHYRIUM felix femina.		Lady Fern
Grand for shady corner	.35	.30 .24
goringianum.	G	oring Spleenwort
Soft deep green, rare		.30 .24
pictum.		ottled Spleenwort
		.45 .36
Mottled folioge, choice	٠,٠	
CAMPTOSORUS rhizophyllus.	25	Walking Fern
Quaint little cliff dweller	.35	
OSMUNDA cinnamonea.		Cinnamon Fern
Vigorous grower	.35	.30 .24
POLYPODIUM virginianum.		Rockcap Fern
For rocks, cliffs, walls	.35	.30 .24
POLYSTICHUM acrostichoides.		Christmas Fern
	25	
Evergreen ground cover	.35	.30 .24
WOODSIA obtusa.	~-	Cliff Fern
Feathery fronds, useful	.35	.30 .24

Jertilizers

Alumina Sulphate	rubs100 lbs., \$4.00; Ton lots, \$70.00 50 lbs., \$2.25; 200 lbs., \$7.40 bu. bag, \$2.50; 10 bag lots, \$2.25 per bag
Groledi 6-6-5	
	100 lbs., \$5.00; Ton lots, \$80.00
Humus best grade	
Leaf Mold	3-bu. bag, \$2.50; Ton lots, \$35.00
Lime—Hydrated	100 lbs., \$2.00; Ton lots, \$35.00
	100 lbs., \$4.00; Ton lots, \$65.00
Nitrate of Soda	100 lbs., \$3.50; Ton lots, \$60.00
Peat Moss	1 bale, \$3.00; 10 bale lots, \$2.70 per bale
Pure Raw Bone	100 lbs., \$3.50; Ton lots, \$60.00
Sheep Manure	100 lbs., \$3.15; Ton lots, \$55.00
Soil Sponge (peat)	100 lbs., \$1.25; Ton lots, \$18.00
Superphosphate, 20%	100 lbs., \$2.25; Ton lots, \$27.50
Sulphate of Ammonia .	100 lbs., \$3.50; Ton lots, \$60.00
Vigoro	

Insecticides

Arsenate of lead	4 lb. pkgs., 23c lb.; 96 lb. lots, 20c lb.
Black Leaf 40	2 lb. tins, \$3.25; 10 lb. tins, \$10.60
Bordeaux Mixture	4 lb. pkgs., 22c lb.;96 lb. lots, 18c lb.
Bor-Tox	2 oz. tubes, 75c; 1 lb. cans, \$2.50
Casein Spreader	.1 lb. pkgs., 22c lb.; 100 lb.lots, 20c lb.
Dry Lime Sulphur	50 lb. lots, \$8.50; 200 lb. lots, \$29.00
Dusting Sulphur	5 lb. pkgs., 75c; 100 lbs., \$7.00
Lime Sulphur Solution	1 gallon, \$1.00; 5 gallons, \$3.50
	100 lbs., \$4.85
-	
Wilson's Scale-O	

Mulching Jable

1 cubic yard will cover approximately:	
100 square feet to a thickness of 3	inches
150 square feet to a thickness of 2	inches
300 square feet to a thickness of 1	inch
1 bale of Peat will cover:	
300 square feet to a thickness of 1	inch
1 cubic yard of Cow Manure will fertilize:	
30 trees or 60 shrubs of average nurs	ery size



No magic touch has created those velvety carpets you often envy. Their perennial beauty, always so fresh looking, is the result of annual treatments with a health building food and seed of fine bladed, everlasting grasses. Here are the things that will keep the sparkling look of Spring in your lawn . . .

SCOTT'S REGULAR MIXTURE

For sunny lawns. Produces bright green turf for deep rooting perennial grasses. Contains creeping bent for finer texture and thicker growth. Can be sown thinner than ordinary seed because the chaff is removed.

100	***	\$.60	10 lbs.	**************	\$ 5.25
3	is	1.75	25 lbs.		12.50
5	ics	2.75	50 lbs.		22.50

SCOTT'S SHADE MIXTURE

For lawns receiving less than half a day of sunshine. Special perennial grasses which produce fine thick turi under trees and between houses. Pure seed with chaff removed.


4	Ib	\$.75	10 lbs.	*************	\$ 6.75
	IS				
	<u> 155</u>				

SCOTT'S TURF BUILDER—FOOD FOR GRASS

A special preparation for giving new grass a better start and renewing the color and vigor of old grass. It supplies all the necessary food elements and is composed of only the cleanest ingredients. Ten pounds does a better job of feeding grass than thirty pounds of ordinary fertilizer.

10	les.		\$1.25	50	Ibs.	******	\$3.75
25	ibs.	******	2.25	100	ibs.		6.50

HOW MUCH? Per 1,000 square feet



Uncommon Plants

TREES AND SHRUBS

Aesculus parviflora	Bottlebush Buckeye
Azalea amoena coccinea	Red Amoena Azalea
Azalea pontica	Pontic Azalea
Azalea poukhanensis	Korean Azalea
Azalea schlippenbachi	Royal Azalea
Berberis chenoulti	Chengult Barberry
Rerheris mananainii	Rick Rerberry
Berberis gagnepainii Berberis triacanthophora	Throspine Rerberry
Berberis verage	Vorman Barbarry
Betula alba fastigiata	Column White Birch
Coming bothly avanidation	Duramid Hambaan
Carpinus betulus pyramidalis Chamaecyparis obtusa filicoides	
Cladactic luta	Valley was
Cladrastis lutea Cornus kousa chinensis	Chinas Dagward
Comus kousa chinensis	Cninese Dogwood
Corylopsis sinensis	Winter Hazei
Cotoneaster adpressa	Creeping Cotoneaster
Cotoneaster racemiflora soongarica	Coral Cotoneaster
Cotoneaster racemiflora soongarica Cotoneaster zabeli miniata	Zabel Cotoneaster
Crataegus oxyacantha rosea nova	Single Pink Hawthorn
Cydonia japonica corallina	Coral Flowering Quince
Cydonia japonica nivalis	White Flowering Quince
Daphne mezereum	February Daphne
Daphne mezereum	Hamilton Euonymus
Genista pilosa	Silky Broom
Genista tinctoria plena	Double Woadwaxen
Hamamelis mollis	Chinese Witch Hazel
Hedera deltoidea	Heartleaf lvy
llex cornuta	Chinese Holly
Ilex crenata helleri	Heller Japan Holly
llex verticillata polycarpa	Big Fruit Winterberry
Laurocerasus schipkaensis	Cherry Laurel
Leucothoe axillaris	Lesser Leucothoe
Lonicera sachalinensis	Sakhalin Honeysuckle
Magnolia parviflora	Ovama Magnolia
Malus sieboldi calocarpa	Thickfruited Crab
Neillia sinensis	Neillia
Picea excelsa clanbrasiliana	Rarry Spruce
Picea excelsa repens	Creening Spruce
Picea Omorika	Serbian Spruce
Pinus flexilis	limber Pine
Pinus strobus fastigiata	Unright White Pine
Rhododendron arbutifolium	Danhae Phododondron
Phododondron recomosum	Mayflower Phododondron
Rhododendron wilsoni	Wilson Phododondron
Sorbaria arbaras alabrata	Troe Spires
Sorbaria arborea glabrata Stewartia pentagyna Stewartia pseudo camellia	Mountain Stawartia
Stewartia pentagyna	Mountain Stewartia
Stewarria pseudo camellia	Japanese Stewartia
Stranyaesia daylalana	Stranvaesia
Styrax obassia	Fragrant Snowbell
Stranvaesia davidiana	I urquoise Berry
Taxus canadensis stricta	Dwarr neage rew
Taxus cuspidata nigra	Black Japan Yew
Taxus media wellesleyana	Wellesley Yew
Tsuga canadensis Fremdi	Fremd Hemlock
Ulmus campestris	English Elm
Ulmus campestris Viburnum wrighti	Wright Viburnum
Xanthoceras sorbifolia	Chinese Buckeye
	•

PERENNIALS

Aethlonema iberideum	Spanish Stonecress
Asplenium trichomanes	Maidenhair Spleenwort
Campanula turbinata	Top Bellflower
Chrysogonum ylrginlanum	Golden Star
Chrysogonum virginlanum	Double Lily-of-the-Valley
Cornus canadensis	Bunchberry
Coronilla cappodocica	Crown Vetch
Cyclamen europeum	Alpine Sow Bread
Epimedium niveum	Epimedium
Genista sagittalis	Arrowhead Broom
Helleborus niger	Christmas Rose
Iberis saxatilis	Rock Candytuft
Linnaea borealis americana	Twin Flower
Lithospermum prostratum	Gromwell
Ophlopogan Jaburan	Jahuran
Polygala chamaebuxus	Boxleaf Polyagia
Primula Kleyni	Kleyn Primrose
Santolina viridis	Green Lavender Cotton
Clara Weamil	Whorn Compion
Silene Wherryl	Shiny Loof Thymo
Thymus nitidus	

Plants Suitable for the Rock Garden

Evergreens

Arctostaphylos uva-ursi, 5''-6'' Azalea marcrantha, 3'
Berberis verruculosa, 3'-4'
Calluna vulgaris, and vars. 1'-2'
Cham obtusa filicoides, 8'-10' Cham. obt. gracilis compacta, 8' Cham. obt. lycopodioides, 8' Chamaecyparis obtusa nana, 2' Cham. plumosa nana, 2' Cham. plumosa nana, 2 Cham. squarrosa nana, 1½ Cham. squarrosa nana, 1½ Cotoneaster dammeri, 1'
Cotoneaster microphylla, 2'-21/2'
Cotoneaster thymifolia, 11/2'-2' Cotoneaster trynmond,
Daphne cneorum, 1'
Epigaea repens, 6"
Euonymus radicans minimus, 3"
Gaultheria procumbens, 4"-6"
Hedera conglomerata, 1' Hedera conglomerata, 1'
llex crenata helleri, 1'
Juniperus chinensis sargenti, 1½'
Jun. communis montana, 1½' Jun. communis montana, 1½'
Jun. communis suecica nana, 3'
Juniperus conferta, 9''-12''
Juniperus horizontalis, 1'-1½'
Jun. horizontalis Bar Harbor, 1'
Jun. horizontalis douglasi, 1'-1½'
Jun. horizontalis plumosa, 2'
Jun. sabina tamariscifolia, 1½'
Juniperus squamata, 1' Juniperus squamata, 1' Juniperus squamata meyeri, 3'-4' Juniperus squamata variegata, 1'
Leiophyllum buxifolium, 1½'
Mitchella repens, 4"
Pachistima canbyi, 3"-4" Pachistima canbyi, 3"-4"
Picea exc. clanbrasiliana, 4'-5'
Picea excelsa maxwelli, 1'-2'
Picea excelsa repens, 1'
Picea excelsa repens, 1'
Picea excelsa repens, 1'
Picea glauca conica, 3'
Pinus dens. umbraculifera, 8'-10'
Pinus montana mughus, 2½'-3'
Potentilla tridentata, 8"
Rhodo. arbutifolium, 3'-4'
Rhodo myrtifolium, 3'-4'
Rhododendron racemosum, 1'
Taxus baccata compacta, 3'-4'
Taxus baccata repandens, 2'-3'
Taxus cuspidata nana, 2'-3'
Thuja occidentalis Little Gem, 2'
Thuja occidentalis pumila, 3'-4'
Thuja occidentalis pumila, 3'-4'
Thuja orient. aurea nana, 4'-5'
Thuja orientalis compacta, 3'-4'
Vaccinium vitis-idaea, 6"

Deciduous Shrubs

Betula youngi, 8'-10'
Caryopteris incana, 2'-3'
Cotoneaster adpressa, 1'
Cotoneaster horizontalis, 1½'-2'
Cotoneaster perpusilla, 1½'
Cydonia alpina, 2'
Deutzia gracilis, 3'
Genista pilosa, 3'
Genista sagittalis, 9"
Hypericum buckleyi, 1'
Hypericum moserianum, 2'
Hypericum patulum forresti, 6"-8"
Jasminum nudiflorum, 3'
Lonicera spinosa alberti, 2'
Lonicera thibetica, 3'-4'
Potentilla fruticosa, 3'-4' Potentilla fruticosa, 3'-4' Rosa Rouletti, 6" Viburnum opulus nanum, 1'-2'

Herbaceous Perennials

Achillea clavennae, 6" Achillea tomentosa, 9"

Aethionema grandiflorum, 1½'
Aethionema iberideum, 6"
Aethionema Warley Rose, 6"
Ajuga brockbanki, 8"
Ajuga genevensis, 1'
Ajuga reptans, 6"
Allium flavum minor, 6"
Allium senescens alaucum 9" Allium flavum minor, 6"
Allium senescens glaucum, 9"
Allium Thibet, 9"
Alyssum saxatile compactum, 1'
Alyssum spinosum, 6"
Androsace sarmentosa chumbyl
Anemone huphensis, 1½'
Anemone pulsatilla, 1'
Anemone pulsatilla alba, 1'
Anemone pulsatilla rubra, 1'
Anemone sylvestris, 9"
Antennaria dioica, 6"
Aphyllanthes monspeliensis
Aquilegia alpina, 1'
Aquilegia canadensis, 15"
Aquilegia flabellata nana alba, 9"
Aquilegia pyrenaica, 6"
Arabis albida flore-plena, 7"
Arabis albida nana compacta, 4"
Arabis kelleri 3" Arabis albida nana compacta, 4"
Arabis kelleri, 3" Arabis albida hana compacta, 4
Arabis kelleri, 3"
Arabis procurrens, 6"-9"
Arabis Rosa Bella, 6"-9"
Arenaria caespitosa, 1"
Arenaria caespitosa aurea, 1"-2"
Arenaria montana, 4"
Arenaria purpurascens, 2"
Artemisia frigida, 4"
Aster alpinus, 8"
Aster alpinus albus, 8"
Aster Dwarf Hybrids, 1'
Aster Subcaeruleus, 1'
Aster Wartburg Star, 1'
Aster Yunnanensis, 9"
Aubrietia in varieta, 6"
Campanula barbata, 8"
Campanula carpatica, 6"
Campanula carpatica, 6"
Campanula portenschlagiana, 3"
Campanula portenschlagiana, 3" Campanula garganica, 5
Campanula portenschlagiana, 3"
Campanula poscharskyana, 6"
Campanula pusilla, 3"
Campanula rotundifolia, 1'
Campanula turbinata, 6" Cerastium tomentosum, 6"
Coreopsis auriculata nana,
Coronilla cappodocica, 6"
Cyclamen europaeum, 4"-6" Cyclamen neapolitanum, 4"-6"
Dianthus arvernesis, 4"
Dianthus Beatrix, 9" Dianthus arvernensis, 4"
Dianthus Beatrix, 9"
Dianthus deltoides, 8"
Dianthus Furst Bismark, 9"
Dianthus neglectus, 4"
Dianthus superbus nanus, 6"
Dicentra cucullaria, 4"-6"
Dicentra formosa, 1'
Douglasia vitaliana, 2"
Draba bruniifolia, 2"
Draba siberica, 4"
Dracocephalum ruyschiana. 1'
Epimedium macranthum, 12"
Erodium chamaedrioides, 2"
Erodium chrysanthum, 6"
Euonymus radicans minimus, 1"
Ferns, Hardy (See page 117)
Festuca glauca, 1'
Gentiana acaulis, 1"
Gentiana hascombensis, 9"
Gentiana lagodechiana, 8"
Geranium sanguineum album, 9"
Geranium sanguineum album, 9"
Geranium sanguineum album, 9"
Geranium sanguineum album, 9"
Geum borisi, 1'
Gypsophila cerastioides, 3"
Gypsophila repens, 4"

Rock Garden - continued

Helianthemum in variety, 8"
Hepatica triloba, 4"-6"
Heuchera in variety, 1½'
Hieracium bombycinum, 6"
Hosta plantaginea minor, 10"
Houstonia caerulea, 3"-4"
Hypericum olympicum, 6"-9"
Hypericum repens, 6"
Iberis saxatilis, 2"
Iberis sempervirens, 10"
Iberis sempervirens, Little Gem, 6"
Iberis sempervirens, Little Gem, 6"
Iberis sempervirens, Snowflake, 9"
Iris cristata, 4"
Iris forresti, 1½'
Iris gracillipes, 5"
Iris pumila in variety, 4"-9"
Jeffersonia diphylla, 12"
Lavandula vera, Munsted, 1'
Leontopodium alpinum, 6"
Linaria aequitriloba, 1"
Linnaea borealis, 3"
Linum flavum, 9"
Linum perenne, 1'
Liriope graminifolia, 9"
Lithospermum prostratum, 6"
Lotus corniculatus, 4"
Mazus rugosus, 4"
Menthella requieni, ½"
Mitchella repens, 2"-3"
Myosotis scorpioides, 10"
Nepeta mussini, 10"
Nierembergia rivularis, 2"
OEnothera missourienis, 10"
OEnothera speciosa, 1½'
Omphalodes verna, 6"
Papaver alpinum, 4"
Phlox amoena, 4"
Phlox divaricata, 1'
Phlox subulata in variety, 4"-6"
Phyteuma scheuchzeri, 1'
Plumbago larpentae, 9"
Polemonium humile, 1'
Polygala chamaebuxus, 8"
Polygala vayredeae, 6"
Potentilla nepalensis, Willmott, 1'
Potentilla rupestris pygmaea, 4"

Potentilla tonguei, 6"
Potentilla verna nana, 4"
Primula acaulis, 3"
Primula auricula, 6"
Primula Cortusoides, 6"
Primula frondosa, 4"
Primula sieboldii, 8"
Primula veris, assorted, 6"-10"
Rosa rouletti, 6"
Santolina incana, 1'
Cantolina viridis, 8"-12"
Saponaria ocymoides splendens, 1'
Sedum in variety, 1"-9"
Semiaquilegia adoxoides, 12"
Sempervivum in variety, 4"-9"
Shortia galacifolia, 8"-12"
Silene acaulis, 2"
Silene acaulis, 2"
Silene wherryi, 6"
Statice armeria in variety, 6"-15"
Statice armeria, 6 Hills Hybrid, 6"
Teucrium chamaedrys, 1½
Thymus citriodorus argenteus, 4"
Thymus citriodorus argenteus, 4"
Thymus serpyllum in variety, 2"
Tunica saxifraga, 6"
Verbena peruviana, 4"
Veronica armeria, 4"
Veronica gentianoides, 8"
Veronica pedunculata, 4"-6"
Veronica pedunculata, 4"-6"
Veronica teucrium rup. nana, 1"
Veronica teucrium rup. rosea, 4"
Veronica teucrium rup. rosea, 4"
Veronica teucrium rup. rosea, 4"
Veronica teucrium rup. rosea, 4"
Veronica teucrium rup. rosea, 4"
Veronica teucrium rup. rosea, 4"
Veronica teucrium rup. rosea, 4"
Veronica teucrium rup. rosea, 4"
Veronica teucrium rup. rosea, 4"
Veronica teucrium rup. rosea, 4"
Veronica teucrium rup. rosea, 4"
Veronica teucrium rup. rosea, 4"
Veronica teucrium rup. rosea, 4"
Veronica teucrium rup. rosea, 4"
Veronica teucrium rup. rosea, 4"
Veronica pedunculata, 6"
Viola cornuta, Jersey Gem, 6"
Viola cornuta, Purple Queen, 5"
Viola odorata. 6"
Viola pedata, 4"

Plants for Shaded Situations

Deciduous Trees and Shrubs

Acanthopanax pentaphyllum, 8'
Acer pennsylvanicum, 30'
Acer spicatum, 15'
Amelanchier canadensis, 12'-15'
Amelanchier stolonifera, 4'-5'
Aronia arbutifolia, 6'-8'
Aronia melanocarpa, 8'-10'
Azalea arborescens, 10'-12'
Azalea nudiflora, 6'-8'
Azalea viscosa, 4'-5'
Benzoin aestivalis, 10'-12'
Calycanthus floridus, 4'-5'
Cephalanthus occidentaliis, 5'-6'
Cercis canadensis, 12'-15'
Chionanthus virginica, 15'-18'
Clethra alnifolia, 4'-5'
Cornus alternifolia, 15'-18'
Cornus amomum, 8'-9'
Cornus florida, 15'-25'
Cornus florida rubra, 15'-20'
Cornus stolonifera, 8'-10'
Diervilla trifida, 3'-4'
Halesia tetraptera, 12'-15'
Hamamelis wollis, 15'-20'
Hamamelis virginiana, 15'-20'
Hydrangea arb, grandiflora, 4'

Hydrangea quercifolia, 3'-4'
Ligustrum ibota regelianum, 5'
Lonicera fragrantissima, 6'-8'
Lonicera morrowi, 7'-8'
Lonicera tatarica, 9'-10'
Oxydendrum arboreum, 25'-30'
Philadelphus, 9'-10'
Physocarpus, 3'-4'
Rhodotypos kerrioides, 4'-5'
Symphoricarpos chenaulti, 4'-5'
Symphoricarpos racemosus, 4'-5'
Symphoricarpos vulgare. 4'-5'
Viburnum acerifolium, 4'-5'
Viburnum dentatum, 10'12'
Viburnum molle, 10'12'
Viburnum prunifolium, 12'-15'
Zanthoriza apiifolia, 2'-3'

Evergreens

Azalea amoena, 2½'-3'
Azalea hinodegiri, 3'-4'
Buxus semper. suffruticosa, 6'
Epigaea repens, 4"-6"
Euonymus radicans coloratus. 3"
Gaultheria procumbens. 4"-6"
Ilex crenata microphylla, 6'-8'
Ilex glabra, 5'-6'
Ilex opaca, 25'-30'
Juniperus communis, 2½'-3'
Kalmia latifolia, 5'-7'

Plants for Shaded Situations continued

Leucothoe catesbaei, 3'-4'
Mahonia aquifolium, 4'-5'
Mitchella repens, 3"-4'
Pachysandra terminalis, 6"-8"
Pieris floribunda, 3'-4'
Pieris japonica, 4'-5'
Rhodo. catawbiense, 8'-10'
Rhododendron hybrids, 3'-8'
Rhodo. maximum, 12'-15'
Taxus canadensis, 2'-2½'
Taxus cuspidata, 4'-5'
Tsuga canadensis, 75'-90'

Herbaceous Perennials

Aconitum (all) Ajuga genevensis Ajuga reptans Anemone japonica Anemone sylvestris Aquilegia Chimaphila maculata Chrysogonum virginianum Cimicifuga Convallaria majalis Cyclamen europaeum Cypripedium pubescens
Dicentra cucullaria
Dicentra eximia
Dicentra spectabilis Digitalis Eupatorium fraseri Ferns in variety Helleborus niger

Hemerocallis Hepatica Heuchera (all) Hosta (all) lberis semperivirens Iris cristata lris gracilipes Iris verna Linnaea borealis americana Lithospermum prostratum Lobelia cardinalis Lobelia syphilitica Lychnis chalcedonica Lythrum Menthella requieni Mitchella repens Myosotis scorpiodes Myrrhis odorata Omphalodes verna Physalis Platycodon grandiflorum Polemonium Primula (all listed) Pulmonaria azurea Sedum kamtschaticum Sedum oreganum Sedum sarmentosum Sedum spurium Sedum ternatum Shortia galacifolia Thalictrum Trillium grandiflorum Vinca minor

Plants for Binding Steep Banks

Shrubs

Acanthopanax pentaphyllum Berberis thunbergi, 4'-5' Berberis thunbergi, 4'-5'
Cotoneaster horizontalis, 2'-3'
Cotoneaster perpusilla, 1'-2'
Forsythia suspensa, 5'-6'
Lonicera spinosa alberti, 3'-4'
Lonicera syringantha, 4'-5'
Lonicera tatarica, 9'-10'
Myrica carolinensis, 4'-5'
Rhus canadensis, 4'-5'
Robinia hispida, 6'-8'
Rosa nitida, 12"-18"

Rosa rugosa, 4'-5' Rosa setigera, 5'-6' Symphoricarpos racemosus Symphoricarpos vulgare, 4'-5' Zanthoriza apiifolia, 2'-3'

Vines

Ampelopsis heterophylla Bignonia radicans Celastrus scandens, 20'-25' Lonicera halleana, 15'-20' Rosa lucida, 5'-6' Rosa wichuriana, 15'-20'

Plants for Dry Soil

DECIDUOUS TREES

Betula populifolio, 30'-40' Phellodendron amurense, 40'-50' Quercus alba, 100'

EVERGREEN TREES

Juniperus virginiana, 30'-50 Pinus resinosa, 80'-100' Pinus strobus, 80'-100' Pinus sylvestris, 70'-80'

DECIDUOUS SHRUBS

Acanthopanax pentaphyllum Colutea arborescens, 8'-10' Cornus paniculata, 10'-12' Genista tinctoria, 3'-4' Hypericum prolificum, 2½'-3' Lespedeza formosum, 5'-6' Myrica carolinensis, 4'-5' Prunus maritima, 9'-10' Rhamnus cathartica, 9'-10' Rhus canadensis, 4'-5' Rosa setigera, 10'-12' Symphoricarpos racemosus

Vaccinium carymbosum, 5'-6' Viburnum acerifolium, 4'-5' Viburnum lantana, 15'-18'

EVERGREEN SHRUBS

Arctostaphylos uva-ursi, 6" Arctostaphylos uva-ursi, 6"
Jun. chinensis sargenti
Juniperus communis, 2'-2½'
Juniperus communis depressa
Juniperus communis montana
Juniperus horizontalis, 1'-1½
Juniperus sabina, 6'-7'
Mahonia aquifolium, 4'-5'
Pachysandra terminalis, 8"
Pinus montana mughus, 2½'-3'

Herbaceous Perennials SUNNY PLACES

Achillea ptarmica, The Pearl Achillea tomentosa Anthemis tinctoria Arenaria caespitosa Armeria in variety Asclepias tuberosa

Plants for Dry Soil continued

Baptisia australis Cerastium tomentosum Dianthus caesius Dianthus deltoides Dianthus plumarius Euphorbia corollata Festuca glauca Gypsophilla paniculata Helianthemum Helianthus avendula vera Linum perenne Lupinus polyphyllus Nepeta mussini Oenothera youngi Pentstemon barbatus Phlox subulata Plumbago larpentae Santolina incana

Santolina viridis Sedum Sempervivum Tunica saxifraga Yucca filamentosa

SHADY PLACES

Ajuga genevensis
Ajuga reptans
Aquilegia canadensis
Aquilegia chrysantha
Aster alpinus
Convallaria majalis
Heuchera sanguinea
Iberis sempervirens
Liatris pycnostachya
Platycodon grandiflorum
Sedum Spectabile

Plants for Marshy Places

Deciduous Trees

Acer rubrum, 50'-75'
Betula nigra, 50'-60'
Larix leptolepis, 50'-60'
Liquidamber styraciflua, 50'-60'
Quercus palustris, 75'-90'
Quercus phellos, 75'-90'
Salix bobylonica, 50-60'
Taxodium distichum, 100'
Tilia americana, 80'-90'
Ulmus americana, 80'-100'

Shrubs

Aronia arbutifolia, 6'-8'
Aronia melanocarpa, 8'-10'
Azalea viscosa, 4'-5'
Benzoin aestivalis, 10'-12'
Colycanthus floridus, 4'-5'
Cephalanthus occidentalis, 4'-5'
Clethra alnifolia, 4'-5'
Cornus amomum, 8'-9'
Cornus stolonifera, 7'-8'
Ilex glabra, 5'-6'
Ilex verticillata, 6'-8'
Rhododendron canadense, 4'
Sorbaria sorbifolia, 5'-6'
Vaccinium corymbosum, 6'-8'

Viburnum cassinoides, 5′-6′ Viburnum dentatum, 10′-12′ Viburnum lentago, 18′-20′

Herbaceous Perennials

Aruncus sylvester Aster novae-angliae Boltonia latisquama Caltha palustris Cimicifuga racemosa Helenium autumnale Hemerocallis Hibiscus moscheutos Iris chrysographes lris forresti Iris kaempferi lris sibirica Lobelia cardinalis Lobelia siphilitica Lythrum salicaria roseum Myosotis scorpioides (palustris) Physostegia virginica Primula cachemiriana Primula japonica Primula japonica, Red Hugh Primula pulverulenta Trollius europaeus Trollius, Orange Globe

Plants for Acid Soil

The acidity of soil varies to a considerable degree and some plants prefer a decidedly acid reaction while others succeed best in a slightly acid soil. This list includes plants which have a preference for soil on the acid side, always providing other nutritional conditions are favorable.

Deciduous Trees and Shrubs

Acer pennsylvanicum
Acer spicatum
Aesculus parviflora
Amelanchier
Amorpha
Aronia
Azalea
Baccharis
Benzoin
Betula lenta
Buddleia
Callicarpa
Calycanthus
Carpinus
Celastrus
Cephalanthus

Chionanthus
Cladrastris
Clethra
Cornus
Cydonia
Cytisis scoparius
Daphne mezereum
Enkianthus
Fagus
Forsythia
Genista
Ginkgo
Halesia
Hamamelis
Ilex
Itea virginica

Liquidambar

Liriodendron
Lonicera belgica
Magnolia
Myrica
Neillia
Nyssa
Oxydendrum
Quercus
Sambucus
Sophora
Sorbus
Stewartia
Styrax
Symplocos
Vaccinium
Viburnum

Plants for Acid Soil continued

Conifers

Abies Chamaecyparis Juniper horizontalis Picea Pinus Pseudotsuga Thuya Tsuga

Broadleaf Evergreens

Azalea Buxus Calluna Erica Ilex glabra Ilex opaca Kalmia Leiophyllum Leucothoe Pachistima Pieris Potentilla tridentata Rhododendrons

Perennials

Aconitum Actaea **Allium** Alyssum Anemone Aquilegia Arenaria Artemisia Asclepias Aster Astilbe Baptisia Caltha Chelone Iyoni Cimicifuga Convallaria Coreopsis Corydalis Cypripedium acaule Dicentra Digitalis Erythronium Gáillardia Gentiana Helianthemum Helleborus Hepatica

Heuchera Hibiscus moscheutos Houstonia **Iberis** Iris, Japanese Jeffersonia Liatris Lobelia Lotus Lupinus Lythrum Mertensia Monarda Oenothera Phlox Ovata Phlox stolonifera Polemonium Polygala paucifolia Primula Ranunculus Sanguinaria Sedum anglicum Trillium Trollius Valeriana Viola Viola pedata

Ground Covers

Antennaria Arctostaphylos Asarum Chimaphila Convallaria Cornus canadensis Epigaea

Galax Gaultheria Houstonia Linnea americana Mitchella Pachysandra

Plants for Wall-Gardening

Achillea tomentosa
Aethionema (all)
Alyssum (all listed)
Androsace chumbyi
Androsace lanuginosa
Antennaria dioica
Arabis in variety
Arenaria montana
Asplenium platyneuron
Asplenium trichomanes
Aubretia in variety
Calamintha alpina
Campanula garganica
Campanula portenschlagiana
Campanula poscharskyana
Campanula pusilla
Cerastium tomentosum
Chieranthus allioni
Corydalis lutea (shady)
Dianthus arvernensis
Dianthus deltoides
Dianthus neglectus
Dracocephalum
Erodium (all)

Geranium sanguineum & varieties Gypsophila repens Helianthemum in variety Hypericum olympicum lberis in variety Leontopodium alpinum Lithospermum prostratum, Lotus corniculatus Nepeta mussini OEnothera missouriensis OEnothera speciosa Phlox subulata and varieties Plumbago larpentae Primula auricula (shady)
Saponaria ocymoides
Sedum (all except spectabile)
Sempervivum (all) Silene alpestris Silene maritima fl.-pl. Silene schafta Statice armeria Teucrium chamaedrys Thymus (all) Tunica saxifraga Veronica teucrium rupestris & var.

Crevice Plants

Achillea tomentosa Antennaria dioica Arenaria caespitosa Arenaria caespitosa aurea Campanula pusilla Euonymus radicans minimus Linaria aequitriloba Lotus corniculatus Menthella requieni Nierembergia rivularis Phlox subulata varieties (for large steps)

Sedum anglicum Sedum dasyphyllum Sedum nevi Sedum sexangulare Sedum spath, purpureum Sempervivums (all) Silene alpestris Statice armeria Thymus (all) Tunica saxifraga Veroni<mark>c</mark>a repens

Ground Covers

For Shady Places

Ajuga reptans Asarum shuttleworthi Chimaphylla maculata Chrysogonum virginianum Convallaria majalis Cornus candensis Dicentra eximia Epigaea repens Epimedium in variety Euonymus radicans coloratus Euonymus radicans coloratus
Euonymus radicans minimum
Ferns in variety
Gaultheria procumbens
Hedera helix and varieties
Hepatica triloba
Linnaea borealis
Mitchella repens
Pachistima canbyi
Pachysandra terminalis
Polemonium reptans
Shortia galacifolia
Taxus canadensis
Vaccinium vitis-idaea
Veronica filiformis
Veronica repens Veronica repens Vinca minor and varieties

For Sunny Places

Achillea tomentosum Arctostaphyllos uva-ursi Arenaria caespitosa Calluna vulgaris and varieties Cerastium tomentosum Dianthus plumaris Dicentra eximia Helianthemum in variety Iberis sempervirens Juniperus chinensis sargenti Juniperus communis depressa Juniperus communis montana Jun. horizontalis Bar Harbor Juniperus horizontalis plumosa Juniperus norizontalis plumosa Juniperus sabina tamariscifolia Juniperus sauamata Leiophyllum buxifolium Lotus corniculatus Pachystima canbyi Phlox subulata Sedum in variety Thymus serphyllum Veronica teucrium rupestris Zanthorhiza apiifolia

Berry-Bearing Trees and Shrubs

Red Berries

Red Berries

Aronia arbutifolia, 8'-10'
Benzoin aestivale, 10'-12'
Berberis aggregata pratti, 8'-10'
Berberis thunbergi, 4'-5'
Berberis vernae, 5'-6'
Berberis vulgaris, 8'-9'
Cornus florida, 15'-25'
Cornus kousa, 15'-20'
Cornus mas, 15'-20'
Cotoneaster apiculata, 6'-7'
Cotoneaster dielsiana, 6'-8'
Cotoneaster divaricata, 6'-7'
Cotoneaster divaricata, 6'-7'
Cotoneaster franchetti, 7'-8'
Cotoneaster horizontalis, 1'-1½'
Coton. horizontalis perpusilla
Cotoneaster hupehensis, 5'-6'
C. racemiflora soongarica
Cotoneaster rotundifolia, 7'-8'
Cot. salicifolia floccosa
Cotoneaster Simonsi, 5'-6'
Crataegus coccinea, 15'-20'
Crataegus cordata, 12'-15'
Crataegus crus-galli, 15'
Crataegus crus-galli, 15'
Crataegus crus-galli, 15'
Crataegus mollis, 20'-25'
Crataegus oxyacantha, 20'
Elaeagnus pungens, 10'-12'
Elaeagnus pungens, 10'-12'
Elaeagnus umbellata, 8'-10'
Euonymus alatus, 9'-10'
Euonymus radicans vegetus
Euonymus yedoensis, 9'-10'

llex cornuta, 8'-10'
llex opaca, 25'-30'
llex pernyi, 7'-8'
llex verticillata, 6'-8'
Lonicera korolkowi floribunda
Lonicera maacki, 8'-9'
Lonicera minutiflora, 7'-9'
Lonicera sachalinensis, 10'-12'
Lonicera syringantha wolfi, 4'
Lonicera tatarica, 9'-10'
Malus floribunda, 12'-15'
Malus prunifolia, 15'
Malus sargenti, 8'-9'
Nyssa sylvatica, 60'-70'
Photinia villosa, 12'-15'
Pyracantha coccinea lalandi
Rhus canadensis, 3'-5'
Rosa rubiginosa, 5'-6'
Rosa rubrifolia, 6'-8'
Rosa rubrifolia, 6'-8'
Rosa rugosa, 4'-5'
Rosa setigera, 10'-12'
Sorbus aucuparia, 25'-30'
Symphoricarpos chenaulti, 4'-5'
Viburnum americanum, 8'-9'
Viburnum dilatatum, 8'-9'
Viburnum opulus, 9'-10'
Viburnum wrighti, 8'-10'

White Berries

Cornus alba sibirica, 8'-10' Cornus paniculata (bluish), 10'-12' Cornus stolonifera, 7'-8'

Berry-Bearing Trees and Shrubs continued

White Berries Continued Myrica carolinensis (gray) Pachysandra terminalis, 8"-10" Symphoricarpos racemosus

Yellow Berries
Elaeagnus angustifolia, 15'-18'
Ilex opaca xanthocarpa, 25'-30'
Malus arnoldiana, 12'-15'

Black Berries

Amelanchier canadensis, 25'
Aronia melanocarpa, 8'-10'
Berberis atrocarpa, 5'-6'
Berberis verruculosa, 2'-8'
Cotoneaster acutifolia, 8'-10'
Cotoneaster foveolata, 8'-10'
Ilex crenata bullata, 4'-5'
Ilex crenata microphylla, 6'-8'
Ilex glabra, 5'-6'
Ligustrum regelianum, 4'-5'
Rhamnus cathartica, 9'-10'
Rhamnus frangula, 10'-12'

Rhodotypus kerrioides, 4'-5' Viburnum acerifolium, 4'-5' Viburnum lantana, 15'-18' Viburnum prunifolium, 12'-15' Viburnum sieboldi, 9'-10'

Deep Blue-Black Berries

Berberis gagnepaini, 5'-6'
Berberis julianae, 6'-7'
Berberis tricanthophora, 4'-5'
Chionanthus virginica, 20'
Cornus controversa, 20'-25'
Vaccinium corymbosum, 4'-12'
Viburnum cassinoides, 5'-6'
Viburnum dentatum, 10'-12'
Viburnum lentago, 25'-30'

Blue Berries

Ampelopsis heterophylla Callicarpa purpurea (mauve) Cornus amomum, 8'-9' Symplocos paniculata, 30'-40'

Plants Attractive to Birds

-Nesting

- Amelanchier canadensis
- Ampelopsis quinquefolia
- Ampelopsis tricuspidata
- Aronia arbutifolia
- Aronia melanocarpa Benzoin aestivale
- Berberis thunbergi
- Berberis vernae
- Berberis vulgaris
- Betula lenta
- Betula nigra
- Betula papyrifera Celastrus scandens
- Cornus alba
- * Cornus controversa *O Cornus florida
- Cornus kousa
- Cornus mas
- Cornus paniculata
- Crataegus most varieties
 - Eleagnus longipes

-Food

- O Gaultheria procumbens
 O Ilex opace
- llex verticillata
- *O llex verticillata
 *O Juniper virginiana varieties
 *O Lonicera in variety
 *O Malus floribunda and vars.
 O Mitchella repens
 O Myrica carolinensis
 * Picea polita
 *O Pinus nigra
 * Pinus resinosa
 *O Pinus strobus
 *O Rhamnus frangula

- *O Rhamnus frangula
- Sambucus pubens Sorbus aucuparia
- Symphoricarpos chenaulti
- Symphoricarpos racemosus
- Symphoricarpos vulgaris Tsuga canadensis

Vaccinium corymbosum Viburnums in variety Weigela **Euonymus europaeus** Vants with Distinctive Bark

Acer pennsylvanicum (Striped)
Betula alba (White)
Betula nigra (Papery brown)
Betula papyrifera (Papery white)
Betula populifolia (Creamy)
Carpinus betulus (Blue-gray)
Cornus alba (Bright red)
Cornus controversa (Purple)
Cornus paniculata (Gray)
Cornus stolonifera (Deep red)
Cornus stolonifera lutea (Yellow)
Elaeagnus (Silvery)
Euonymus alatus (Corky)

Euonymus europaeaus (Green) Fagus varieties (Gray) Forsythia viridissima (Green)
Kerria japonica (Green)
Laburnum vulgare (Green)
Liquidambar styraciflua (Corky)
Platanus orientalis (Spotted)
Rosa lucida (Reddish)
Rosa lucida alba (Green)
Rosa rubrifolia (Dull red)
Salix vitellina (Yellow)
Tilia euchlora (Red twig)
Tilia platyphyllos aurea (Yellow) Forsythia viridissima (Green)

Plants Suitable for Hedges

Evergreens

TALL

Berberis julianae

Chamaecyparis pisifera and var. Chamaecyparis plumosa Chamaecyparis filifera Euonymus patens Juniperus virginiana vars. Picea excelsa Pinus strobus Pyracantha lalandi Taxus cuspidata capitata Thuja occidentalis and varieties Thuja plicata atrovirens Tsuga canadensis Tsuga caroliniana

LOW Berberis triacanthophora Berberis verruculosa Buxus Chamaecyparis obtusa gracilis llex crenata bullata llex crenata microphylla Juniperus chinensis pfitzeriana Mahonia aquifolia Taxus cuspidata Taxus cuspidata nana Taxus media Thuja occidentalis dwarf varieties: Thuja occidentalis Little Gem Thuja orientalis nana aurea

Plants Suitable for Hedges

Deciduous

TALL

Acer ginnala
Carpinus betulus
Cotoneaster acutifolia
Crataegus coccinea
Crataegus crusgalli
Crataegus oxaycantha
Euonymus alatus
Fagus americana
Fagus sylvatica
Hibiscus syriacus
Ligustrum amurense
Ligustrum ovalifolium
Lonicera fragrantissima
Lonicera minutiflora
Photinia villosa
Rhamnus frangula
Salix pentandra
Syringa vulgaris
Viburnum dentatum

LOW

Berberis thunbergi
Berberis thunbergi minor
Berberis vernae
Cotoneaster divaricata
Cydonia japonica
Deutzia gracilis
Ligustrum lodense
Hypericum aureum
Ligustrum ovalifolium (clipped)
Ligustrum regelianum
Philadelphus lemoinei and var.
Rhodotypos kerriodes
Rosa rugosa
Spiraea Anthony Waterer
Spiraea prunifolia
Spiraea thunbergi
Spiraea van houttei
Stephandra flexuosa
Symphoricarpos chenaulti
Viburnum opulus nana

Shrubs for Espalier

Amygdalus persica
Cercis chinensis
Corylopsis sinensis
Cotoneaster franchetti
Cotoneaster horizontalis
Cotoneaster salicifolia floccosa
Cotoneaster simonsi
Crataegus in variety
Cydonia in variety
Forsythia suspensa
Hamamelis japonica
Hamamelis mollis
Jasminum nudiflorum

Laburnum vulgare
Lonicera fragrantissima
Lonicera heckrotti
Lonicera morrowi
Magnolia glauca
Magnolia parviflora
Malus micromalus
Malus sargenti
Prunus triloba
Pyracantha coccinea lalandi
Stewartia pentagyna
Viburnum carlesi
Xanthoceras sorbifolia

Vines

Flowering

Actinidia
Bignonia
Clematis
Hydrangea petiolaris
Lonicera
Polygonum
Rosa wichuriana and varieties
Wisteria

Foliage

Actinidia Akebia Ampelopsis Euonymus Hedera Lonicera Rosa

Rapid Growth

Actinidia Clematis Polygonum

Fruiting

Actinidia Akebia Ampelopsis heterophylla Celastrus Clematis

Self-Clinging (by roots)

Ampelopsis tricuspidata Ampelopsis tricuspidata lowi Bignonia Euonymus Hedera Hydrangea petiolaris Schizophragma hydrangeoides

Climbing

Actinidia
Ampelopsis heterophylla
Ampelopsis quinquefolia
Celastrus
Clematis
Lonicera
Wisteria

Evergreen Conifers

Tall

Abies concolor, 50'-60' Abies homolepis, 60'-80' Abies nordmanniana, 80'-100' Abies veitchi, 50'-60' Cedrus atlantica glauca, 50'-60' Cedrus Libani, 60'-80' Chamaecyparis pisifera, 30'-40' Cham. pisifera aurea, 30'-40' Chamaecyparis plumosa, 35'-40' Cham. plumosa aurea, 30'-35'
Chamaecyparis squarrosa, 30'-40'
Cryptomeria jap. lobbi, 50'-60'
Juniperus virginiana, 30'-50'
Picea canadensis, 50'-60'
Picea excelsa, 80'-100'
Picea excelsa pyramid., 40'-50'
Picea koyamai, 40'-50'
Picea omorika, 60'-80'
Picea orientalis, 60'-80'
Picea polita, 60'-80'

Evergreen Conifers -- continued

Continued

Picea pungens, 70'-80'
Picea pungens glauca, 70'-80'
Picea pungens Kosteri, 50'-60'
Pinus densiflora, 50'-60'
Pinus excelsa, 50'-60'
Pinus resinosa, 50'-60'
Pinus nigra, 50'-60'
Pinus resinosa, 60'-70'
Pinus strobus, 80'-100'
Pinus strobus fastigiata, 35'-40'
Pinus sylvestris, 40'-50'
Pinus thunbergii, 60'-70'
Pseudotsuga douglasi, 70'-80'
Thuja occidentalis, 35'-40'
Thuja occidentalis, 25'-30'
Thuja plicata atrovirens, 35'-40'
Tsuga canadensis, 70'-80'
Tsuga caroliniana, 40'-50'
Tsuga diversifolia, 50' Continued

Medium Height

Medium Height
Chamaecyparis obtusa, 20'25'
Cham. obt. lycopodioides, 8'
Cham. obtusa magnifica, 25'-30'
Cham. obtusa youngi, 20'-25'
Cham. pisifera filifera, 20'-25'
Juniperus chinensis, 18'-20'
Jun. chin. col. viridis, 20'-25'
Juniperus chin. fortunei, 12'-15'
Jun. chin. neaboriensis, 8'-10'
Juniperus chin. oblonga, 10'-12'
Juniperus virg. burki, 12'-15'
Juniperus virg. cannarti, 20'-25'
Juniperus virg. glauca, 20'-25'
Juniperus virg. schotti, 20'-25'
Juniperus virg. keteleeri, 18'-20'
Juniperus virg. schotti, 20'-25'
Taxus cembra, 25'-30'
Sciadopitys verticillata, 20'-25'
Taxus cuspidata hatfieldi, 15'
Thuja occ. doug. aurea, 15'-20'
Thuja occ. doug. pyramid., 20'-25'
Thuja occ. doug. pyramid., 20'-25'
Thuja occ. elegant, 15'-20'
Thuja occidentalis lutea
Thuja occ. riversi, 10'-12'
Thuja occ. vervaeneana, 10'-12'
Thuja occ. vervaeneana, 10'-12'
Thuja standishi, 12'-15'
Tsuga canadensis atrovirens, 20'
Tsuga canadensis dwarf forms, 4'-10'

Shrubby

Shrubby

Cham. obtusa compacta, 5'-6' Cham. obtusa crippsi (slow), 8'-10' Cham. obt. gracilis (slow), 12' Cham. obt. arac. compacta. 6'-8' Cham. pis. filifera aurea, 15'

Juniperus chin. albo variegata, 10' Juniperus chin. japonica, 4'-5' Juniperus chin. pfitzeriana, 5'-6'
Juniperus canadensis, 3'-4'
Juniperus communis, 3'-4' Juniperus canadensis, 3'-4'
Juniperus communis, 3'-4'
Juniperus excelsa stricta, 5'-6'
Juniperus sabina, 5'-6'
Juniperus suecica nana, 3'-4'
Juniperus suecica nana, 3'-4'
Juniperus virg. pendula, 15'-20'
Juniperus virg. pyramidalis, 20'
Juniperus virg. smithi, 6'-8'
Picea excelsa clanbrasiliana, 4'-5'
Picea excelsa conica, 6'-8'
Picea glauca conica, 5'-6'
Pinus densif. umbraculifera, 8'
Taxus baccata washingtoni, 6'-8'
Taxus baccata washingtoni, 6'-8'
Taxus cuspidata, 10'-12'
Taxus cuspidata compact, 6'-8'
Taxus cuspidata densa, 4'-5'
Taxus cuspidata nana, 5'-6'
Taxus media, 10'-12'
Taxus media hicksi, 10'-12'
Taxus media hicksi, 10'-12'
Thuja occ. compacta, 4'-5'
Thuja occ. pumila, 3'-4'
Thuja occ. woodwardi, 3'
Thuja occ. umbraculifera, 3'-4'
Thuja orient. aurea nana, 4'-5'
Thuja orient. bakeri, 5'-6'
Thuja orient. compacta, 4'-5'
Tsuga canad. pendula, 6'-8'

Low or Prostrate

Chamaecyparis squarrosa nana, 2'
Cham. plumosa lutescens, 3'
Cham. plumosa nana, 2'
Jun. chinensis sargenti, 2'-21/2'
Jun. communis aurea, 11/3'
Jun. communis montana, 1'
Juniperus conferta, 9"-12"
Juniperus horizontalis, 1'-11/2'
Juniperus hor. douglasi, 9"-12"
Juniperus hor. douglasi, 9"-12"
Juniperus hor. glauca, 1'-11/2'
Juniperus hor. hudsonica, 1'-2'
Jun. horizontalis plumosa, 1'-2'
Juniperus squamata, 1'-2'
Juniperus squamata, 1'-2'
Jun. squamata variegata, 1'-2' Jun. squamata variegata. 1'-2' Picea excel. maxwelli, 1½'-2' Picea excel. maxwelli, 1½'-2'
Picea excelsa procumbens, 2'
Picea excelsa pumila, 3'
Picea excelsa repens, 1½'
Pinus mugho, 3'
Taxus baccata repandens, 2'-3'
Taxus canadensis, 2½'-3'
Thuja occ. Little Gem, 2'-2½'

Broad Leaved Evergreens

Abelia grandiflora, 5'-6'
Arctostaphylos uva-ursi
Azalea Akebona, 6'-8'
Azalea amoena, 4'-5'
Azalea fujimayo, 5'-6'
Azalea fujimayo, 5'-6'
Azalea hinodegiri, 4'-5'
Azalea hinomayo, 3'-4'
Azalea kaempferi hybrids, 3'-4'
Azalea ledifolia, 4'-5'
Azalea macrantha, 3'-4'
Berberis chenaulti, 3'-4'
Berberis julianae, 6'-7'
Berberis tricanthophora, 4'-5'
Berberis verruculosa, 3'-31/2'

Buxus species, 5'-10'
Calluna vulgaris, 6"-15"
Chimaphila maculata, 6"-8"
Cotoneaster dammeri, 1'-1½'
Cotoneaster franchetti, 8'-10'
Cotoneaster horizontalis, 2'-2½'
Coton. hor. perpusilla, 1'-2'
Cotoneaster microphylla, 2'-3'
Cotoneaster thymifolia, 2'-3'
Daphne cneorum, 1' Cotoneaster thymitolia, 2'-3'
Daphne cneorum, 1'
Erica carnea, 1½'
Euonymus patens, 8'-10'
Euonymus radicans, vine
Euonymus rad. coloratus, vine
Euronymus radicans vegetus, vine
Gaultheria procumbens, 4"-6"

Broad Leaved Evergreens continued

Hedera helix and varieties, vine Hedera helix conglomerata Hedera helix deltoidea, 2' Hedera helix minima, 1½' Iberis sempervirens, 1' Ilex cornuta, 10' Ilex crenata, 12''-15" Ilex crenata convexa, 3'-4' Ilex crenata helleri, 1½' Ilex crenata microphylla, 8'-10' Ilex glabra, 4'-6' Ilex opaca, 30''-40'' Ilex pernyi, 7'-8' Kalmia angustifolia, 3'-4' Kalmia latifolia, 6'-8' Laurocerasus schipkaensis, 4'-6' Lavendula vera, 1½'-2' Leiophyllum buxifolium, 1'-2' Leucothoe axillaris, 2'-3' Leucothoe catesbaei, 3'-4' Lithospermum prostratum Lonicera fragrantissima, 6'-8' Lonicera nitida, 4'-5' Lonicera japonica halliana, vine Mahonia aquifolium, 3'-4' Mitchella repens, vine, 2"

Pachistima canbyi, 6"-9"
Pachistima myrsinites, 18"
Pieris floribunda, 4'-5' Pachistima myrsinites, 18"
Pieris floribunda, 4'-5'
Pachysandra terminalis, 6"-9"
Pieris japonica, 6'-7'
Potentilla tridentata, 10"-12"
Pyracantha coccinea, 8'-10'
Pyracantha cocc. lalandi, 15'-18'
Rhodo. arbutifolium, 3'-4'
Rhodo. carolinianum, 5'-6'
Rhodo. catawbiense, 8'-10'
Rhododendron Hybrids, 4'-12'
Rhodo. maximum, 12'-15'
Rhododendron minus, 6'-8'
Rhodo. racemosum, 1'-2'
Rhodo. wilsoni, 4'-5'
Santolina incana, 1½'
Stranvaesia davidiana, 12'-15'
Teucrium chamaedrys, 12"-15"
Thymus citriodorus, 6"-9"
Vaccinium vitis-idea, 6"-9"
Viburnum rhytidophyllum, 8'-10'
Vinca minor, vine
Yucca filamentosa, 2'-3'

Deciduous Shrubs

Dwarf up to 3 ft.

Berberis thunbergi minor, 2'-3' Caryopteris incana, 1½'-2' Cotoneaster adpressa, 1' Berberis thunbergi minor, 2'-3'
Caryopteris incana, 1½'-2'
Cotoneaster adpressa, 1'
Cotoneaster horizontalis, 2'
Cydonia japonica alpina, 1'-2'
Cydonia japonica pygmea, 2'-3'
Cytisus kewensis, 1'-2'
Daphne mezereum, 3'
Deutzia gracilis, 3'
Deutzia gracilis rosea, 3'-4'
Diervilla trifida, 3'
Elsholtzia farquhari, 3'
Genista pilosa, 1'-2'
Genista tinctoria fl. pl. 2'-3'
Hydrangea quercifolia, 3'
Hypericum moserianum, 1'-2'
Indigofera gerardiana, 3'
Indigofera kirilowi, 3'
Ligustrum vulgare lodense, 2'-3'
Lonicera thibetica, 3'
Potentilla fruticosa, 3'
Rosa humilis, 2'-3'
Rosa nitida, 2'
Spirea Anthony Waterer, 3'
Viburnum opulus nanum, 1'-2'
Zanthorhiza apiifolia, 2'

Medium up to 6 ft.

Medium up to 6 ft.

Abelia grandiflora, 5'-6'
Amelanchier stolonifera, 4'-5'
Aronia melanocarpa, 3'-4'
Azalea kaempferi, 5'-6'
Azalea mollis, 4'-5' Azalea moriis, 4-5
Azalea mucronulata, 5'-6'
Azalea poukhanensis, 4'-5'
Azalea pouk. yodogawa,
Azalea schlippenbachi, 6'
Berberis gagnepaini, 4'-5'
Berberis thunbergi, 5'-6'
Berberis thun atronurpure Berberis thunbergi, 5'-6'
Berberis thun. atropurpurea, 5'-6'
Berberis vernae, 5'-6'
Buddleia lle de France, 4'-6'
Callicarpa purpurea, 4'-5'
Cotoneaster apiculata, 4'-5'
Cotoneaster dielsiana, 5'-6'
Cotoneaster divaricata, 5'-6'
Cotoneaster hupehensis, 5'-6'
Coton. racemiflora soongarica, 6'

Coton. salicifolia floccosa, 6'-8' Cotoneaster zobeli miniata, 4'-6' Cydonia japonica and var., 3'-5' Cytisus scoparius, 5'-6' Deutzia lemoinei, 4'-5' Eleagnus longipes, 5'-6' Deutzia lemoinei, 4'-5'
Eleagnus longipes, 5'-6'
Euonymus alatus compactus, 5'-6'
Forsythia suspensa, 6'
Hamamelis vernalis, 4'-6'
Hydrangea arb. grandiflora, 4'-5'
Hypericum aureum, 3'-4'
Indigofera amblyantha, 5'-6'
Kerria japonica flore pleno, 4'-6'
Lespedeza formosa, 6'
Ligustrum ibota regelianum, 5'-6'
Lonicera syringantha wolfi, 4'-5'
Philadelphus lemoinei, 4'-5'
Philadelphus lemoinei, 4'-5'
Philadelphus Mont Blanc, 4'-5'
Physocarpus opulifolia nana, 3'-4'
Prunus glandulosa alba, 4'-5'
Rhodotypos kerrioides, 4'-6'
Rhus canadensis, 4'-5'
Rosa frootendorst, 4'-5'
Rosa rubrifolia, 5'-6'
Sophora viciifolia, 5'-6'
Sophora viciifolia, 5'-6'
Sopirea arguta, 4'-5'
Spirea trichocarpa, 5'-6'
Spirea trichocarpa, 5'-6'
Symphoricarpos chenaulti, 3'-4'
Symphoricarpos racemosus, 4'-5'
Viburnum acerifolium, 5'-6'
Viburnum carlesi, 4'-5'
Viburnum carlesi, 4'-5'
Vitex macrophylla, 5'-6'
Veigela Eva Rathke, 4'-5'

Tall up to 10 ft.

Acer palmatum dissectum, 5'-6'
Aesculus parviflora, 8'-9'
Aronia arbutifolia, 8'-10'
A. melancarpa grandiflora, 8'-9'
Azalea calendulacea, 9'-10'
Azalea nudiflora. 6'-8'
Azalea pontica, 6'-8'

Deciduous Shrubs - continued

Tall up to 10 ft.

Azalea rosea, 6'-8' Azalea vaseyi, 10' Azalea viscosa, 9'-10' Azalea rosea, 6'-8'
Azalea viscosa, 9'-10'
Berberis aggregata pratti, 8'-10'
Berberis vulgaris, 8'-9'
Berberis vulgaris purpurea, 8'-9'
Buddleia alternifolia, 8'-10'
Calycanthus floridus, 8'-9'
Cercis chinensis, 8'-10'
Clethra alnifolia, 6'-8'
Cornus alba, 8'-10'
Cornus amomum, 8'-10'
Cornus paniculata, 10'-12'
Cornus stolonifera, 8'-10'
Cornus stolonifera, 8'-10'
Cotoneaster foveolata, 8'-10'
Deutzia magnifica, 8'-10'
Deutzia Pride of Rochester, 8'-10'
Euonymus alatus, 8'-9'
Euonymus yedoensis, 9'-10'
Exochorda grandiflora, 8'-10'
Forsythia ovata, 6'-8'
Forsythia viridissima, 7'-8'
Forsythia virid. koreana, 7'-8'
Hibiscus syriacus, 10'
Hydrangea paniculata, 10'
Hydrangea paniculata, 10'
Hydrangea paniculata, 10'
Hydrangea paniculata, 8'-10'
Ilex verticillata polycarpa, 7'-8'
Kolkwitzia amabilis, 8'
Ligustrum ibota, 8'-10'
Lonicera fragrantissima, 6'-8'
L. korolkowi floribunda, 8'-10'
Lonicera morrowi, 7'-8'
Lonicera morrowi, 7'-8'
Lonicera morrowi, 7'-8'
Lonicera notha, 8'-10'
L. tatarica and varieties, 8'-10'
Magnolia stellata, 10'
Magnolia stellata, 10'
Malus floribunda brevipes, 8'
Malus sargenti, 8'
Philadelphus coronarius, 9'-10'
Philadelphus virginalis, 7'-8'
Prunus maritima, 8'-10' Malus sargenti, 8'
Philadelphus coronarius, 9'-10'
Philadelphus virginalis, 7'-8'
Prunus maritima, 8'-10'
Prunus tomentosa, 7'-8'
Rhamnus frangula, 8'-10'
Robinis hispida, 6'-8'
Rosa hugonis, 6'-8'
Spirea prunifolia, 7'-8'
Spirea van houttei, 6'-8'
Staphylea colchica, 10'-12'
Syringa persica, 8'-10'
Syringa vulgaris varieties, 6'-10'
Vaccinium corymbosum, 6'-8'
Viburnum americanum, 10'

Viburnum cassinoides, 6'-8'
Viburnum dentatum, 10'
Viburnum dilatatum, 8'-10'
Viburnum molle, 10'
Viburnum opulus, 10'
Viburnum sieboldi, 10'
Viburnum tomentosum, 8'-10'
Vib. tomentosum plicatum,
Viburnum wrighti, 8'-10'
Weigela amabilis, 7'-8'
Weigela candida, 6'-8'
Weigela candida Feerie, 6'-8'
Weigela venusta, 6'-8'
Xanthoceras sorbifolia, 10' 7'-8'

Large above 10 ft.

Acer palmatum and var., 10'-15'
Amelanchier canadensis, 25'
Amygdalus persica, 12'-15'
Azalea arborescens, 15'
Benzoin aestivale, 12'-15'
Cephalanthus occidentalis, 12'-15'
Chionanthus virginica, 20'
Colutea arborescens, 10'-12'
Cornus alternifolia, 15'-20'
Cornus controversa, 25'
Cornus kousa, 15'-20'
Cornus kousa, 15'-20'
Cornus mas, 15'-20'
Enkianthus campanulatus, 12'-15'
Euonymus europaeus, 12'-15'
Exochorda wilsoni, 10'-12'
Hamamelis japonica, 20'
Hamamelis virginiana, 15' Hamamelis virginiana, 15'
Ligustrum amurense, 10'-12'
Ligustrum ovalifolium, 10'-15'
Lonicera maacki podocarpa, 10
Lonicera sachalinensis, 10'-12' Lonicera sachalinensis, 10'-12'
Magnolia acuminata cordata, 20'
Magnolia soulangeana, 15'-30'
Malus micromalus, 10'-12'
Photinia villosa, 12'-15'
Rhamnus cathartica, 10'-12'
Rhus cotinus, 12'-15'
Sambucus pubens, 10'-12'
Sorbaria arborea glabrata, 12'-15'
Stewartia pentagyna, 12'-15'
Styrax japonica, 18'-20'
Syringa chinensis, 12'
Syringa chinensis saugeana, 12'
Syringa vulgaris, 12'-15'
Syringa vulgaris alba, 12'-15'
Viburnum lantana, 12'-15'
Viburnum lentago, 20'
Viburnum prunifolium, 10'-15'

Seashore Planting

Trees

Acer rubrum Betula papyrifera Betula populifolia Crataegus coccinea Crataegus crusgalli Juniperus virginiana Larix europaea Picea pungens Picea pungens kosteri Pinus montana mughus Pinus nigra Pinus resinosa Pinus sylvestris Pinus thunbergi Platanus orientalis Populus bolleana Populus eugenei Populus nigra italica Quercus rubra Salix elegantissima Salix pentandra

Shrubs

Berberis thunbergi Calluna vulgaris and varieties Clethra alnifolia Genista tinctoria Hydrangea arb. grandiflora Hypericum aureum llex verticillata Ligustrum ovalifolium Ligustrum regelianum Lonicera tatarica Myrica carolinensis Prunus maritima Rhodotypos kerriodes Rhus canadensis Rosa lucida Rosa setigera Rosa rugosa Symphoricarpos vulgaris Viburnum cassinoides Viburnum dentatum Viburnum lentago

Plants for Autumn Coloring

Acer ginnala, 12'-20'
Acer rubrum, 50'-75'
Acer saccharum, 50'-75'
Betula lutea, 90'-100'
Carpinus caroliniana, 25'-35'
Cercidiphyllum japonicum, 80'
Cladrastis lutea, 40'-50'
Cornus florida, 15'-25'
Crataegus cordata, 15'-25'
Ginkgo biloba, 90'-100'
Halesia tetraptera, 20'-25'
Hamamelis mollis, 15'-20'
Liquidambar styraciflua
Nyssa sylvatica, 40'-60'
Oxydendrum arboreum, 25'-30'
Quercus alba, 100'
Quercus coccinea, 75'-90'
Quercus rubra, 75'-90'
Shrubs

Shrubs

Amelanchier species, 4'-20' Aronia arbutifolia, 6'-8'

Aronia melanocarpa, 8'-10'
Azalea vaseyi, 10'-12'
Berberis thunbergi, 4'-5'
Berberis triacanthophora, 4'-5'
Berberis vernae, 5'-6'
Celastrus scandens
Clethra alnifolia, 7'-8'
Cornus alternifolia, 15'-18'
Cornus amomum, 8'-10'
Cornus paniculata, 10'-12'
Cotoneaster in variety
Enkianthus campanulatus, 12 Cotoneaster in variety
Enkianthus campanulatus, 1
Euonymus alatus, 9'-10'
Euonymus americanus, 7'-8'
Hamamelis japonica, 15'-20'
Hydrangea quercifolia, 3'-4'
Mahonia aquifolia, 3'-4'
Photinia villosa, 12'-15'
Rhus canadensis, 3'-4'
Rhus cotinus, 12'-15'
Spirea prunifolia, 7'-8'
Spirea thunbergi, 4'-5'
Styrax japonica, 18'
Vaccinium corymbosum, 5'-6'
Viburnum (all species) Viburnum (all´species)

Shade Trees

Acer rubrum Acer saccharum Betula lutea Betula nigra Betula papyrifera Cercidiphyllum japonicum Fagus americana Fagus sylvatica
Fagus sylvatica riversi
Fraxinum americana
Ginkgo biloba Liquidambar styraciflua Liriodendron tulipfera Platanus occidentalis Platanus orientalis Pseudolarix kaempferi Quercus coccinea Quercus palustris Quercus rubra Taxodium distichum Tilia americana Tilia platyphyllos Tilia cordata Ulmus americana Ulmus campestris

Medium Height

Acer platanoides Acer platanoides schwedleri Aesculus hippocastanum Betula alba Betula alba laciniata Betula populifolia Carpinus betulus Fagus sylvatica asplenifolia Gymnocladus dioica Larix europaea Larix leptolepis Magnolia kobus Nyssa sylvatica Phellodendron amurense Populus bolleana Populus nigra italica Populus simoni Pterostyrax hispida Quercus phellos Salix babylonica Salix pentandra Sophora japonica Tilia tomentosa Ulmus moline

Flowering Trees

Amelanchier canadensis
Aesculus rubicunda
Amygdalus persica
Cercis canadensis
Chionanthus virginica
Cladastris lutea
Cornus florida
Cornus kousa
Cornus mas
Crataegus in variety
Halesia tetraptera
Laburnum Laburnum Magnolia kobus

Magnolia conspicua Magnolia soulangeana and var. Malus in variety Koelreuteria paniculata Oxydendrum arboreum Prunus pissardl Prunus serrulata and varieties Sorbus aucuparia Sorbus quercifolia Stewartia pseudo camellia Styrax japonica Styrax obassia Symplocos paniculata

Suitable Distances for Planting

Large street trees	50	to	60	feet	apart
Medium street trees	40	to	50	feet	apart
Small street trees	30	to	40	feet	apart
Large shrubs	8	to	10	feet	apart
Medium shrubs	4	to	6	feet	apart
Small shrubs	2	to	3	feet	apart
Herbaceous Perennials	6	to	18	inch	apart
Ground covers	6	to	12	inch	apart

Plant Combinations

Most of the pleasing effects created in the garden are made by arranging complimentary things in such order as to supplement their individual beauty. It seems best to have one item dominant and plant with the whole picture in mind. For example, low spreading subjects should be planted in large numbers as ground cover, from which can spring up definite spikes or mounds of another color. Sometimes succession of flowers or berries, or perhaps mingling of colored bark will supply the missing interest in your garden, sure it is, that careful thought with some fungiving practice will produce many a thrill. Don't stint with materials or try too many ideas in a small area. Here are a few suggestions:

PERENNIAL BORDER

SPRING

Dicentra spectabilis—Mertensia
Anchusa italica—Yellow Iris
Iberis—Iris coerulea—Alyssum
Veronica incana—Iris kaempferi white
Iris caerulea—Euphorbia epithymoides
Iberis Little Gem—Veronica Heavenly Blue—Potentilla verna nana
Delphinium chinense album—Eirgeron speciosus
Heuchera sanguinea—Aquilegia caerulea—Iris germanica purple
Paeonia festiva maxima—Dianthus latifolius atrococcineus
Phlox Miss Lingard—Campanula persicifolia caerulea
Phlox Miss Lingard—Aquilegia chrysantha—Heuchera sanguinea
Hemerocallis flava—Baptisia australis
Anthemis tinctoria kelwayi—Delphinium Bellamosum
Rosa hugonis—Aquilegia caerulea
Mertensia—Trillium—Phlox divaricata
Delphinium chinense—Aquilegia chrysantha
Dicentra spectabilis—White Iris—Iberis
Alyssum—Euphorbia polychroma—Iris pumila
Hemerocallis flava—Iris sibirica

SUMMER

Cimicifuga racemosa—Asclepias
Monarda didyma—Phlox Mrs. Jenkins
Dianthus plumarius White—Viola Jersey Gem
Lilies—Papaver Mrs. Perry
Linum perenne—Cerastium tomentosum—Papaver Mrs. Perry
Aster frikarti—Artemisia Silver King
Coreopsis lanceolata—Delphinium
Shasta Daisy—Anthemis kelwayi—Delphinium belladonna
Anchusa italica—Anthemis tińctoria kelwayi
Phlox paniculata—Lilium speciosum—Veronica subsessilis
Hemerocallis flava—Campanula glomerata
Campanula persicifolia—Heuchera
Lilium candidum—Delphiniums
Lychnis chalcedanica—White Astilbes
Scabiosa caucasica—Campanula carpatica
Trollius—Anchusa myosotidiflora
Trollius—Myosotis palustris
Campanula persicifolia—Delphinium Belladonna
Gypsophila paniculata—Monarda didyma
Hemerocallis—Delphinium
Shasta Daisy—Scabiosa caucasica
Gypsophila paniculata—Lychnis chalcedonica
Statice latifolia—Eryngium

AUTUMN

Thalictrum dipterocarpum—Anemone japonica Alice Limonium—Veronica subsessilis—Lilium speciosum Aster Barr's Pink—Anemone Whirlwind Chrysanthemum Amelia—Aster frikarti—Plumbago Cimicifuga simplex—Aconitum wilsoni Eupatorium fraseri—Helenium Riverton Gem Aster Climax—Helenium Riverton Gem Thalictrum dipt.—Veronica subsessilis—Anemone japonica Anemone japonica—Aconitum autumnale Buddleia—Anemone japonica Helenium autumnale—Delphiniums Salvia pitcheri—Helenium pumilum Chrysanthemum articum—Eupatorium coelestinum

Plant Combinations - continued

ROCK GARDENS

Arabis alpina—Pulmonaria azurea
Iris pumila coerulea—Viola lutea
Linum perenne—Androsace lanuginosa
Phlox subulata Nelsoni—Viola Jersey Gem
Iris gracilipes—Heuchera
Aubrietia Lavender—Viola lutea
Aubrietia Lavender—Alyssum citrinum
Dianthus neglectus—Campanula muralis
Dianthus deltoides—Veronica rupestris
Geranium lancastriense in front of Iris gracilipes
Saxifraga macnabiana—Androsace lanuginosa
Cheiranthus Allioni—Viola cornuta
Yellow Sun Rose—Veronica Rupestris
Campanula carpatica—Oenothera missouriensis
Geum sibiricum—Phlox subulata Wilsoni
Gypsophila repens—Campanula muralis
Anemone pulsatilla—Arabis—Doronicum
Arabis—Iris pumila varieties
Campanula carpatica alba—Heuchera
Alyssum saxatile compactum—Anchusa myosotidiflora
Arabis alpina—Viola Jersey Gem
Cerastium tomentosum—Heuchera sanguinea Rosamonde
Arenaria montana—Aquilegia flabellata
Papaver alpinum—Linum perenne
Papaver nudicaule—Phlox subulata G. F. Wilson
Geranium sanguineum—Aquilegia hybrida alba
Nierembergia rivularis—Plumbago larpentae
Arabis alpina fl. pl.—Aubrietia

GROUPINGS

Betula populifolia—Rosa nitida—Myrica carolinensis
Viburnum prunifolium—Juniper virginiana—Rosa blanda
Magnolia—Dutch hyacinths (red)
Forsythia suspensa—Arabis alpina
Prunus subhirtella pendula—Grape hyacinths
Iris pumila—Spiraea thunbergi—Red Flowering Peach
Spiraea thunbergi—Tulips soft lavender
Cercis canadensis—Crocus (white)
Pinus strobus—Rhododendron carolinianum
Juniperus virginiana—Cotoneaster horizontalis
Crataegus—Taxus cuspidata
Pieris japonica—Phlox G. F. Wilson
Leiophyllum buxifolium—Ajuga reptans
Cornus florida—Vinca minor—Daffodils
Amelanchier canadensis—Phlox subulata
Rosa carolina—Cephalanthus occidentalis
Tsuga canadensis—Ilex verticillata

SHRUB PLANTINGS

Amelanchier canadensis—Azalea vaseyi—Viola Jersey Gem Hypericum moserianum—Buddleia Amelanchier canadensis—Daphne cneorum Forsythia intermedia spectabilis—Azalea mucronulata Chionanthus virginica—Lonicera tartarica Clethra alnifolia—Potentilla fruticosa—Viburnum lentago Syringa vulgaris—Symphoricarpos racemosus Symphoricarpos racemosus—Viburnum americanum Berberis thunbergi—Ligustrum regal—Eleagnus angustifolia Cornus stolonifera—Kerria japonica flore-pleno . Cornus stolonifera lutea—Vaccinium corymbosum

HERBS

There is perhaps no more interesting and useful purpose to which a small corner can be devoted than a Herb Garden. So many delightful designs and knot gardens can be evolved using most of the herbs listed on page 116. We shall gladly assist in making such a garden for you.

Pruning of Shrubs

The fundamental principle of all pruning is to cut back any shrub just after its normal blooming season. This gives it a chance to produce new wood and new buds before the next blooming season.

It is also necessary with most shrubs to encourage all shoots coming up from the base. Such new growth supplies the vigorous young wood, so prune old wood to the ground.

There are a few exceptions to this rule, such as Lilac, Coralberry, Snowberry, Japanese Quince and Sorbaria, which produce good young shoots anywhere along the older branches.

Pruning is injurious if improperly done. Branchlets and twigs should be cut with a sharp knife or pruning shears. Heavy branches may be removed with a pair of lopping shears, or a saw. Large wounds should be thoroughly covered with a good tree paint. Cut each branch or twig back to the next larger one so that no useless stub is left. Small branches or twigs should be cut just above a strong bud, if possible. Normally, excessive pruning when planting is unnecessary, if the shrubs have a good root system and the plants are fertilized and well cultivated after planting, but severe pruning is desirable with late spring planting after growth has commenced.

Most shrubs need not be pruned back more than one-third. Such shrubs as Buddleia, Callicarpa, and Vitex will often die back part way at least, when planted. They should be pruned to within 6 or 8 inches of the ground. Heavy pruning at planting has one big advantage with shrubs that are inclined to be scraggly. It causes the development of a more compact specimen.

Shrubs which are grown mainly for their winter twig effect should

with shrubs that are inclined to be scraggly. It causes the development of a more compact specimen.

Shrubs which are grown mainly for their winter twig effect should be pruned just before growth starts, by cutting out all wood over a year old each spring. Those that are grown mostly for their foliage effect may also be pruned in the spring, except for the slow conservative growers, and they need only an occasional thinning out of the very old poorly placed branches.

Shrubs with ornamental fruits, as well as flowers, should not be pruned until the fruit has withered or gone, and then cut but sparingly, to preserve the following year's crop of flowers and fruits.

Kejuvenating Old Shrubs

Old shrubs which have not been pruned for a number of years may be completely pruned at one time, but will be unattractive for a season or two. It is advisable to cut about one-third of the oldest branches to the ground each season. In this way the shrub can be completely rejuvenated in a few years' time without any severe hardship to the shrub or to the landscape effect.

Planting Calendar for Bulbs

Bulb	Time to Plant	Depth to Plan in Inches
Calochortus	November	2-3
Chionodoxa	SeptemberOctober	3
Colchicum	Early August	2
Crocus	August—September—October	3-4
Eranthis	August	3 2 3-4 3 3-4
Erythronium	September	3-4
Frítillaria	September	2-3 2
Galanthus	August	2
Hyacinth	September	6-7
lris (bulbous)	September—October	3-4
Leucojum _	September—October	4-5
Lilium auratum	November—December	10-12
Lilium batemannioe	November	6
Lilium candidum	August-September	2-3
Lilium canadense	November	10
Lilium chalcedonicum	October—November	4 5 6
Lilium elegans	November	5
Lilium hansoni	November	
Lilium henryi	November—December	10
Lilium martagon	October-November	. 4 8
Lilium regale	November	8
Lilium speciosum	November—December	10
Lilium superbum	November	2
Lilium tenuifolium	October—November	. 4
Lilium tigrinum	November	5 4 9 2-3
Muscari	September—October •	2-3
Narcissus	September	4-8
Ornithogalum	September	2-3
Scilla	September—October	2-3
Tulip	October—November	5-6

Index

. A	Bladdernut/4
Abelia 2	Bladder Senna 19
Abies 2	Blanket Flower102
Acanthopanax3	Bleeding Heart101
Acer3, 4	Bloodroot112
Actinidia 4	Bluebell108
Adam's Needle 92	Blueberry 88
Aesculus 5	Blue Lily Grass 95
Akebia5	Blue Stem Grass102
Allium 94	Boltonia 97
Almond, Flowering 61	Boston Ivy 6
Alpine Savory 97	Bottlebush Buckeye 5
	Boxwood 13
Alpine Sow Bread100	Bridal Wreath 73
Alyssum 94	Broom26, 31, 102
Amaryllis	Brunnera 97
	Buckthorn
Amorpha 5	Buddleia
Ampelopsis5, 6	Bugbane99, 100
Amygdalus6	Bugle 94
Andromeda58	Bugloss94, 97
Androsace95, 101	Bunchberry19, 100
Anemone	Burnet112
Angelica95	
Aralia	Bush Clover
Arbor-Vitae81-84	Butterfly Bush
Arbutus28, 108	Butterfly Weed 96
Arctic Daisy 98	Buttonbush
Arctostaphylos 6	Buxus 13
Armeria113	C
Aronia ' 6	Callicarpa14
Arrowwood 89	Calluna
Ash, Mountain 73	Calycanthus
Aster96, 97, 114	Camomile 95
Astilbe	Campion
Aubretia	Candytuft104, 105
Avens102	
Azaleamums 98	Canterbury Bells
Azaleas6, 7, 8, 9	Cardinal Flower107
,,,,,,	Carpinus
В	Caryopteris 14
	Catchfly108, 113
Baby's Breath103	Catnip108
Balloon Flower110	Cedar14, 15, 40-42
Balm108	Cedrus14, 15
Barberry10, 11, 12	Celastrus 15
Barrenwort101	Centaurea
Basswood 85	Cephalanthus 15
Bayberry 52	Cercidiphyllum15
Beach Plum 61	Cercis
Bearberry6	Chamaecyparis15-18
Beard Tongue109	Chaste Tree 91
Beauty Berry 14	Cherries, Flowering61-63
Beauty Bush 42	Cherry Laurel 43
Beebalm108	Chimaphila 18
Beech 30	Chinese Buckeye 92
Bellflower97, 98	Chinese Fleece Vine 60
Bignonia12-13	Chinese Scholar Tree 72
Berberis10-12	Chinese Winterhazel 21
Betula 12	Chionanthus 18
Bignonia 13	Chive 94
Birch' 12	Chokeberry6
Bittersweet 15	Christmas Berry 54
Blackberry Lily 97	Christmas Rose103
Blackeyed Susan112	Chrysanthemum98, 99
Blackhaw 90	Cinquefoil61, 111

Cladrastis 18	Genista31, 32
Clematis18, 19	Gentian102
Clethra 19	Geranium102, 109
Coffee Tree 32	Geranium Creeper 6
Columbine95-96, 113	Germander81, 114
Colutea 19	Ghost Plant96
Coneflower101, 112	Ginkgo 32
Coral Bells104	Globe Flower42, 114
Coralberry	Globe Thistle101
Coreopsis100	Golden Bell 31
Cork Tree 53	Golden Chain 43
Cornelian Cherry 20	Golden Larch 64
Cornflower 98	Golden Star 99
Cornus19-21	Golden Sun 94
Corylopsis21	Golden Tuft 94
Cotoneaster21-23	Gold Flower34, 104
Crab Apples49-52	Goldmoss113
Cranberry 88	Great Silver Bell 32
Cranesbill102	Gromwell44, 107
Crataegus23-25	Gum, Sweet 44
Crown Vetch100	Gumi-Cherry 28
Cryptomeria25	Gymnocladus 32
Cup and Saucer 98	Gypsophila103
Cyclamen100	н
Cydonia25, 26	
Cypress15, 18	Halesia 32
Cytisus	Hamamelis32, 33
-	Harebell98
D	Hawkweed104
Dames Rocket104	Hawthorn23-25
Daphne 27	Heath 28
Day Lily103, 104	Heather14
Deutzia 27	Hedera 33
D: 13	TT 1 1 1 100
Diervilla 27	Helebore103
	Helenium103
Dittany109	Helenium 103 Heliopsis 103
Dittany109 Dogwood19-21	Helenium103
Dittany109	Helenium 103 Heliopsis 103
Dittany	Helenium103Heliopsis103Hemlock86-87Hepatica104Heronsbill102
Dittany	Helenium103Heliopsis103Hemlock86-87Hepatica104Heronsbill102Hibiscus33, 34
Dittany	Helenium103Heliopsis103Hemlock86-87Hepatica104Heronsbill102
Dittany 109 Dogwood 19-21 Douglas Fir 64 Dragonhead 101 Dutchman's Breeches 101 Dwarf Wirevine 108 E	Helenium103Heliopsis103Hemlock86-87Hepatica104Heronsbill102Hibiscus33, 34Hoarhound108Holly35-36
Dittany	Helenium 103 Heliopsis 103 Hemlock 86-87 Hepatica 104 Heronsbill 102 Hibiscus 33, 34 Hoarhound 108 Holly 35-36 Holly Grape 49
Dittany 109 Dogwood 19-21 Douglas Fir 64 Dragonhead 101 Dutchman's Breeches 101 Dwarf Wirevine 108 E Edelweiss Elaeagnus 28	Helenium 103 Heliopsis 103 Hemlock 86-87 Hepatica 104 Heronsbill 102 Hibiscus 33, 34 Hoarhound 108 Holly 35-36 Holly Grape 49 Hollyhock 94
Dittany 109 Dogwood 19-21 Douglas Fir 64 Dragonhead 101 Dutchman's Breeches 101 Dwarf Wirevine 108 E Edelweiss 107 Elaeagnus 28 Elder 72	Helenium 103 Heliopsis 103 Hemlock 86-87 Hepatica 104 Heronsbill 102 Hibiscus 33, 34 Hoarhound 108 Holly 35-36 Holly Grape 49
Dittany 109 Dogwood 19-21 Douglas Fir 64 Dragonhead 101 Dutchman's Breeches 101 Dwarf Wirevine 108 E Edelweiss Elaeagnus 28 Elder 72 Elm 87-88	Helenium 103 Heliopsis 103 Hemlock 86-87 Hepatica 104 Heronsbill 102 Hibiscus 33, 34 Hoarhound 108 Holly 35-36 Holly Grape 49 Hollyhock 94
Dittany 109 Dogwood 19-21 Douglas Fir 64 Dragonhead 101 Dutchman's Breeches 101 Dwarf Wirevine 108 E Edelweiss Elaeagnus 28 Elder 72 Elm 87-88 Elsholtzia 28	Helenium 103 Heliopsis 103 Hemlock 86-87 Hepatica 104 Heronsbill 102 Hibiscus 33, 34 Hoarhound 108 Holly 35-36 Holly Grape 49 Hollyhock 94 Honeysuckle 27, 45, 46 Hornbeam 14 Horsechestnut 5
Dittany 109 Dogwood 19-21 Douglas Fir 64 Dragonhead 101 Dutchman's Breeches 101 Dwarf Wirevine 108 E Edelweiss Elaeagnus 28 Elder 72 Elm 87-88 Elsholtzia 28 Enkianthus 28	Helenium 103 Heliopsis 103 Hemlock 86-87 Hepatica 104 Heronsbill 102 Hibiscus 33, 34 Hoarhound 108 Holly 35-36 Holly Grape 49 Hollyhock 94 Honeysuckle 27, 45, 46 Hornbeam 14
Dittany 109 Dogwood 19-21 Douglas Fir 64 Dragonhead 101 Dutchman's Breeches 101 Dwarf Wirevine 108 E Edelweiss Elaeagnus 28 Elder 72 Elm 87-88 Elsholtzia 28 Enkianthus 28 Epaulette Tree 64	Helenium 103 Heliopsis 103 Hemlock 86-87 Hepatica 104 Heronsbill 102 Hibiscus 33, 34 Hoarhound 108 Holly 35-36 Holly Grape 49 Hollyhock 94 Honeysuckle 27, 45, 46 Hornbeam 14 Horsechestnut 5 Houseleek 113 Hydrangea 34
Dittany 109 Dogwood 19-21 Douglas Fir 64 Dragonhead 101 Dutchman's Breeches 101 Dwarf Wirevine 108 E Edelweiss Elaeagnus 28 Elder 72 Elm 87-88 Elsholtzia 28 Enkianthus 28 Epaulette Tree 64 Epigaea 28	Helenium 103 Heliopsis 103 Hemlock 86-87 Hepatica 104 Heronsbill 102 Hibiscus 33, 34 Hoarhound 108 Holly 35-36 Holly Grape 49 Hollyhock 94 Honeysuckle 27, 45, 46 Hornbeam 14 Horsechestnut 5 Houseleek 113 Hydrangea 34 Hydrangea Vine 72
Dittany 109 Dogwood 19-21 Douglas Fir 64 Dragonhead 101 Dutchman's Breeches 101 Dwarf Wirevine 108 E Edelweiss Elaeagnus 28 Elder 72 Elm 87-88 Elsholtzia 28 Enkianthus 28 Epaulette Tree 64 Epigaea 28 Erica 28	Helenium 103 Heliopsis 103 Hemlock 86-87 Hepatica 104 Heronsbill 102 Hibiscus 33, 34 Hoarhound 108 Holly 35-36 Holly Grape 49 Hollyhock 94 Honeysuckle 27, 45, 46 Hornbeam 14 Horsechestnut 5 Houseleek 113 Hydrangea 34 Hydrangea Vine 72 Hyssop 104
Dittany 109 Dogwood 19-21 Douglas Fir 64 Dragonhead 101 Dutchman's Breeches 101 Dwarf Wirevine 108 E Edelweiss Elaeagnus 28 Elder 72 Elm 87-88 Elsholtzia 28 Enkianthus 28 Epaulette Tree 64 Epigaea 28 Erica 28 Euonymus 28, 29	Helenium 103 Heliopsis 103 Hemlock 86-87 Hepatica 104 Heronsbill 102 Hibiscus 33, 34 Hoarhound 108 Holly 35-36 Holly Grape 49 Hollyhock 94 Honeysuckle 27, 45, 46 Hornbeam 14 Horsechestnut 5 Houseleek 113 Hydrangea 34 Hydrangea Vine 72
Dittany 109 Dogwood 19-21 Douglas Fir 64 Dragonhead 101 Dutchman's Breeches 101 Dwarf Wirevine 108 E Edelweiss Elaeagnus 28 Elder 72 Elm 87-88 Elsholtzia 28 Enkianthus 28 Epaulette Tree 64 Epigaea 28 Erica 28	Helenium 103 Heliopsis 103 Hemlock 86-87 Hepatica 104 Heronsbill 102 Hibiscus 33, 34 Hoarhound 108 Holly 35-36 Holly Grape 49 Hollyhock 94 Honeysuckle 27, 45, 46 Hornbeam 14 Horsechestnut 5 Houseleek 113 Hydrangea 34 Hydrangea Vine 72 Hyssop 104
Dittany 109 Dogwood 19-21 Douglas Fir 64 Dragonhead 101 Dutchman's Breeches 101 Dwarf Wirevine 108 E Edelweiss Elaeagnus 28 Elder 72 Elm 87-88 Elsholtzia 28 Enkianthus 28 Epaulette Tree 64 Epigaea 28 Erica 28 Euonymus 28, 29	Heliopsis 103 Hemlock 86-87 Hepatica 104 Heronsbill 102 Hibiscus 33, 34 Hoarhound 108 Holly 35-36 Holly Grape 49 Hollyhock 94 Honeysuckle 27, 45, 46 Hornbeam 14 Horsechestnut 5 Houseleek 113 Hydrangea 34 Hydrangea Vine 72 Hyssop 104 Hypericum 34
Dittany 109 Dogwood 19-21 Douglas Fir 64 Dragonhead 101 Dutchman's Breeches 101 Dwarf Wirevine 108 E Edelweiss Elaeagnus 28 Elder 72 Elm 87-88 Elsholtzia 28 Enkianthus 28 Epaulette Tree 64 Epigaea 28 Erica 28 Euonymus 28, 29 Exochorda 29-30	Helenium 103 Heliopsis 103 Hemlock 86-87 Hepatica 104 Heronsbill 102 Hibiscus 33, 34 Hoarhound 108 Holly 35-36 Holly Grape 49 Holly Grape 49 Hollyhock 94 Honeysuckle 27, 45, 46 Hornbeam 14 Horsechestnut 5 Houseleek 113 Hydrangea 34 Hydrangea Vine 72 Hyssop 104 Hypericum 34 I 35-37
Dittany 109 Dogwood 19-21 Douglas Fir 64 Dragonhead 101 Dutchman's Breeches 101 Dwarf Wirevine 108 E Edelweiss Elaeagnus 28 Elder 72 Elm 87-88 Elsholtzia 28 Enkianthus 28 Epaulette Tree 64 Epigaea 28 Euonymus 28, 29 Exochorda 29-30 F Fagus Fagus 30	Helenium 103 Heliopsis 103 Hemlock 86-87 Hepatica 104 Heronsbill 102 Hibiscus 33, 34 Hoarhound 108 Holly 35-36 Holly Grape 49 Hollyhock 94 Honeysuckle 27, 45, 46 Hornbeam 14 Horsechestnut 5 Houseleek 113 Hydrangea 34 Hydrangea Vine 72 Hyssop 104 Hypericum 34 Ilex 35-37 Indigo 37, 97
Dittany 109 Dogwood 19-21 Douglas Fir 64 Dragonhead 101 Dutchman's Breeches 101 Dwarf Wirevine 108 E Edelweiss Elaeagnus 28 Elder 72 Elm 87-88 Elsholtzia 28 Enkianthus 28 Epaulette Tree 64 Epigaea 28 Euonymus 28, 29 Exochorda 29-30 F Fagus 30 Fir 2, 64	Heliopsis 103 Hemlock 86-87 Hepatica 104 Heronsbill 102 Hibiscus 33, 34 Hoarhound 108 Holly 35-36 Holly Grape 49 Hollyhock 94 Honeysuckle 27, 45, 46 Hornbeam 14 Horsechestnut 5 Houseleek 113 Hydrangea 34 Hydrangea Vine 72 Hyssop 104 Hypericum 34 Ilex 35-37 Indigo 37, 97 Indigofera 37
Dittany 109 Dogwood 19-21 Douglas Fir 64 Dragonhead 101 Dutchman's Breeches 101 Dwarf Wirevine 108 E Edelweiss Elaeagnus 28 Elder 72 Elm 87-88 Elsholtzia 28 Enkianthus 28 Epaulette Tree 64 Epigaea 28 Euonymus 28, 29 Exochorda 29-30 F Fagus 30 Fir 2, 64 Firethorn 64	Helenium 103 Heliopsis 103 Hemlock 86-87 Hepatica 104 Heronsbill 102 Hibiscus 33, 34 Hoarhound 108 Holly 35-36 Holly Grape 49 Holly Grape 49 Hollyhock 94 Honeysuckle 27, 45, 46 Hornbeam 14 Horsechestnut 5 Hydrangea 34 Hydrangea 34 Hydrangea 34 Hypericum 34 Ilex 35-37 Indigo 37, 97 Indigofera 37 Inkberry 36
Dittany 109 Dogwood 19-21 Douglas Fir 64 Dragonhead 101 Dutchman's Breeches 101 Dwarf Wirevine 108 E Edelweiss Elaeagnus 28 Elder 72 Elm 87-88 Elsholtzia 28 Enkianthus 28 Epaulette Tree 64 Epigaea 28 Euonymus 28, 29 Exochorda 29-30 F 7 Fagus 30 Fir 2, 64 Firethorn 64 Flax 107	Helenium 103 Heliopsis 103 Hemlock 86-87 Hepatica 104 Heronsbill 102 Hibiscus 33, 34 Hoarhound 108 Holly 35-36 Holly Grape 49 Holly Grape 49 Hollyhock 94 Honeysuckle 27, 45, 46 Hornbeam 14 Horsechestnut 5 Houseleek 113 Hydrangea 34 Hydrangea 34 Hypericum 34 Ilex 35-37 Indigo 37, 97 Indigofera 37 Inkberry 36 Inula 105
Dittany 109 Dogwood 19-21 Douglas Fir 64 Dragonhead 101 Dutchman's Breeches 101 Dwarf Wirevine 108 E Edelweiss Elaeagnus 28 Elder 72 Elm 87-88 Elsholtzia 28 Enkianthus 28 Epaulette Tree 64 Epigaea 28 Euonymus 28, 29 Exochorda 29-30 F 7 Fagus 30 Fir 2, 64 Firethorn 64 Flax 107 Fleabane 101	Heliopsis 103 Hemlock 86-87 Hepatica 104 Heronsbill 102 Hibiscus 33, 34 Hoarhound 108 Holly 35-36 Holly Grape 49 Hollyhock 94 Honeysuckle 27, 45, 46 Hornbeam 14 Horsechestnut 5 Houseleek 113 Hydrangea 34 Hydrangea Vine 72 Hyssop 104 Hypericum 34 Ilex 35-37 Indigo 37, 97 Indigofera 37 Inkberry 36 Inula 105 Iris 105, 106
Dittany 109 Dogwood 19-21 Douglas Fir 64 Dragonhead 101 Dutchman's Breeches 101 Dwarf Wirevine 108 E Edelweiss Elaeagnus 28 Elder 72 Elm 87-88 Elsholtzia 28 Enkianthus 28 Epigaea 28 Erica 28 Euonymus 28, 29 Exochorda 29-30 F 7 Fir 2, 64 Firethorn 64 Flax 107 Fleabane 101 Forget-me-not 108	Helenium 103 Heliopsis 103 Hemlock 86-87 Hepatica 104 Heronsbill 102 Hibiscus 33, 34 Hoarhound 108 Holly 35-36 Holly Grape 49 Holly Grape 49 Hollyhock 94 Honeysuckle 27, 45, 46 Hornbeam 14 Horsechestnut 5 Houseleek 113 Hydrangea 34 Hydrangea 34 Hydrangea 34 Hypericum 34 Indigo 37, 97 Indigo 37, 97 Indigofera 37 Inkberry 36 Inula 105 Iris 105, 106 Ivy 6, 33
Dittany 109 Dogwood 19-21 Douglas Fir 64 Dragonhead 101 Dutchman's Breeches 101 Dwarf Wirevine 108 E Edelweiss Elaeagnus 28 Elder 72 Elm 87-88 Elsholtzia 28 Enkianthus 28 Epaulette Tree 64 Epigaea 28 Euonymus 28, 29 Exochorda 29-30 F 7 Fagus 30 Fir 2, 64 Firethorn 64 Flax 107 Fleabane 101 Forget-me-not 108 Forsythia 31	Helenium 103 Heliopsis 103 Hemlock 86-87 Hepatica 104 Heronsbill 102 Hibiscus 33, 34 Hoarhound 108 Holly 35-36 Holly Grape 49 Holly Grape 49 Hollyhock 94 Hornbeam 14 Horsechestnut 5 Houseleek 113 Hydrangea 34 Hydrangea 34 Hypericum 34 Ilex 35-37 Indigo 37, 97 Indigofera 37 Inkberry 36 Inula 105 Iris 105, 106 Ivy 6, 33
Dittany 109 Dogwood 19-21 Douglas Fir 64 Dragonhead 101 Dutchman's Breeches 101 Dwarf Wirevine 108 E Edelweiss Elaeagnus 28 Elder 72 Elm 87-88 Elsholtzia 28 Enkianthus 28 Epaulette Tree 64 Epigaea 28 Erica 28 Euonymus 28, 29 Exochorda 29-30 F 7 Fagus 30 Fir 2, 64 Firethorn 64 Flax 107 Fleabane 101 Forget-me-not 108 Forsythia 31 Foxglove 101	Helenium 103 Heliopsis 103 Hemlock 86-87 Hepatica 104 Heronsbill 102 Hibiscus 33, 34 Hoarhound 108 Holly 35-36 Holly Grape 49 Holly Grape 49 Hollyhock 94 Honeysuckle 27, 45, 46 Hornbeam 14 Horsechestnut 5 Houseleek 113 Hydrangea 34 Hydrangea 34 Hypericum 34 Ilex 35-37 Indigo 37, 97 Indigofera 37 Inkberry 36 Inula 105 Iris 105, 106 Ivy 6, 33 Jacob's Ladder 111
Dittany 109 Dogwood 19-21 Douglas Fir 64 Dragonhead 101 Dutchman's Breeches 101 Dwarf Wirevine 108 E Edelweiss Elaeagnus 28 Elder 72 Elm 87-88 Elsholtzia 28 Enkianthus 28 Epaulette Tree 64 Epigaea 28 Euonymus 28, 29 Exochorda 29-30 F Fagus 30 Fir 2, 64 Firethorn 64 Flax 107 Fleabane 101 Forget-me-not 108 Forsythia 31 Foxglove 101 Fumitory 100	Helenium 103 Heliopsis 103 Hemlock 86-87 Hepatica 104 Heronsbill 102 Hibiscus 33, 34 Hoarhound 108 Holly 35-36 Holly Grape 49 Holly Grape 49 Hollyhock 94 Honeysuckle 27, 45, 46 Hornbeam 14 Horsechestnut 5 Houseleek 113 Hydrangea 34 Hydrangea 34 Hydrangea 34 Hypericum 34 Ilex 35-37 Indigo 37, 97 Indigofera 37 Inkberry 36 Inula 105 Iris 105, 106 Ivy 6, 33 Jacob's Ladder 111 Japanese Maple 3
Dittany 109 Dogwood 19-21 Douglas Fir 64 Dragonhead 101 Dutchman's Breeches 101 Dwarf Wirevine 108 E E Edelweiss 107 Elaeagnus 28 Elder 72 Elm 87-88 Elsholtzia 28 Enkianthus 28 Epaulette Tree 64 Epigaea 28 Euonymus 28, 29 Exochorda 29-30 F Fagus 30 Fir 2, 64 Firethorn 64 Flax 107 Fleabane 101 Forget-me-not 108 Forsythia 31 Foxglove 101 Fumitory 100	Helenium 103 Heliopsis 103 Hemlock 86-87 Hepatica 104 Heronsbill 102 Hibiscus 33, 34 Hoarhound 108 Holly 35-36 Holly Grape 49 Holly Grape 49 Hollyhock 94 Honeysuckle 27, 45, 46 Hornbeam 14 Horsechestnut 5 Houseleek 113 Hydrangea 34 Hydrangea 34 Hydrangea 34 Hydrangea 34 Hypericum 34 Indigo 37, 97 Indigo 37, 97 Indigo 37, 97 Indigo 37, 97 Inula 105 Iris 105, 106 Ivy 6, 33 Jacob's Ladder 111 Japanese Maple 3 Jasmine 37, 95
Dittany 109 Dogwood 19-21 Douglas Fir 64 Dragonhead 101 Dutchman's Breeches 101 Dwarf Wirevine 108 E Edelweiss Elaeagnus 28 Elder 72 Elm 87-88 Elsholtzia 28 Enkianthus 28 Epaulette Tree 64 Epigaea 28 Euonymus 28, 29 Exochorda 29-30 F Fagus 30 Fir 2, 64 Firethorn 64 Flax 107 Fleabane 101 Forget-me-not 108 Forsythia 31 Foxglove 101 Fumitory 100	Helenium 103 Heliopsis 103 Hemlock 86-87 Hepatica 104 Heronsbill 102 Hibiscus 33, 34 Hoarhound 108 Holly 35-36 Holly Grape 49 Holly Grape 49 Hollyhock 94 Honeysuckle 27, 45, 46 Hornbeam 14 Horsechestnut 5 Houseleek 113 Hydrangea 34 Hydrangea 34 Hydrangea 34 Hypericum 34 Ilex 35-37 Indigo 37, 97 Indigofera 37 Inkberry 36 Inula 105 Iris 105, 106 Ivy 6, 33 Jacob's Ladder 111 Japanese Maple 3

Katsura Tree	K ,	Ninebark 54
Katsura Tree		
Kerria		4
Kerria		0
Roelreuteria		Oaks 65
Laburnum		
Laburnum		Oxydendrum53
Laburnum	T	n
Ladies' Mantle 94	-	
Lady Slipper 100		
Larkspur 100		
Lauroel		
Laurender 107, 112	Laurel42, 43	
Levender		-
Leidwort		
Leiophyllum		
Lemon Lily		
Leopardbane		
Lespedeza		
Leucothce		•
Ligustrum	· ·	
Liliac 76 Lillies 107 Lilly Leek 94 Lilly of the Valley 100 Lindens 85 Liquidambar 44 Liriodendron 44 Lithospermum 44 Lobelia 107 Lonicera 44-45-46 Lungwort 112 Lupine 107, 108 Magnolia 47-49 Machonia 49 Machonia 49 Marjoram 109 Mazus 108 Meadowrue 114 Mint 108 Mistflower 102 Mistflower 102 Mistflower 102 Mistflower 102 Mistflower 102 Mistflower 102 Mistflower 102 Mistflower 102 Mistflower 102 Mistflower 102 Mistflower 102 Monkshood 194 Monkshood Vine 5 Monkshood Vine 5 Monkshood Vine 5 Monkshood 194 Mountain Laturel 42 Myrica 52 Myrica 52 Myrica 52 Myrica 52 Myrica 58 Myricy 89 Naryelwort 108 Narye		
Lilles 107 Lily Leek 94 Lily of the Valley 100 Lindens 85 Liquidambar 44 Liriodendron 44 Lithospermum 44 Lithospermum 44 Lithospermum 44 Lobelia 107 Lonicera 444546 Loose Strife 108 Lunjne 107, 108 Magnolia 47-49 Madhonia 49 Madhonia 49 Marioram 109 Marioram 109 Mazus 108 Mazus 108 Mazus 108 Mazus 108 Macadowrue 114 Mint 108 Mint Shrub 28 Mint Shrub 28 Mint Shrub 28 Mint Shrub 28 Mistflower 102 Mitchella 52 Monkshood 49 Monkshood Vine 55 Moss Pink 110 Mountain Ash 73 Mountain Laurel 42 Myrica 52 Myrle 43, 91, 115 Nampberry 89 Navelwort 108 Nay		
Lily Leek	Lilies107	
Lily of the Valley 100 Lindens 85 Lindens 85 Liquidambar 44 Liriodendron 44 Lithospermum 44 Lithospermum 44 Lobelia 107 Lonicera 444-546 Loose Strife 108 Lungwort 112 Lupine 107, 108 Magnolia 47-49 Mahonia 49 Madhonia 49 Madlenhair Tree 32 Marle 3,4 Marjoram 109 Mazus 108 Meadowrue 114 Michaelmas Daisy 96, 97 Milkwort 111 Mint 108 Mint Shrub 28 Mistflower 102 Michella 52 Mock Orange 53, 54 Monkshood Vine 5 Moss Pink 110 Mountain Ash 73 Mountain Laurel 42 Myrica 52 Myrle 43, 91, 115 Nampberry 89 Navelwort 108 Nel Sells 100 Pinus 58-60 Pinus 59-ed Pinus 59-ed Plamctrin Lily 104 Plataus 60 Plantain Lily	Lily Leek 94	
Liquidambar 44 Liriodendron 44 Lithospermum 44 Lithospermum 44 Lobelia 107 Lonicera 44-45-46 Loose Strife 108 Lungwort 112 Lupine 107, 108 Magnolia 47-49 Mahonia 49 Populus 61 Marjoram 109 Mazus 108 Meadowrue 114 Michaelmas Daisy 96, 97 Milkwort 111 Mint 108 Mint Shrub 28 Mistflower 102 Mitchella 52 Mock Orange 53 Mountain Fringe 96 Mountain Fringe 96 Manyplery 89 Narvelwort 108 Mint Shrub 43, 91, 115 Mountain Laurel 44 Molocia 52 Myrtle 43, 91, 115 Mountain 69 Navelwort 108 Mint Shrub 69 Navelwort 108 Monkshood 69 Rhodotypos 69 Rhus 69 Robinia	-	Pieris 58
Liriodendron 44 Pink Bells 104 Lithospermum 44 Pinks 100, 101 Loose Strife 108 Plane Tree 60 Loose Strife 108 Plantain Lily 104 Lungwort 112 Platanus 60 Lupine 107, 108 Plum, Double Flowering 63 M Polemonium 111 Magnolia 47-49 Polemonium 111 Mahohonia 49 Polemonium 111 Polemonium 111 Polemonium 111 Polemonium 101 Polemonium 101 Maidenhair Tree 32 Polemonium 101 Marjoram 109 Popples 109, 114 Marjoram 109 Primrose 109, 114 Michaelmas Daisy 96, 97 Primrose 111 Michaelmas Daisy 96, 97 Primrose 11 Misthow 10 Presudolarix 64 Pussytoes 95		
Lithospermum		·
Lobelia		
Lonicera		
Loose Strife		
Lupine		
M Plum, Double Flowering 63 Magnolia 47-49 Plum, Purple Leaf 61 Madhonia 49 Polemonium 111 Madhonia 49 Polemonium 111 Madhonia 49 Polemonium 121 Madhonia 49 Polemonium 121 Madhonia 49 Polemonium 121 Polemonium 121 Polemonium 121 Poppies 109 14 Poppies 109 114 Privet 44 24 Privet 44 24 Privet 44 24 Privet 42 24 Pseudotsug		
M Plum, Purple Leaf 61 Magnolia 47-49 Polemonium 111 Mahonia 49 Polygonum 60 Maidenhair Tree 32 Populus 61 Malus 50-52 Poppies 109, 114 Maple 3, 4 Poppies 109, 114 Marjoram 109 Primrose 111 Mazus 108 Primrose 111 Meadowrue 114 Privet 44 Michaelmas Daisy 96, 97 Pseudolarix 64 Privet 44 Privet 44 Privet 44 Privit 44 Privit 42 Privit 44 Privit 42 Privit 42 Mill Hours	Lupine107, 108	
Mahonia 49 Polygonum 60 Maidenhair Tree 32 Populus 61 Malus 50-52 Poppies 109, 114 Maple 3, 4 Potentilla 61 Marjoram 109 Primrose 111 Mazus 108 Primrose 111 Meadowrue 114 Privet 44 Michaelmas Daisy 96, 97 Pseudolarix 64 Milkwort 111 Presudotsuga 64 Pseudotsuga 64 Pterostyrax 64 Pussytoes 95 Pyraccantha 64 Pussytoes 95 Pyraccantha 64 Pussytoes 95 Pyraccantha 64 Quercus 65 Quince, Flowering 25-26 Moss Pink 110 Red Bud 15 Mountain Ash 73 Red Bud 15 Mountain Laurel 42 Red Hot Poker 107 Rhamnus 66	M	· · · · · · · · · · · · · · · · · · ·
Mahonia 49 Polygonum 60 Maidenhair Tree 32 Populus 61 Maple 3, 4 Popples 109, 114 Marjoram 109 Primrose 111 Mazus 108 Primrose 111 Meadowrue 114 Primrose 111 Michaelmas Daisy 96, 97 Pseudolarix 64 Milkwort 111 Pseudolarix 64 Mint Shrub 28 Pseudolarix 64 Mint Shrub 28 Pussytoes 95 Mistflower 102 Pussytoes 95 Mitchella 52 Q Mock Orange 53, 54 Quince, Flowering 25-26 Monkshood 94 Quince, Flowering 25-26 Monutain Ash 73 Red Bud 15 Mountain Fringe 96 Red Hot Poker 107 Rhamnus 66 Myrica 52 Rhamnus 66 Myrica </td <td>Magnolia47-49</td> <td></td>	Magnolia47-49	
Malus 50-52 Poppies 109, 114 Maple 3, 4 Potentilla 61 Marjoram 109 Primrose 111 Mazus 108 Privet 44 Meadowrue 114 Privet 44 Michaelmas 108 Primrose 111 Meadowrue 114 Privet 44 Michaelmas Daisy 96, 97 Pseudolarix 64 Milkwort 111 Pseudotsuga 64 Pussytoes 95 Pyracantha 64 Pussytoes 95 Pyracantha 64 Pussytoes 95 Pyracantha 64 Pussytoes 95 Pyracantha 64 Quince, Flowering 25-26 Quince, Flowering 25-26 Moss Pink 110 R Mountain Ash 73 Red Bud 15 Mountain Laurel 42 Red Hot Poker 107 Myrica 52 Rhamnus 66 Myrica 52 Rhododendron 66-69		
Maple 3, 4 Potentilla 61 Marjoram 109 Primrose 111 Mazus 108 Privet 44 Meadowrue 114 Prunus 61-63 Michaelmas Daisy 96, 97 Pseudolarix 64 Milkwort 111 Pseudotsuga 64 Mint 108 Pterostyrax 64 Mint Shrub 28 Pussytoes 95 Mistflower 102 Pyracantha 64 Mitchella 52 Q Mock Orange 53, 54 Quince, Flowering 25-26 Monkshood 94 Quince, Flowering 25-26 Moss Pink 110 R Mountain Ash 73 Red Bud 15 Mountain Laurel 42 Red Hot Poker 107 Myrica 52 Rhamnus 66 Myrica 52 Rhamnus 66 N Rhododendron 66-69 Rhodora 66 66 Rhodotypos 69 Navelwort	Maidenhair Tree 32	
Marjoram 109 Primrose 111 Mazus 108 Privet 44 Meadowrue 114 Prunus 61-63 Michaelmas Daisy 96, 97 Pseudolarix 64 Milkwort 111 Pseudotsuga 64 Mint 108 Pterostyrax 64 Mint Shrub 28 Pyracantha 64 Mistflower 102 Pyracantha 64 Mistflower 102 Pyracantha 64 Mock Orange 53, 54 Quercus 65 Monkshood 94 Quercus 65 Quince, Flowering 25-26 Moss Pink 110 R Mountain Ash 73 Rampion 110 Mountain Fringe 96 Red Bud 15 Mountain Laurel 42 Red Hot Poker 107 Myrica 52 Rhamnus 66 Myrica 52 Rhamnus 66 Myrica 43,	Malus50-52	
Mazus 108 Privet 44 Mazus 108 Prunus 61-63 Michaelmas Daisy 96, 97 Pseudolarix 64 Milkwort 111 Pseudotsuga 64 Mint 108 Pterostyrax 64 Mint Shrub 28 Pussytoes 95 Mistflower 102 Pyracantha 64 Mitchella 52 Q Mock Orange 53, 54 Quercus 65 Monkshood 94 Quercus 65 Monkshood Vine 5 Quince, Flowering 25-26 Moss Pink 110 R Mountain Ash 73 Rampion 110 Mountain Fringe 96 Red Bud 15 Mountain Laurel 42 Red Hot Poker 107 Myrica 52 Rhamnus 66 Myrica 52 Rhamnus 66 Myrica 43, 91, 115 Rhododendron 66-69 Rhodora 66 N Rhododendron 66-69 <t< td=""><td> _</td><td></td></t<>	_	
Meadowrue 114 Prunus 61-63 Michaelmas Daisy 96, 97 Pseudolarix 64 Milkwort 111 Pseudotsuga 64 Mint 108 Pterostyrax 64 Mint Shrub 28 Pussytoes 95 Mistflower 102 Pyracantha 64 Mitchella 52 Q Mock Orange 53, 54 Quercus 65 Monkshood 94 Quercus 65 Monkshood Vine 5 Quince, Flowering 25-26 Moss Pink 110 R Mountain Ash 73 Rampion 110 Mountain Fringe 96 Red Bud 15 Mountain Laurel 42 Red Hot Poker 107 Myrica 52 Rhamnus 66 Myrica 52 Rhodotypos 69 Nannyberry 89 Rhus 69 Navelwort 108 Robinia 69		
Meddownee 114 Pseudolarix 64 Michaelmas Daisy 96, 97 Pseudotsuga 64 Milkwort 111 Pterostyrax 64 Mint 108 Pterostyrax 64 Mint 102 Pussytoes 95 Mistflower 102 Pyracantha 64 Mitchella 52 Pyracantha 64 Mock Orange 53, 54 Quercus 65 Monkshood 94 Quercus 65 Quince, Flowering 25-26 Moss Pink 110 R Mountain Ash 73 Rampion 110 Mountain Fringe 96 Red Bud 15 Mountain Laurel 42 Red Hot Poker 107 Myrica 52 Rhamnus 66 Myrtle 43, 91, 115 Rhododendron 66-69 Rhodora 66 Rhodotypos 69 Nannyberry 89 Rhus 69		
Milkwort 111 Pseudotsuga 64 Mint 108 Pterostyrax 64 Mint Shrub 28 Pussytoes 95 Mistflower 102 Pyracantha 64 Mitchella 52 Q Mock Orange 53, 54 Quercus 65 Monkshood 94 Quercus 65 Monkshood Vine 5 Quince, Flowering 25-26 Moss Pink 110 R Mountain Ash 73 Rampion 110 Mountain Fringe 96 Red Bud 15 Mountain Laurel 42 Red Hot Poker J07 Myrica 52 Rhamnus 66 Myrtle 43, 91, 115 Rhododendron 66-69 Rhodora 66 68 Nannyberry 89 Rhus 69 Navelwort 108 Robinia 69		Pseudolarix64
Mint 108 Pterostyrax 64 Mint Shrub 28 Pussytoes 95 Mistflower 102 Pyracantha 64 Mitchella 52 Q Mock Orange 53, 54 Quercus 65 Monkshood 94 Quince, Flowering 25-26 Moss Pink 110 R Mountain Ash 73 Rampion 110 Mountain Fringe 96 Red Bud 15 Mountain Laurel 42 Red Hot Poker J07 Myrica 52 Rhamnus 66 Myrile 43, 91, 115 Rhododendron 66-69 Rhodora 66 N Rhodotypos 69 Nannyberry 89 Rhus 69 Navelwort 108 Robinia 69		
Mistflower 102 Pyracantha 64 Mitchella 52 Q Mock Orange 53, 54 Quercus 65 Monkshood 94 Quince, Flowering 25-26 Moss Pink 110 R Mountain Ash 73 Rampion 110 Mountain Fringe 96 Red Bud 15 Mountain Laurel 42 Red Hot Poker 107 Myrica 52 Rhamnus 66 Myrtle 43, 91, 115 Rhododendron 66-69 Rhodora 66 N Rhodotypos 69 Nannyberry 89 Rhus 69 Navelwort 108 Robinia 69	Mint	
Mitchella 52 Q Mock Orange 53, 54 Quercus 65 Monkshood 94 Quince, Flowering 25-26 Moss Pink 110 R Mountain Ash 73 Rampion 110 Mountain Fringe 96 Red Bud 15 Mountain Laurel 42 Red Hot Poker J07 Myrica 52 Rhamnus 66 Myrtle 43, 91, 115 Rhododendron 66-69 Rhodora 66 Rhodotypos 69 Nannyberry 89 Rhus 69 Navelwort 108 Robinia 69	Mint Shrub 28	
Mock Orange 53, 54 Monkshood 94 Monkshood Vine 5 Moss Pink 110 Mountain Ash 73 Rampion 110 Mountain Fringe 96 Red Bud 15 Mountain Laurel 42 Red Hot Poker 107 Myrica 52 Rhamnus 66 Myrtle 43, 91, 115 Rhododendron 66-69 Rhodotypos 69 Nannyberry 89 Navelwort 108 Robinia 69	Mistflower102	Pyracantha 64
Monkshood 94 Quercus 65 Monkshood Vine 5 Quince, Flowering 25-26 Moss Pink 110 R Mountain Ash 73 Rampion 110 Mountain Fringe 96 Red Bud 15 Mountain Laurel 42 Red Hot Poker 107 Myrica 52 Rhamnus 66 Myrtle 43, 91, 115 Rhododendron 66-69 Rhodora 66 N Rhodotypos 69 Nannyberry 89 Rhus 69 Navelwort 108 Robinia 69		Q
Monkshood Vine 5 Quince, Flowering 25-26 Moss Pink 110 R Mountain Ash 73 Rampion 110 Mountain Fringe 96 Red Bud 15 Mountain Laurel 42 Red Hot Poker 107 Myrica 52 Rhamnus 66 Myrtle 43, 91, 115 Rhododendron 66-69 Rhodora 66 N Rhodotypos 69 Nannyberry 89 Rhus 69 Navelwort 108 Robinia 69		Quercus 65
Moss Pink 110 R Mountain Ash 73 Rampion 110 Mountain Fringe 96 Red Bud 15 Mountain Laurel 42 Red Hot Poker 107 Myrica 52 Rhamnus 66 Myrtle 43, 91, 115 Rhododendron 66-69 Rhodora 66 N Rhodotypos 69 Nannyberry 89 Rhus 69 Navelwort 108 Robinia 69		
Mountain Ash 73 Rampion 110 Mountain Fringe 96 Red Bud 15 Mountain Laurel 42 Red Hot Poker 107 Myrica 52 Rhamnus 66 Myrtle 43, 91, 115 Rhododendron 66-69 Rhodora 66 N Rhodotypos 69 Nannyberry 89 Rhus 69 Navelwort 108 Robinia 69		<u> </u>
Mountain Fringe 96 Red Bud 15 Mountain Laurel 42 Red Hot Poker 107 Myrica 52 Rhamnus 66 Myrtle 43, 91, 115 Rhododendron 66-69 Rhodora 66 N Rhodotypos 69 Nannyberry 89 Rhus 69 Navelwort 108 Robinia 69		
Mountain Laurel 42 Red Hot Poker 107 Myrica 52 Rhamnus 66 Myrtle 43, 91, 115 Rhododendron 66-69 Rhodora 66 N Rhodotypos 69 Nannyberry 89 Rhus 69 Navelwort 108 Robinia 69		Red Bud 15
Myrica 52 Rhamnus 66 Myrtle 43, 91, 115 Rhododendron 66-69 Rhodora 66 N Rhodotypos 69 Nannyberry 89 Rhus 69 Navelwort 108 Robinia 69	Mountain Laurel	Red Hot Poker
Myrtle 43, 91, 115 Rhododendron 66-69 N Rhodora 66 Nannyberry 89 Rhus 69 Navelwort 108 Robinia 69	Myrica 52	
N Rhodotypos 69 Nannyberry 89 Rhus 69 Navelwort 108 Robinia 69	Myrtle43, 91, 115	
Nannyberry89Rhus69Navelwort108Robinia69	N	
Navelwort		
	Neillia 52	

·	
Rosa70-71	T
Rosemallow104	Tansy114
Rosemary112	Tarragon96
Rose of Sharon33, 34	Taxodium 77
Roses70, 71	Taxus77-80
Roulet's Rose 70	Teucrium 81
Rowan Tree	Thoroughwort102
Rue112	Thrift 113
1146	Thuya81-84
c	Thyme114
S 112	Tilia85
Sage112	Toadflax107
Salix	
Salvia112	Toad Lily114
Sambucus 72	Torchlily 107
Sand Myrtle 43	Trailing Arbutus28, 101
Sandwort96	Trefoil107
Santolina112	Trillium114
Savory97, 112	Trumpet Vine 13
Saxifrage112	Tsuga86, 87
Scabiosa112	Tulip Tree44
Schizophrozma	Tunic Flower114
Sciadopitys	Tupelo 52
Sea Lavender107	Turquoise Berry 75
September Daisy 99	Twin Flower107
Shadblow5	Twinleaf107
Shasta Daisy 99	Ŭ
Shooting Star101	Ulmus87, 88
Silver Bell 32	Umbrella Pine 72
Skirret113	
Smoke Tree 69	v
Snakebeard107, 109	Vaccinium 88
Snowball90	Varnish Tree 42
Snowbell	Verbena114
Snowberry	Viburnum88-91
Snow in Summer 98	Vinca91, 115
Sneezeweed103	Viola115
Soapwort112	Violet115
Sophora	Vitex 91
Sorbaria	W
Sorbus	Wallflower
Sorrel Tree, Sourwood 53	Wayfaring Tree 89
Sour Gum 52	Weigela 91
Speedwell115	White Cup108
Spicebush 10	White Fringe 18
Spirea14, 73, 74, 98	White Rocket104
Spried14, 75, 74, 56	Whitlow Grass101
Spruce54-58 Spurge53, 102, 109	Willow 72
Staphylea	Winterberry36, 37
	Wintercreeper 29
Stephandra	Wirevine108
St. Johnswort 34	Wisteria 92
Stewartia	Witchhazel32, 33
Stokesia114	Witherod 89
Stonecress	Woodbine5, 45
Stonecrop113	Woodruff 96
Stranvaesia	Woodwaxen31, 32
Styrax 75	Wormwood
Sweet Cecily108	
Sycamore 60	X Vaniharana
Symphoricarpos	Xanthoceras 92
Symplocos 75	
Syringa 76	Yarrow 94
Sumach 69	Yellow Wood 18
Summer Sweet	Yew77-80
Sundrops108	Yew Hedges 80
Sunrose103	Yucca
Sweet Gum 44	Z
Sweet Shrub14	Zanthorhiza

Memoranda

Conditions of Sale

Orders Are Accepted Subject to prior sale, and to condition of stock at delivery date, under the following terms.

Goods in Transit—All goods are at purchaser's risk after they are delivered to the forwarding companies and we receive their receipt for the shipment in good condition.

Claims must be made within five days after receipt of goods. Prices in this catalogue cancel all previous lists and quotations, are subject to change without notice and they are F.O.B. our nurseries, packing extra. The price columns indicate the unit price for each plant. The ten rate applies to purchases of 5 to 24 plants of same size and variety. The hundred rate applies to purchases of 25 or more plants of same size and variety.

Terms Cash—For customers of established credit accounts will be opened due in 30 days from date of invoice. Interest at six per cent (6%) per year will be charged on all accounts from due date. Orders for C.O.D. shipment must be accompanied by one-third of the amount.

Special Selection—Plant materials specially selected at the nursery will be sold at prices commensurate with the value of the specimens chosen, irrespective of the listed prices.

of the specimens chosen, irrespective of the listed prices. **Ball and Burlap**—The specification "B&B" in this list signifies digging with a ball of earth, which, where indicated, is included in the price. For digging all other items (not specified B&B) in this manner, there is an additional charge based upon the dimensions of the earth ball as follows:

9"	diam\$.35	21"	diam\$	2.75	42"	diamS	\$13.00
				diam				
15"	diam	1.00	30"	diam	6.00	54 "	diam	24.00
18"	diam	1.75	36 "	diam	9.00	60 "	diam	32.50
Plati	forms, as	part of	our e	equipment.	are to	be r	eturned.	

SCHEDULE OF DELIVERY CHARGES

Amt. of Order on one delivery	First Zone 1-15 miles	Second Zone 15-30 miles	Third Zone 30-50 miles	
\$1,000 or more \$500 to \$999 \$300 to 499 \$100 to 299 Less than \$100	Free Free Free \$3.00	Free Free Free 5% of order \$5.00	Free	
Amt. of Order on one delivery	Fourth Zone 50-75 miles	Fifth Zone 75-100 miles	Additional information	
\$1,000 or more \$500 to \$999 \$300 to 499 \$100 to 299 Less than \$100	Free	5% of order 8% of order 10% of order Ship Ship	on special deliveries given on request.	

Delivery Dates are made subject to enforced delay caused by weather or other conditions beyond our control.

BOXING CHARGES

_									_
	Length	12x15"	15x16"	17x20''	19 x24''	23x28''	27x32''	31 x 36"	
	4'	.75	1.00	1.25	1.50	1.75	2.00	2.50	
	6'	1.00	1.25	1.50	1.75	2.00	2.50	2.75	
	8'	1.25	1.50	1.75	2.00	2.50	2.75	3.25	
	10'	1.75	2.50	2.75	3.25	3.50 °	4.00	4.50	
	12'		3.00	3.25	3.50	4.00	5.00	5.50	
	14'		1	3.75	4.00	4.25	5.50	6.00	

